

FILE

Barth E. Royer
Attorney at Law

RECEIVED-COURT REPORT

2017 APR -5 AM 11:08

Phone: (614) 385-1937

Fax: (614) 360-3529

Email: BarthRoyer@aol.com

PUCO

April 5, 2017

Ms. Barcy F. McNeal, Secretary
Public Utilities Commission of Ohio
180 East Broad Street
Columbus, Ohio 43215-3793

Re: *In the Matter of the Application of Ohio
Wastewater Systems, Inc. for a Certificate of
Public Convenience and Necessity to
Provide Sewage Disposal Service and for
Approval of Its Tariff P.U.C.O. No. 1.,
Case No. 17-616-ST-ACE.*

Dear Ms. McNeal:

It has come to the attention of Ohio Wastewater Systems, Inc. ("OWSI") that there is a typographical error in the preface to its application in the above-referenced proceeding filed herein on March 1, 2017. The reference at page 1, line 9 of the application to the Commission's standards for sewage disposal system companies being set out in Ohio Adm.Code Chapter 4905:1-15 should be corrected to refer to Ohio Adm.Code Chapter 4901:1-15.

In addition, the first bullet point in Section 3, Paragraph b of the Engineer's Report attached as Exhibit 7 to the application inaptly refers to OWSI as the "PUCO run utility." The reference, of course, should be to the "PUCO-regulated utility."

OWSI respectfully requests that the foregoing errata be accepted as part of its application. Thank you for your attention to this matter.

Sincerely,



Barth E. Royer
Attorney for Ohio Wastewater Systems, Inc.

This is to certify that the images appearing are an
accurate and complete reproduction of a case file
document delivered in the regular course of business.
Technician AN Date Processed APR 05 2017

Barth E. Royer, LLC
2740 East Main Street
Bexley, Ohio 43209