Ohio Electric

Implementation Guideline

For

Electronic **D**ata **I**nterchange

TRANSACTION SET

814

Drop

Request and Response

Ver/Rel 004010

Summary of Changes

Version 1.0.0
May 1, 2001
Version 1.5.0
May 1, 2001

Version 2.0.0 December 31, 2001

Version 2.1.0 June 30, 2002

Version 2.2.0 October 1, 2005

Version 2.3.0 March 9, 2010

Version 2.4.0 February 14, 2012

Version 2.5.0 February 15, 2013 Initial Release

- Remove NM1 and REF*LU (within NM1) from the 814Drop per Change Control 10.
- Remove the Summary pages (usually pages 2 and 3) from the implementation guides.
 These pages are automatically created by Foresight, but the last round of changes to the
 documents was done in Word and has not been updated in Foresight per Change
 Control 22.

Add new drop reason code of C02 to Ref 1P to allow the EDU to return customers to the EDU when supplier arrears are in excess of Purchase of Receivables contractual limits

- Add a drop code for Government Aggregation customers who opt out. Possibly A95 in REF02 in the REF*1P segment – Offer expired (UIG code and description) (see bold text below) and gray box defining the code. Per CC# 41.
- Added note to N1~8R segment to show AP validates on first 4 characters of customer name per change control 48.
- Added text to title on N1 pages to show which N1 per change control 50
- Updated REF~Q5 gray boxes to show SDID per change control 51
- Added a drop reason code to identify customers who select the percent of income payment plan (PIPP) per change control 58
- Added a drop reason code to identify customers who select the Arrearage Crediting Program (PAC) per change control 62.
- During 3/3/10 meeting, the OSPO Data Working Group reviewed & confirmed EDI change controls up to and including CC67. All changes in the v2.2.0 redline were accepted and v2.3.0 created as the new baseline for Ohio.
- Incorporated AEP's administrative changes as per EDI Change Control 70.
- Incorporated First Energy's administrative changes as per EDI Change Control 81.
- Incorporated addition of a 'General Notes' section as per EDI Change Control 89.
- Incorporated new code in REF7G as per EDI Change Control 96.

814 General Request, Response or Confirmation

Functional Group ID= \mathbf{GE}

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the General Request, Response or Confirmation Transaction Set (814) for use within the context of an Electronic Data Interchange (EDI) environment. This standard can be used to request actions to be performed, to respond to a request for actions to be performed or to confirm information related to actions performed.

Transaction Set Notes

- 1. The N1 loop is used to identify the transaction sender and receiver.
- 2. The N1 loop is used to identify the transaction sender and receiver.
- **3.** The N1 loop is used to identify the transaction sender and receiver.
- 4. The NM1 loop is used to identify the parties associated with the individual line item (LIN), such as an individual consumer in a consolidated third party Consumer Service Provider transaction.

	General Notes
Drop Processing Scenarios & Timelines	A drop may be requested by either the EDU or the CRES and must include the correct Drop Reason code in the REF1P segment.
	Pending Enrollments – support of CRES initiated 814D submitted prior to the service period start date.
	AEP – accepts inside 7 day rescission period and rejects within 5 days of meter read/switch date.
	 DP&L - rejects inside 7 day rescission period. If received after rescission period expires up to meter read/switch date, will accept and return with the following meter reading as drop date. Customer is served by CRES for one month. Duke – accepts inside 7 day rescission period and rejects within 4 days of meter read/switch date.
	• FE – rejects prior to meter read/switch date. CRES must submit drop after service start date. The customer is served by CRES for one month.
	Drop to EDU/Switch to new CRES
	Drop will be effective on the next scheduled meter read date if submitted 12 calendar days prior to next scheduled meter read else drop will effectuate on the following month's meter read date.
Drop Rescission	EDU to CRES: The customer may rescind a drop when they initiated it through the EDU. If this happens, the EDU will send a reinstatement transaction to the CRES.
	CRES to EDU: If the CRES sends the drop to the EDU, it may be rescinded via CRES initiated 814 Reinstatement Request. FE does not support CRES 814R and is unable to rescind CRES initiated drop.

Segment: ST Transaction Set Header

Position: 010

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose:

To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes:

The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Comments:

Notes:

Request: Required Response: Required ST~814~000000001

M	Ref. Des. ST01	Data Element 143	Name Transaction Set Id	lentifier Code		ributes ID 3/3
			Code uniquely iden	tifying a Transaction Set		
			814	General Request, Response or Confirma	ation	
M	ST02	329	Transaction Set C	ontrol Number	M	AN 4/9
				number that must be unique within the tra signed by the originator for a transaction		ion set

Segment: BGN Beginning Segment

Position: 020

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose: To indicate the beginning of a transaction set
 Syntax Notes: 1 If BGN05 is present, then BGN04 is required.
 Semantic Notes: 1 BGN02 is the transaction set reference number.

BGN03 is the transaction set date.BGN04 is the transaction set time.

4 BGN05 is the transaction set time qualifier.

5 BGN06 is the transaction set reference number of a previously sent transaction

affected by the current transaction.

Comments:

Notes: Request: Required Response: Required

BGN~13~199904011956531~19990401 (Request) BGN~11~199904020830531~19990401 (Response)

Data Element Summary

M	Ref. <u>Des.</u> BGN01	Data Element 353	Name Transaction S	Set Purpose Code		ributes ID 2/2		
			Code identifyi	ng purpose of transaction set				
			11	Response				
			13	Request				
M	BGN02	127	Reference Ide	entification	M	AN 1/30		
				Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
			A unique trans	saction identification number assign	ed by the origina	ntor of this		
			transaction. This number must be unique over time.					
			Transaction Re	eference numbers will only contain	uppercase letters	s (A to Z) and		
			digits (0 to 9).	Note that punctuation (spaces, dash	hes, etc.) must be	e excluded.		
M	BGN03	373	Date		M	DT 8/8		
			Date expressed	d as CCYYMMDD				

sender's application system.

The transaction creation date - the date that the data was processed by the

N1 Name (8S - EDU) **Segment:**

Position: 040

> Loop: N1 Optional

Level: Heading Usage: Optional 1

Max Use:

Purpose: To identify a party by type of organization, name, and code

At least one of N102 or N103 is required. **Syntax Notes:**

If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1

This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

N105 and N106 further define the type of entity in N101.

Notes: Request: Required Response: Required

N1~8S~EDU COMPANY~1~007909411~~40

	Ref.	Data		•		
	Des.	Element	<u>Name</u>		Attı	<u>ibutes</u>
M	N101	98	Entity Identifier C	ode	M	ID 2/3
			Code identifying an	organizational entity, a physical location,	prop	erty or an
			individual			
			8S	Consumer Service Provider (CSP)		
				EDU		
M	N102	93	Name		X	AN 1/60
			Free-form name			
			EDU			
M	N103	66	Identification Code	e Qualifier	X	ID 1/2
			Code designating th	ne system/method of code structure used for	or Identification	
			Code (67)	·		
			1	D-U-N-S Number, Dun & Bradstreet		
			9	D-U-N-S+4, D-U-N-S Number with For	ır Ch	aracter
				Suffix		
M	N104	67	Identification Code	e	X	AN 2/80
			Code identifying a p	party or other code		
			EDU D-U-N-S Nun	nber or D-U-N-S + 4 Number		
M	N106	98	Entity Identifier C	ode	O	ID 2/3
			Code identifying an	organizational entity, a physical location,	prop	perty or an
			individual			
			40	Receiver		
			41	Submitter		

Segment: N1 Name (SJ - CRES)

Position: 040

Loop: N1 Optional

Level: Heading Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must

provide a key to the table maintained by the transaction processing party.

2 N105 and N106 further define the type of entity in N101.

Notes: Required Response: Required

N1~SJ~CRES COMPANY~9~007909411CRES~~40

	Ref.	Data		•		
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
M	N101	98	Entity Identifier (Code	M	ID 2/3
			Code identifying an individual	n organizational entity, a physical location	, proj	perty or an
			SJ	Service Provider		
			SI			
				CRES		
M	N102	93	Name		X	AN 1/60
			Free-form name			
			CRES			
M	N103	66	Identification Cod	le Qualifier	X	ID 1/2
			Code designating the	he system/method of code structure used for	or Identification	
			Code (67)	•		
			1	D-U-N-S Number, Dun & Bradstreet		
			9	D-U-N-S+4, D-U-N-S Number with Fo	ur Ch	naracter
M	N104	47	Identification Cod		X	AN 2/80
IVI	N104	67			Λ	AN 2/00
				party or other code		
			CRES D-U-N-S No	umber or D-U-N-S + 4 Number		
\mathbf{M}	N106	98	Entity Identifier (Code	0	ID 2/3
			Code identifying an individual	n organizational entity, a physical location	, proj	perty or an
			40	Receiver		
			41	Submitter		

Segment: N1 Name (8R - Customer)

Position: 040

Loop: N1 Optional

Level: Heading Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

Semantic Notes: Comments:

ents: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must

provide a key to the table maintained by the transaction processing party.

N105 and N106 further define the type of entity in N101.

Notes: Required Required

Response: Required

N1~8R~CUSTOMER NAME~92~STORE 7391

N1~8R~CUSTOMER NAME

	Ref. Des.	Data Element	<u>Name</u>		Attı	ributes
M	N101	98	Entity Identifier C	ode	\mathbf{M}	ID 2/3
			Code identifying an individual	organizational entity, a physical location,	prop	perty or an
			8R	Consumer Service Provider (CSP) Custo	mer	
				Customer		
M	N102	93	Name		X	AN 1/60
			Free-form name			
			Customer name as o	locumented in the sender's application sys	tem.	
C	N103	66	Identification Code	e Qualifier	X	ID 1/2
			Code designating the Code (67)	e system/method of code structure used for	or Ide	entification
			Condition: Require	d when available.		
			92	Assigned by Buyer or Buyer's Agent		
C	N104	67	Identification Code	e	X	AN 2/80
			Code identifying a p	party or other code		
			Store Number			
			Condition: Require	d when available.		

Segment: LIN Item Identification

Position: 010

Loop: LIN Optional

Level: Detail
Usage: Optional
Max Use: 1

Purpose:

To specify basic item identification data

Syntax Notes: 1 If either LIN04 or LIN05 is present, then the other is required.

- 2 If either LIN06 or LIN07 is present, then the other is required.
- 3 If either LIN08 or LIN09 is present, then the other is required.
- 4 If either LIN10 or LIN11 is present, then the other is required.
- 5 If either LIN12 or LIN13 is present, then the other is required.
- 6 If either LIN14 or LIN15 is present, then the other is required.
- 7 If either LIN16 or LIN17 is present, then the other is required.
- 8 If either LIN18 or LIN19 is present, then the other is required.
- 9 If either LIN20 or LIN21 is present, then the other is required.
- 10 If either LIN22 or LIN23 is present, then the other is required.
- 11 If either LIN24 or LIN25 is present, then the other is required.
- 12 If either LIN26 or LIN27 is present, then the other is required.
- 13 If either LIN28 or LIN29 is present, then the other is required.
- 14 If either LIN30 or LIN31 is present, then the other is required.

Semantic Notes: Comments:

1 LIN01 is the line item identification

1 See the Data Dictionary for a complete list of IDs.

LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

Notes: Response/LIN: There must be a response for each LIN segment.

Request: Required Response: Required

LIN~DECE1999123108590001~SH~EL~SH~CE

	Ref.	Data				
	Des.	Element	Name Name		Attı	<u>ibutes</u>
M	$\overline{\text{LIN0}}$ 1	350	Assigned Identifica	ation	0	AN 1/20
			Alphanumeric chara	acters assigned for differentiation within a	tran:	saction set
			transaction. This nu	is a unique tracking number for each line imber must be unique over time. This nu onse transaction in the same element.		
			_	vill only contain uppercase letters (A to Z		digits (0 to
3.5	T 73700			uation (spaces, dashes, etc.) must be exclu		TD 0/0
M	LIN02	235	Product/Service II	_	M	ID 2/2
			Product/Service ID		sed in	L
			SH	Service Requested		
\mathbf{M}	LIN03	234	Product/Service II		\mathbf{M}	AN 1/48
			Identifying number	for a product or service		
			EL	Electric Service		
M	LIN04	235	Product/Service II	Qualifier	X	ID 2/2
			Product/Service ID		sed in	l
			SH	Service Requested		
M	LIN05	234	Product/Service II		X	AN 1/48
			Identifying number	for a product or service		
			CE	Energy Services		
				Indicates this transaction relates to Ener	gy Se	ervices.

Segment: ASI Action or Status Indicator

Position: 020

Loop: LIN Optional

Level: Detail
Usage: Optional
Max Use: 1

Purpose: To indicate the action to be taken with the information provided or the status of the entity

described

Syntax Notes: Semantic Notes: Comments:

Notes: Identifies the action to be taken or the status of a requested action for the service

identified in the LIN segment.
Request: Required
Accept Response: Required
Reject Response: Required

AŠI~7~024 (Request)

ASI~WQ~024 (Accept Response) ASI~U~024 (Reject Response)

	Ref.	Data				
	Des.	Element	<u>Name</u>		Attı	<u>ributes</u>
M	ASI01	306	Action Code		M	ID 1/2
			Code indicating typ	be of action		
			7	Request		
			U	Reject		
			WQ	Accept		
M	ASI02	875	Maintenance Type	e Code	\mathbf{M}	ID 3/3
			Code identifying th	e specific type of item maintenance		
			024	Cancellation or Termination		
				Drop		

Segment: REF Reference Identification (CRES Account Number)

Position: 030

Loop: LIN Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required.
If either C04005 or C04006 is present, then the other is required.

Semantic Notes: Comments:

Notes:

1 REF04 contains data relating to the value cited in REF02.

Account numbers will only contain uppercase letters (A to Z) and digits (0 to 9). Note that punctuation (spaces, dashes, etc.) must be excluded, and leading and trailing zeros

that are part of the account number must be present.

Request: Required if it was provided on the Enrollment or Change Accept Response: Required if it was provided on the Enrollment or Change Reject Response: Required if it was provided on the Enrollment or Change

REF~11~2348400586

	Ref.	Data						
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>		
\mathbf{M}	REF01	128	Reference Identific	cation Qualifier	\mathbf{M}	ID 2/3		
			Code qualifying the	Code qualifying the Reference Identification				
			11	Account Number				
				CRES Account Number				
M	REF02	127	Reference Identifie	cation	X	AN 1/30		
				Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
			CRES Account Nur	mber				

Segment: REF Reference Identification (EDU Account Number)

Position: 030

Loop: LIN Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required.

3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes: Comments:

Notes:

1 REF04 contains data relating to the value cited in REF02.

Account numbers will only contain uppercase letters (A to Z) and digits (0 to 9). Note that punctuation (spaces, dashes, etc.) must be excluded, and leading and trailing zeros that are part of the account number must be present.

Request: Conditional - Required for all utilities except AEP, which will use Service Delivery Identification Number.

Accept Response: Conditional - Required for all utilities except AEP, which will use Service Delivery Identification Number. First Energy will send Customer Number Reject Response: Conditional - Required for all utilities except AEP, which will use Service Delivery Identification Number, unless account number was not provided on the

request. First Energy will send Customer Number

REF~12~2931839200

	Ref.	Data							
	Des.	Element	<u>Name</u>		Attr	<u>ributes</u>			
M	REF01	128	Reference Identific	ation Qualifier	M	ID 2/3			
			Code qualifying the	Reference Identification					
			12	Billing Account					
				EDU Account Number					
M	REF02	127	Reference Identific	ation	X	AN 1/30			
				Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
			EDU Account Numb	per					

Segment: **REF** Reference Identification (Status Reason)

Position: 030

Loop: LIN Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required.
If either C04005 or C04006 is present, then the other is required.

Semantic Notes: Comments:

1 REF04 contains data relating to the value cited in REF02.

Notes: Required to indicate reason for drop

Accept Response: Required when status information must be conveyed

Reject Response: Not Used

REF~1P~CCE~CONTRACT EXPIRED (Request) REF~1P~B39~ALREADY DROPPED (Response)

	Data Element Summary								
	Ref.	Data	•		• . .				
M	Des.	Element	Name	-	Attributes				
M	REF01	128	Reference Identifi	_	M ID 2/3				
				e Reference Identification					
			1P	Accessorial Status Code					
				Used on the request to provide reason for Used on the response when the request is additional status information must be pro-	accepted, but				
M	REF02	127	Reference Identifi	ication	X AN 1/30				
				tion as defined for a particular Transaction S	Set or as				
				eference Identification Qualifier					
			007	Service terminated because of nonpayment	nt				
			020	Valid on Request					
			020	Customer moved or account closed					
				Valid on Request					
			A13	Other					
				Valid on Request or Response	112: aa d a				
				Explanation Required in REF03. When A email should be sent to the Ohio Deregula					
				to determine if a new code needs to be est					
			ABN	Duplicate Request Received					
				Valid on Response					
			A95	Offer Expired					
				First Energy Only – used to indicate a Go	overnment				
				Aggregated customer has opted out					
			B38	Dropped					
				Valid on Request	. 1 . 6				
				Customer was dropped by the CRES Prov reasons other than nonpayment	vider for				
			B39	Already Dropped					
			20)	Valid on Response					
			B40	Dropped by Customer Request					
			2.0	Valid on Request					
			B41	Service terminated at the CRES's option					
				Valid on Request					
			B42	Alleged Slam					
			D 12	Use of this code assumes that the drop wa	as at the				
				ose of this code assumes that the drop wa	is at the				

	customer request.
CCE	Contract Expired
	Valid for CRES to EDU Request only
CHA	Customer changed to another Service Provider
	Valid for EDU to CRES Request only
C02	Customer is on Credit Hold
	Valid for LIN05 = CE
	Only applicable if the CRES requests EDU
	Consolidated Billing and the customer arrears exceeds
	limits outlined in purchase of receivables contract
	between the EDU and CRES
EB3	Withdrawn
	Valid for EDU to CRES Request Only
	Customer rescinded enrollment request within rescission
	period
PAC	PAC
	Valid for EDU to CRES Request Only
	Customer enrolled in an arrearage crediting program
	PAC
PIP	PIPP
	Valid for EDU to CRES Request Only
	Customer enrolled in utility percent of income payment
Description	plan - PIPP
Description	X AN 1/80

352

A free-form description to clarify the related data elements and their content Used to further describe the status reason code sent in REF02. Code "A13" requires text explanation in this element.

 \mathbf{C}

REF03

Segment: REF Reference Identification (Previous EDU Account Number)

Position: 030

Loop: LIN Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required.
If either C04005 or C04006 is present, then the other is required.

Semantic Notes: Comments:

Notes:

1 REF04 contains data relating to the value cited in REF02.

Account numbers will only contain uppercase letters (A to Z) and digits (0 to 9). Note that punctuation (spaces, dashes, etc.) must be excluded, and leading and trailing zeros that are part of the account number must be present.

EDU Initiated 814 Request or Response: Required if the EDU Account Number has changed within the last 60 days. Required for all utilities except AEP, which will use Service Delivery Identification Number. First Energy will always send if noted on the

account in CIS system. Other 814s: Not Used REF~45~1105687500

M	Ref. <u>Des.</u> REF01	Data Element 128	Name Reference Identific	•	Attı M	ributes ID 2/3	
			Code qualifying the	Reference Identification			
			45	Old Account Number			
				Previous EDU Account Number			
M	REF02	127	Reference Identific	ation	X	AN 1/30	
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
			Previous EDU Acco	unt Number			

Segment: REF Reference Identification (Rejection Reason)

Position: 030

Loop: LIN Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required.
If either C04005 or C04006 is present, then the other is required.

Semantic Notes: Comments:

1 REF04 contains data relating to the value cited in REF02.

Notes: Request: Not Used Accept Response: Not Used Reject Response: Required

REF~7G~A76~ACCOUNT NOT FOUND

Data Element Summary

Data Element Summary							
	Ref.	Data		-			
	Des.	Element	<u>Name</u>		<u>Attributes</u>		
M	REF01	128	Reference Identif	_	$\mathbf{M} \mathbf{ID}\ 2/3$		
			Code qualifying the	ne Reference Identification			
			7G	Data Quality Reject Reason			
				Reject reasons associated with a reject	status		
3.6	DEE03	105	De II /	notification.	37 A N 1 1/20		
M	REF02	127	Reference Identif		X AN 1/30		
				ation as defined for a particular Transaction eference Identification Qualifier	1 Set or as		
			008	Account exists but is not active			
			A13	Other			
			1113	Explanation Required in REF03. When	n A13 is used an		
				email should be sent to the Ohio Dereg			
				to determine if a new code needs to be established.			
			A74	Energy Supplier Account Invalid or Not Found			
				Valid if customer is served by a CRES			
			A76	Utility Account Invalid or Not Found			
				This code may not be used as a rejectio			
				correct previous EDU account number was submitted			
				and the EDUchanged account numbers within the last 60 days.	(i.e., reroute)		
			A85	Customer is not the customer of the Rec	questor		
			ACI	Action Code (ASI01) invalid	1		
			B14	Reason for termination is required, or s	end invalid code		
			CPD	Current Drop Pending			
			D76	Duns Number Invalid or Not Found			
			DIV	Date Invalid			
			M76	Invalid Meter			
			MTI	Maintenance Type Code (ASI02) inval	id		
			SDP	Invalid Service Delivery Identification			
C	REF03	352	Description	•	X AN 1/80		
			•	intion to clarify the related data elements a	nd thair contant		

A free-form description to clarify the related data elements and their content

Used to further describe the rejection reason code sent in REF02. Code "A13" requires text explanation in this element.

Position: 030

Loop: LIN Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required.
 If either C04005 or C04006 is present, then the other is required.

Semantic Notes: Comments:

Notes:

1 REF04 contains data relating to the value cited in REF02.

SDID numbers will only contain uppercase letters (A to Z) and digits (0 to 9). Note that punctuation (spaces, dashes, etc.) must be excluded, and leading and trailing zeros that

are part of the SDID number must be present.

Requiest: Required if Customer is in AEP Service Territory
Accept Response: Required if Customer is in AEP Service Territory
Reject Response: Required if Customer is in AEP Service Territory

REF~Q5~9876543245678DCH

M	Ref. <u>Des.</u> REF01	Data Element 128	Name Reference Identification Qualifier	Attr M	ributes ID 2/3		
			Code qualifying the Reference Identification				
			Q5 Property Control Number				
			AEP assigned Service Delivery Identification Number				
M	REF02	127	Reference Identification	X	AN 1/30		
	Reference information as defined for a particular Transaction Set specified by the Reference Identification Qualifier						
			AEP assigned Service Delivery Identification Number				

Segment: DTM Date/Time Reference (Service Period End Date)

Position: 040

Loop: LIN Optional

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify pertinent dates and times

Syntax Notes: 1 At least one of DTM02 DTM03 or DTM05 is required.

2 If DTM04 is present, then DTM03 is required.

3 If either DTM05 or DTM06 is present, then the other is required.

Semantic Notes: Comments:

Notes: EDU Initiated Drop: Required

Response: Not Used

CRES Initiated Drop: Required if the customer moves or a special meter read is requested

for an off-cycle drop. Response: Required DTM~151~19990115

M	Ref. <u>Des.</u> DTM01	Data Element 374	<u>Name</u> Date/Time Qualifie	er	Attı M	ributes ID 3/3
			Code specifying typ	e of date or time, or both date and time		
			151	Service Period End		
				Estimated Date that the service with the	CRE	S will end.
M	DTM02	373	Date		X	DT 8/8
		Date expressed as CCYYMMDD				
			Date expressed as C	CYYMMDD		

Segment: \mathbf{SE} Transaction Set Trailer

Position: 150

Loop:

Level: Detail Usage: Mandatory

Max Use: 1

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes: Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Notes: Required Response: Required

Response: Required SE~28~000000001

M	Ref. Des. SE01	Data Element 96	Name Number of Included Segments	Attr M	ributes N0 1/10		
M	SE02	329	Total number of segments included in a transaction set included segments Transaction Set Control Number	ding S M	T and SE AN 4/9		
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

4/10/2017 3:35:06 PM

in

Case No(s). 17-0094-EL-EDI

Summary: Application EDI Implementation Guideline for Ohio - 814 Drop electronically filed by Mr. Joseph D Lindsay on behalf of Ohio EDI Working Group