

M. Beth Trombold Thomas W. Johnson Lawrence K. Friedeman Daniel R. Conway

August 8, 2017

Kerry Sheets, Attorney Examiner Public Utilities Commission of Ohio 180 E. Broad Street, 12<sup>th</sup> Floor Columbus, Ohio 43215

> RE: In the Matter of the Application of Vectren Energy Delivery of Ohio, Inc. for Authority to Adjust Its Distribution Replacement Rider Charges, Case No. 17-1155-GA-RDR

## **Examiner Sheets:**

This letter is in regards to the Staff Comments filed on July 20, 2017 in the above mentioned case regarding Vectren Energy Delivery of Ohio, Inc. for Authority to Adjust Its Distribution Replacement Rider Charges. It has come to our attention that Staff made inadvertent errors.

## In Staff Comments on page 7:

- First paragraph, 7.30 miles of cast iron mains should instead be 7.25 miles of cast iron mains;
- ...and moved 3,303 inside meters outside should instead be moved 3,380 meters outside; and,
- In the table, in the column labeled <u>Increase Over Current Rates</u>, the values included in the Comments should be changed to the values highlighted

• below:

4	•
	,

Rate Schedule	Proposed \$ Per Month	\$ Per Ccf	Increase Over Current Rate
310, 311, and 315	\$7.92		\$1.32
320, 321, and 325 (Group 1)	\$7.92		\$1.32
320, 321, and 325 (Group 2 and 3)		\$0.06015	\$0.01123
341	\$88.51		\$16.55
345		\$0.01546	\$0.00377
360		\$0.00992	\$0.00159

The above mentioned corrections do not have any effect on the already filed recommendation that Staff filed on July 20, 1017. Please feel to contact me if you have any additional questions.

Sincerely,

/s/Mary Alice Sutton

Mary Alice Sutton, Staff Public Utilities Commission of Ohio 180 E. Broad Street, 3<sup>rd</sup> Floor Columbus, Ohio 43215

cc: Rebekah Glover

This foregoing document was electronically filed with the Public Utilities

**Commission of Ohio Docketing Information System on** 

8/8/2017 11:42:30 AM

in

Case No(s). 17-1155-GA-RDR

Summary: Letter of Notification to Kerry Sheets electronically filed by Mrs. Tonnetta Y Scott on behalf of PUCO