

FILE

RECEIVED-DOCKETING DIV

2017 NOV 28 PM 1:41

PUCO

Ohio
Public Utilities
Commission

180 East Broad Street
Columbus Ohio 43215-3793
ADDRESS SERVICE REQUESTED

ES COMMISSION OF OHIO

- CASE No. 17-2170-EL-CSS
- CASE No. 17-2314-EL-CSS
- CASE No. 17-2268-EL-CSS
- CASE No. 17-2262-EL-CSS
- CASE No. 17-2225-EL-CSS
- CASE No. 17-2224-EL-CSS
- CASE No. 17-2223-EL-CSS
- CASE No. 17-2214-EL-CSS
- CASE No. 17-2213-EL-CSS
- CASE No. 17-2212-EL-CSS
- CASE No. 17-2203-EL-CSS
- CASE No. 17-2201-EL-CSS
- CASE No. 17-2196-EL-CSS
- CASE No. 17-2195-EL-CSS
- CASE No. 17-2192-EL-CSS
- CASE No. 17-2191-EL-CSS
- CASE No. 17-2183-EL-CSS
- CASE No. 17-2181-EL-CSS
- CASE No. 17-2176-EL-CSS
- CASE No. 17-2173-EL-CSS
- CASE No. 17-2172-EL-CSS

9

JAN 1 5 43 2 1 5 2 4 9 3

ANK

BC: 43215379399

*0746-06664-27-24

WYMORE, ANNE
8965 TERWILLIGERS TRL
CINCINNATI OH 45249


MIXIE

430 FE 1270

0011/27/17

RETURN TO SENDER
ATTEMPTED - NOT KNOWN
UNABLE TO FORWARD

PRESORTED
FIRST CLASS



U.S. POSTAGE PITNEY BOWES
ZIP 43215
02 4W
0000344432 NOV 18 2017
\$000.373

ENTRY

rnal on November 17, 2017

plainants) in Symmes Township Ohio and the city
e Commission. Complainants allege that Duke
impacting property values by clear cutting and
trees located within a 100-foot right-of-way under

transmission wires. Complainants note that the clear cutting affects 180 single family

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business.
Technician le Date Processed 11/28/17