

Letter of Notification for PIR #751 12-inch High Pressure Distribution Line Project Canton Township, Stark County, Ohio for Existing Pipeline Replacement

CONSTRUCTION PLAN

Ohio Power Siting Board Case No. 17-2502-GA-BLN

The following information is being provided in compliance with Condition No. 3 of the January 11, 2018 Ohio Power Siting Board ("OPSB") Staff Report of Investigation, and as agreed to by Dominion Energy Ohio's ("DEO") Supplement to Construction Notice filed January 16, 2018.

Condition No. 3 states:

Prior to construction, the Applicant shall submit to Staff, for review and confirmation that it complies with this condition, a project construction plan which includes the specific locations of its laydown areas and is responsive to ODNR concerns about state listed species and ecological areas of significance. If the specific laydown locations chosen appear to have additional adverse impacts, the Applicant shall either propose different specific locations without such impacts, or refile its application.

DEO has now selected is construction contractor, 1127 Construction. 1127 has selected a laydown area that is located at the corner of 17th Street and S.R. 43, Canton, Ohio as shown on the map below. The land that 1127 has arranged to lease temporarily is owned by William Smith. The laydown area can be accessed from 17th Street or Waynesburg Drive.





Photos and a map are attached for the proposed pipeyard location for PIR 751 on the southeast corner of S.R. 43 and 17th Street SE. This lot should pose no environmental issues as the area is a pre-existing gravel and concrete lot.



Vegetated lot surrounding pipeyard (facing SE)



Entrance to pipeyard on S.R. 43 (facing south)



Entrance to pipeyard on 17th Street (facing west)



Representative photo of pre-existing gravel and cement lot (facing SW)



Representative photo of pipeyard location (facing NW)

Street cleaning will be recommended as needed and gravel topdressing will likely be needed throughout construction as conditions require. There are 3 inlets surrounding the pipeyard and will need protected during use of the yard if stockpiled material is stored in the yard or if the vegetated buffer adjacent to the yard is disturbed. As long as typical BMPs (street cleaning, gravel topdressing, and sediment control devices) are utilized, no environmental issues are expected.

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

2/16/2018 1:57:39 PM

in

Case No(s). 17-2502-GA-BLN

Summary: Text Dominion Energy Construction Plan electronically filed by Teresa Orahood on behalf of Sally W. Bloomfield