



COLUMBUS | CLEVELAND  
CINCINNATI | DAYTON  
MARIETTA

**BRICKER & ECKLER LLP**  
100 South Third Street  
Columbus, OH 43215-4291  
MAIN: 614.227.2300  
FAX: 614.227.2390

www.bricker.com  
info@bricker.com

**Sally W. Bloomfield**  
614.227.2368  
sbloomfield@bricker.com

May 22, 2018

*Via Electronic Filing*

Ms. Barcy McNeal  
Administration/Docketing  
Ohio Power Siting Board  
180 East Broad Street, 11<sup>th</sup> Floor  
Columbus, Ohio 43215-3793

**Re: Dominion Energy Ohio PIR 620 Pipeline Replacement Project,  
Case No. 17-1944-GA-BNR**

Dear Ms. McNeal:

On October 6, 2017, the Ohio Power Siting Board ("OPSB") Staff issued a Report of Investigation approving Dominion Energy Ohio's ("DEO") Construction Notice subject to a number of conditions. Within this set of conditions, Condition No. 1 requires DEO to provide copies of permits and authorizations, including all supporting documentation, to Staff.

In compliance with Staff Report Condition No. 1, and as agreed to by DEO in its Supplement filed on October 11, 2017, attached is a copy of the Stark County Highway Use Permit.

Please contact me if you have any questions.

Sincerely,

Sally W. Bloomfield

Cc: Eric Morrison  
Ashton Holderbaum

# STARK COUNTY ENGINEER

Keith A. Bennett P.E., P.S.  
5165 Southway Street SW  
Canton, Ohio 44708  
(330) 477-6781



## STARK COUNTY, OHIO HIGHWAY USE PERMIT APPLICATION

Permit No: 2018.054

Permit Fee: \$750.00

OR 5.4.18

Application for a permit to lay underground structures and/or work along or across County Roads or Streets.  
Open cut of pavement shall not be permitted unless no reasonable alternate method is available.

Plans (2 prints) and application must be submitted to: STARK COUNTY ENGINEER, 5165 SOUTHWAY ST. S.W., CANTON, OHIO 44708; ATTN: Don Bendella, at least fifteen (15) working days (major projects) and seven (7) working days (lie in) prior to construction. Plans will be approved and permit secured prior to work commencing.

**COUNTY REGULATIONS REQUIRE TWO (2) WORKING DAYS NOTICE BEFORE CONSTRUCTION BEGINS.**  
**CALL OUPS 48 HOURS BEFORE YOU DIG 1-800-3622784**

DAVE  
SWARTZ  
330.  
323.2607

Application is hereby made for a permit to (install, work) 16" HIGH PRESSURE DISTRIBUTION GAS MAIN

on the following locations in PERRY Township, by:

Owner's Name: DOMINION ENERGY OHIO 24 Hour Phone: 800-521-4400

Owner's Address: 320 SPRINGSIDE DR AMERON OH 44373 Phone: \_\_\_\_\_

Contractor's Name: DON WARTKO CONSTRUCTION 24 Hour Phone: 330-673-5252

Contractor's Address: 475 TALLMADGE RD KENT OH 44240 Phone: \_\_\_\_\_

Name of Road or Street	Road No.	House No.	Lot No.	Allotment	Remarks
1. <u>SOUTHWAY</u>					<u>OPEN-CUT ROADWAY</u>
2.					
3. <u>NOTE: SEE EXHIBIT "A" (MEETING NOTES) ATTACHED HERE TO AND MAKE A PART HEREOF</u>					
4. <u>NOTE: A COMPLETE SET OF PROJECT PLANS ON FILE @ S.C.E. OFFICE.</u>					

5.7.18  
OR

and/or to install a 16 inch STEEL GAS line along the SOUTH  
side of SOUTHWAY STREET in PERRY TOWNSHIP  
(Name of Allotment or Township, Section)

from W OF WESTDALE ST TO PERRY DR AND W OF HOPPLE AVE TO E OF HOPPLE AVE  
Remarks: ROAD TO BE OPEN CUT + BACKFILLED ACCORDING TO STARK COUNTY SPECS

Work will commence on or about MAY 15, 2018 and be completed on or about JULY 31, 2018  
Restoration will be completed 21 days after construction starts on any specified section of right-of-way. In no case will this allowed time be more than FOURTEEN (14) calendar days.

If this application is approved and a permit is issued, the applicant agrees to comply with all the terms, conditions, and restrictions printed or written on the back of this sheet. THIS PERMIT MAY, AT ANY TIME, BE REVOKED OR ANNULLED BY THE STARK COUNTY ENGINEER'S OFFICE FOR NON-PERFORMANCE AND/OR NON-COMPLIANCE WITH ANY OF THE CONDITIONS, RESTRICTIONS, AND/OR REGULATIONS. VIOLATIONS OF NON-COMPLIANCE OF SAID REGULATIONS ARE SUBJECT TO PENALTIES PROVIDED BY SECTION 5591.28 OF THE OHIO REVISED CODE.

Work must commence within 90 days from issuance of permit

Matt Johnston  
Applicant SIGNATURE

By: MATT JOHNSTON - DEO  
Signature APPLICANT

The above application is hereby approved and permission is granted to do the work covered in the application, which work shall be done in strict conformity therewith.

Signed at Canton, Ohio 5.7.18, 20

PS/5 5.7.18  
Keith A. Bennett P.E., P.S.  
Stark County Engineer

Revised: February 10, 2010

Dominion Energy Ohio is a P.U.C.O. regulated utility. The execution of this document is subject to and without waiver of any rights conferred by Dominion's tariff, the common law and general laws of Ohio, and Dominion's interests in both real and personal property, including all of its utility facilities.

**TERMS, CONDITIONS, AND RESTRICTIONS THAT APPLY TO THE ISSUANCE OF  
THIS PERMIT AND THE WORK TO BE DONE**

**Comments:** PRIOR TO WORK COMMENCING. YOU MUST CONTACT  
DAVE SWARTZ, SCE INSPECTOR @ 330.323.2607

*This permit is issued by the Stark County Engineer under authority of resolutions heretofore adopted by the Board of Stark County Commissioners and no work shall be undertaken by the applicant except such work as the Stark County Engineer has authority to issue a permit for. These conditions are binding upon the person, firm, or corporation, their heirs, successors, and assigns upon granting of this permit.*

The applicant, by signing the permit, agrees to do the following:

1. Submit plans, diagrams, or descriptions indicating the location, size, and type of excavation.
2. Traffic will be maintained according to Item 614 of the State of Ohio Department of Transportation Construction and Material Specifications. All traffic devices used on road construction or maintenance work within the highway right-of-way must conform to the applicable specifications of the Ohio Manual of Traffic Control for Construction and Maintenance Operations. This Manual is actually Section VII of the Ohio Manual of Uniform Traffic Control Devices and conformance with the minimum standards therein set forth is required by Sections 4511.09, 4511.10, 4511.11, and 5517.03 of the Ohio Revised Code.
3. Restore and replace the roadway and right-of-way to the condition prevailing at the time the permit is issued. Method of excavation, backfilling, and resurfacing of roadway shall be in accordance with specifications on file at the office of the Stark County Engineer. Pavement markings that are covered or obliterated for a distance of fifty feet or greater shall be replaced. All roadway structures shall be replaced or restored. Drainage ditches or roadside ditches shall be restored to their former condition. Debris from the excavation shall be removed from the work area. No soil erosion or stream pollution shall be caused by this work and preventative measures shall be taken as required.
4. A Surety Bond or certified check equal in value to the cost of restoring anything disturbed on the right-of-way shall be required. The bond or certified check shall be posted prior to the issuance of the permit and shall remain in force for a period of one year following completion of the restoration of the right-of-way. The amount of the bond shall be determined by the Stark County Engineer. If the restoration is not completed in accordance with the time period specified in the permit, the permit shall be revoked and the Surety Bond or certified check shall be applied to the completion of said restoration. Alternatively, the Stark County Engineer, at his discretion, with or without notice to the applicant, may correct, remove, or complete any work, structures, materials, or workmanship which do not conform to the standards set forth by this permit or the Stark County Engineer and applicant shall reimburse the Stark County Engineer for any expensed incurred in correcting such work.
5. Provide ingress and egress to adjoining and adjacent property owners during excavation and restoration of roadway by maintaining suitable driveways.
6. Save Stark County free and harmless and indemnify the same from all claims for bodily injury, sickness, disease, or death of any person for property damage including loss of use which may arise from any negligent act or any act of commission or omission of the applicant, or any such act of the sub-contractor of the applicant or by anyone employed by either of them. The applicant, upon request, shall furnish evidence that he has liability insurance to cover all liability claims resulting from its said operations in an amount not less than \$300,000.00 per person and \$500,000.00 per accident for bodily injury claims to persons and in an amount not less than \$300,000.00 for claims of property damage.
7. If any work done under this permit interferes with the drainage of the highways in any way, such catch basins and outlets as needed to take proper care of said drainage shall be constructed.
8. Protect, reference and preserve all cornerstones, monuments and land markers. Replacement work shall be performed under the supervision of a registered surveyor.

It is further understood by and agreed to by the applicant that in the event that it becomes necessary in the future to improve by relocation, change of grade, or abandonment of said road, street, or highway or construct storm sewers, sanitary or water lines that the applicant will relocate, readjust or remove its lines at its sole cost and expense within a reasonable time after receiving notice of such contemplated improvement.

This permit may at any time be revoked or annulled by the Stark County Engineer's Office for non-performance and/or non-compliance with any of the conditions, restrictions, and/or regulations stated herein. Violations of or non-compliance of said regulations are subject to penalties provided by Section 5591.25 of the Ohio Revised Code.

Applicants are advised that townships within the County may have permit requirements for township maintained roads in addition to those set forth herein. The Stark County Commissioners and Stark County Engineer assume no responsibility for the failure of the applicant to secure such applicable permits.

pg 2/5

5.7.18  
P# 2018 054



EXHIBIT "A"

Pre-Construction Meeting  
PIR 620 Southway St. East  
Perry Township, April 25, 2018

OK  
5.4.18

### Project Details

- This project consists of replacing approximately 3,540 feet of existing 10 inch high pressure bare steel with 16 inch Fusion Bonded Epoxy Steel.
- There are no high pressure services and no producer or gathering line ties on this project.
- This project will affect Southway St. from Westdale St. to Hopple Ave. SW in Perry Township, Stark County

### Preliminary Construction Schedule - Awarded contractor is Wartko

- Tentative Construction Start on or around May 15, 2018
- OPSB permitted start date is on or after Friday April 19, 2018
- Tentative Construction Completion: July 19, 2018
- Tentative Restoration Completion: Early August

### Working Hours

- Wartko will have one crew working 10 hours Monday thru Friday & 8 hours on Saturday.

### Notifications

- Letters were sent out to all residents and business in September 2017 to notify them of the 2018 project.
- OPSB Letters were sent out again on April 12<sup>th</sup> to notify the residence and businesses of the project start date.
- Verbal communications to businesses and residents affected by construction, will occur as needed prior to construction near their properties
- Notifications to Stark County and Perry Township are required by the contractor.

### Safety

- 24 hour DEO emergency contact 800-521-4400
- Southway Street has a high volume of semi traffic to business. Off duty law enforcement should be utilized near the intersection of Perry Drive and any other areas traffic may be a concern.
- Traffic must be maintained at all times.
- Anyone visiting the site must have on the required PPE.
- All trenches in pavement shall be backfilled during nonworking hours.
- Trenches in other cover shall be securely plated.
- Perry Township law enforcement is required when working within 200 feet of Perry Drive.
- The Feb 6<sup>th</sup> 2018 MOT provided to Stark County Engineering is the most current.

### General

- Project will be 100% open cut.
- Wartko will start at the west end and work east.
- All pipe being replaced in the road right of way west of Perry drive will be removed once the new line is in service
- Full lane paving including striping is required anywhere pipe is laid parallel to the curb in the pavement.

PG 3/5

PR# 2018.054

**Pre-Construction Meeting**  
**PIR 620 Southway St. East**  
**Perry Township, April 25, 2018**

- Wartko will install permanent restoration as they go per the county detail with 304 compacted in 8 inch lifts , bridging as required, and 301 asphalt base to top.
- Mill and fill will occur once the project is in service and pipe removal is complete.
- Loop detectors at the intersection of Perry Drive will need repaired. Stark County Engineering has contacts for loop repair contractors if needed.
- This project falls under the jurisdiction of Ohio Power Siting Board.
- Any major changes within public right away need approved by the by DEO, Stark County Engineer, and or Perry Township.
- AWP will provide traffic control.
- Access in and out of residents and businesses must be maintained at all times.
- All restoration to be completed per the municipal specifications and will be subject to inspection.
- As –Builts and survey of new install is required.
- Wartko will replace SW corner of Southway St and Perry Dr with an ADA ramp if the curb is impacted to perform the tie in.
- Wartko will send a copy of the preconstruction video to Stark County Engineering
- Matt Johnson will send the permit application to Don Bendetta

**Environmental**

- There are no streams or wetland on this project
- No trees are planned to be cut.
- Laydown yard must be approved. A site has not been secured yet but Wartko will let DEO know as soon as it is so it can be environmentally cleared and the location can be provided to OPSB
- Contractor shall follow best management practices (BMP's) for environmental controls including but not limited to; inlet protection, concrete washout, construction entrances, trench dewatering, regular roadway cleaning, pavement cuts, filter sock around bore entrances and exits, etc.
- Weekly inspections will be performed by Enviroscience.
- Wartko will coordinate the location of discharge for hydrostatic discharge with DEO and Enviroscience. Possible location to be assessed is in the Agriculture field on the south side of Southway west of Perry Dr. and the sanitary sewer
- If discharging into the sanitary Wartko will coordinate directly with Stark County Sanitary Department.

**Stark County Contact**

- Don Bendetta 330-477-6781 Ext 2108

**Perry Township Contact**

- John Masalko 330-832-7750

**DEO Contacts**

- 24 hour DEO emergency contact 800-521-4400
- Construction Supervisor – Dave Croft 330-664-2447
- Construction Inspector – TBD
- Project Manager – Dave Hollendonner 330-664-2677
- Engineer – Matt Johnston - 330-664-4498

*pg 4/5*  
*Page 2 of 3*  
*PR#2018-054*

**Pre-Construction Meeting**  
**PIR 620 Southway St. East**  
**Perry Township, April 25, 2018**

- Engineer – Derek Haury 330-664-2436
- Senior Communication Specialist – Lori Yuan 330-664-2519
- Environmental – Dave Fredle 330-703-3603

**Awarded Contractor – Wartko**

- Tom Wartko 330-673-5462
- Foreman TBD

pg 5/5  
5.7.18  
PR 2018-054  
Page 3 of 3

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**5/22/2018 11:33:44 AM**

**in**

**Case No(s). 17-1944-GA-BNR**

Summary: Correspondence in Compliance with Staff Report Condition No. 1 - Highway Use Permit electronically filed by Teresa Orahod on behalf of Sally W. Bloomfield