## THE PUBLIC UTILITIES COMMISSION OF OHIO

IN THE MATTER OF THE COMPLAINT OF GREGORY MCKINNEY,

COMPLAINANT,

V.

**CASE NO. 18-496-EL-CSS** 

OHIO EDISON COMPANY,

RESPONDENT.

## **ENTRY**

Entered in the Journal on July 12, 2018

- {¶ 1} On March 26, 2018, Gregory McKinney (Complainant) filed this complaint against Ohio Edison Company (Ohio Edison). In the complaint, Complainant alleges that, based on a faulty meter, Ohio Edison has attributed incorrect electric usage to his account. Further, Complainant alleges that Ohio Edison has failed to provide him with adequate service.
- {¶ 2} Ohio Edison filed its answer on April 16, 2018. In its answer, Ohio Edison generally denied the allegations in the complaint. In addition, Ohio Edison set forth affirmative defenses in the answer.
- {¶ 3} On May 22, 2018, a settlement conference was held in an attempt to informally resolve this matter. The parties, however, were unable to reach a resolution of the issues presented in the complaint. Further, it appears that reasonable grounds for the complaint have been presented.
- {¶ 4} Accordingly, a hearing in this matter should be scheduled to begin at 10:30 a.m. on September 6, 2018, in the offices of the Commission, Hearing Room 11-D, 11th floor, 180 East Broad Street, Columbus, Ohio 43215-3793.
- $\{\P 5\}$  Any party intending to present direct expert testimony should comply with Ohio Adm.Code 4901-1-29(A)(1)(h) which requires that all such testimony to be offered in

18-496-EL-CSS -2-

this type of proceeding shall be filed and served upon all parties no later than seven days prior to commencement of the hearing.

{¶ 6} In complaint proceedings, the burden of proof rests with the complainant. Therefore, at hearing, it shall be the Complainant's responsibility to appear and be prepared to present evidence in support of the complaint.

 $\{\P 7\}$  It is, therefore,

{¶ 8} ORDERED, That a hearing in this matter be scheduled for September 6, 2018, at 10:30 a.m., in the offices of the Commission, Hearing Room 11-D, 11th floor, 180 East Broad Street, Columbus, Ohio 43215-3793. It is, further,

{¶ 9} ORDERED, That the terms of this Entry be observed. It is, further,

**{¶ 10}** ORDERED, That a copy of this Entry be served upon each party of record.

THE PUBLIC UTILITIES COMMISSION OF OHIO

/s/ Kerry K. Sheets

By: Kerry K. Sheets
Attorney Examiner

SJP/mef

This foregoing document was electronically filed with the Public Utilities

**Commission of Ohio Docketing Information System on** 

7/12/2018 1:53:09 PM

in

Case No(s). 18-0496-EL-CSS

Summary: Attorney Examiner Entry setting a hearing for 9/6/18 at 10:30am. electronically filed by Ms. Mary E Fischer on behalf of Kerry K. Sheets, Attorney Examiner, Public Utilities Commission of Ohio