Ohio Public Utilities Commission

Public Utilities Commission of Ohio Attn: Docketing 180 E. Broad St. Columbus, OH 43215

Formal Complaint Form

JAMES JHARD9 Customer Name (Please Print) Against	Customer Address City Grant Number	1 1 dd Chio 45218 State Zip 058-20-5
	Customer Service Addre	ess (if different from above)
DUKE EHZRBY Utility Company Name	City	State Zip
Please describe your complaint. (Attach additional	sheets if necessary)	
	·	RECEIVED-DOCKETING 2018 AUG 20 PM 3: PUCO
	\sim 0.7	O : 6 HING DI

Customer Telephone Number

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business. MMM Date Processed 08

8/14/18

new duke1

My problem is with Duke Energy and a bad meter that was installed some time in 2015. My KW used are all over the place due to this meter in Aug 2017 Duke replaced this meter at the time Dukes Teck changed the meter he told me the meter was "Fried" and meter parts fell to the ground and in the meter box when he pulled the old meter. He told me Duke would get in touch with me in the next couple weeks. After a month I did not hear from Duke I called them and at that time they could not find the meter. This was when I called PUCO to file a complant. You were told by Duke they Found the Meter and nothing was wrong. When Duke intalled the New Meter they could not read it for 4 Months and had to est Below will show you how bad the KW jumped up and down due to this meter.

2016 KW USED	{0	2017 KW USE	2018 KW USE NEW METER ####
Jan 878kw	L	Jan 878KW	Jan EST 915###?
Feb 692 March 769 April 758 May 789 June 1097 July 1143 Aug 1279 Sept 1307 Oct 1363 Nov 844	D M E T E R }	July 1077 Aug 1201 ###?	Feb 692 March 610 April 641 May 626 June 920 July 796 AUG 687 ##? Why is this reading 40% lesss then Aug 2017 Look at all my readings
Dec 935		200 23. 007	from 2017. NEW METER INSTALLED 8/4/17

I am 91 years old blind and can only walk short distance this is the best I can do to show you Duke

has charged me \$300.00 to\$400.00 to much. It took Duke 4 Mo to get the new meter to

has charged me \$300.00 to \$400.00 to much .It took Duke 4 Mo to get the new meter to read somthing is wrong

with the system.

Thank you for your time in this matter.

James Hardy 34 Handel Ln Cincinnati,Ohio 45218

513-825-3152

Page 1