

CASE NUMBER: 17-1983-RR-FED

CASE DESCRIPTION: In the Matter of a Request for Upgrades to the Active Warning Devices at CSX Transportation Inc. Grade Crossing, DOT# 154-079C, on Chestnut Street in

DATE OF SERVICE: 8/22/18

DOCUMENT SIGNED ON: 8, 22, 18

Sign Here: Jill C

PARTY OF RECORD	ATTORNEY	ATTORNEY
none	*Henry, Jill A Mrs. PUCO/Rail Division 180 E. Broad Street Columbus,OH 43215 Phone:614-466-0435 Fax:614-995-5535 Email:Jill.Henry@puc.state.oh.us	
none	*Coffey, Sandra Public Utilities Commission of Ohio 180 E. Broad St. Columbus,OH 43215 Phone:(614) 728-2516 Fax:(614) 728-8373 Email:Sandra.Coffey@puc.state.oh.us	
none	*Henning, Nicole S Mrs. CSXT 500 Meijer Drive, Suite 305 Florence,KY 41042 Phone:513-372-6125 Email:nicole_henning@csx.com	

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business.
 Technician LAN Date Processed 8/22/18

PARTY OF RECORD

PARTY OF RECORD

ATTORNEY

CITY OF OXFORD	NONE
SCOTT OTTO	
101 EAST HIGH STREET	
OXFORD,OH 45056	

CSX TRANSPORTATION	NONE
MS AMANDA DECESARE	
500 MEIJER DRIVE	
SUITE 305	
FLORENCE,KY 41042	

DUKE ENERGY OHIO, INC.	NONE
ELIZABETH WATTS, COUNSEL	
139 E FOURTH STREET	
CINCINNATI,OH 45201-0960	
Phone:614-222-1330	
Email:ELIZABETH.WATTS@DUKE-ENERGY.COM	

OHIO RAIL DEVELOPMENT COMMISSION	NONE
MS CATHY STOUT	
1980 W BROAD ST MAILSTOP # 3140	
COLUMBUS ,OH 43223	