



**To:** Ohio PUC  
**From:** Mary MacKenty, SRECTrade, Inc.  
**Subject:** Correction to N.1.e Report the Total Meter Reading Number for **Fremont Community Schools - Fremont Middle School**  
**Date:** 10/6/2018

**Case #:** 18-1359-EL-REN  
**Submission date:** 8/31/2018  
**Certification #:** Not certified  
**GATS NON#:** N/A

The **Fremont Community Schools - Fremont Middle School** facility has corrections to the Report of the Total Meter Reading Number. Please update as follows:

**Section N.1.e - Report the Total Meter Reading Number:** 861,175.72 kWh



Dated: 10/4/2018

Please update your records to reflect this change.  
If you need any additional information, please feel free to contact me directly at the email address or phone number below.

Thank you,  
Mary MacKenty,  
Administrative Assistant  
SRECTrade, Inc.  
applications@srectrade.com  
877.466.4606

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**10/6/2018 5:16:14 AM**

**in**

**Case No(s). 18-1359-EL-REN**

Summary: Amended Application Amendment for REN Application Fremont Community Schools - Fremont Middle School  
electronically filed by Mr. Steven Eisenberg on behalf of Fremont Community Schools and Bill Stitt