

**LETTER OF NOTIFICATION for  
PIR 1410 – Wapakoneta 151-180; 12-Inch  
High Pressure Distribution Pipeline  
Project Duchouquet Township, Auglaize  
County, Ohio  
For Existing Pipeline Replacement**

**CONSTRUCTION LAYDOWN PLAN**

**Ohio Power Siting Board  
Case No. 18-1341-GA-BLN**

**CASE NO. 18-1341-EL-BLN**  
**PIR 1410 – WAPAKONETA 151-180**  
**DUCHOUQUET TOWNSHIP, AUGLAIZE COUNTY, OHIO**  
**12-INCH HIGH PRESSURE PIPELINE REPLACEMENT**

The following information is being provided in compliance with Condition No. 5 of the October 9, 2018 Ohio Power Siting Board (“OPSB”) Staff Report of Investigation, and as agreed to by Dominion Energy Ohio’s (“DEO”) Second Supplement to Letter of Notification filed October 15, 2018.

Condition No. 5 states:

Prior to construction, the Applicant shall file a project construction plan that provides the specific locations of its laydown areas and is responsive to ODNR concerns about state listed species and ecological areas of significance. If the specific laydown locations chosen appear to have additional adverse impacts, DEO shall either propose different specific locations without such impacts, or refile its application.

DEO has now selected its construction contractor, D.R.S. Enterprise. The laydown area is located at 18915 Dixie Highway and is accessed from Dixie Highway. The proposed pipeyard is located in a gravel lot and is surrounded by upland/agricultural use.

**CASE NO. 18-1341-EL-BLN**  
**PIR 1410 – WAPAKONETA 151-180**  
**DUCHOUQUET TOWNSHIP, AUGLAIZE COUNTY, OHIO**  
**12-INCH HIGH PRESSURE PIPELINE REPLACEMENT**



**CASE NO. 18-1341-EL-BLN**  
**PIR 1410 – WAPAKONETA 151-180**  
**DUCHOUQUET TOWNSHIP, AUGLAIZE COUNTY, OHIO**  
**12-INCH HIGH PRESSURE PIPELINE REPLACEMENT**



Representative view of gravel staging area facing east



**CASE NO. 18-1341-EL-BLN**  
**PIR 1410 – WAPAKONETA 151-180**  
**DUCHOUQUET TOWNSHIP, AUGLAIZE COUNTY, OHIO**  
**12-INCH HIGH PRESSURE PIPELINE REPLACEMENT**



Inlet Culvert

One inlet/culvert was observed on the east side of the pipeyard and should be protected from stormwater runoff of stockpiled materials.

**CASE NO. 18-1341-EL-BLN**  
**PIR 1410 – WAPAKONETA 151-180**  
**DUCHOUQUET TOWNSHIP, AUGLAIZE COUNTY, OHIO**  
**12-INCH HIGH PRESSURE PIPELINE REPLACEMENT**



Representative view of gravel staging area facing west



**CASE NO. 18-1341-EL-BLN**  
**PIR 1410 – WAPAKONETA 151-180**  
**DUCHOUQUET TOWNSHIP, AUGLAIZE COUNTY, OHIO**  
**12-INCH HIGH PRESSURE PIPELINE REPLACEMENT**



Representative view of gravel staging area facing south

No environmental resources were observed nearby. Depending on the frequency of use of this pipeyard, gravel topdressing may be needed to minimize sediment tracking throughout the duration of use. As long as typical best management practices (“BMPs”) such as street cleaning/gravel topdressing and sediment control devices at stockpiled material are utilized, no environmental issues are expected.

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**10/30/2018 2:29:40 PM**

**in**

**Case No(s). 18-1341-GA-BLN**

Summary: Text Construction Laydown Plan in Compliance with Staff Report Condition No. 5  
electronically filed by Teresa Orahoud on behalf of Devin D. Parram