





APPENDIX 08-1

REPRESENTATIVE PHOTOGRAPHS OF ECOLOGICAL FEATURES





APPENDIX 08-2

WETLAND DATA FORMS

Background Information

Name	Matt Thomayer	6/23/2016	
Afilliation	AECOM		
Address	525 Vine Street, Suite 1800 Cincinnati, OH 45202		
Phone Number:	(513) 720-5963		
Email address:	matt.thomayer@aecom.com		
Name of Wetland:	Wetland 24		
Vegetation Communities (US			
	Emergent		_
HGM Class	Depressional		
Location of Wetland include available, north arrow, landr roads, etc.	•		
	See attached map		
		Sources of information used	4
		Check all that apply	
Lat/Long or UTM Coordinate	40.406629, -81.3126688	Site Visit	Х
USGS Quad Name	Urichsville	USGS Topo Map	Х
County	Tuscarawas	National Wetland Inventory Map	Х
Township	T14N R7W	Ohio Wetland Inventory Map	Х
Section and Subsection	S32	Soil Survey	Х
Hydrologic Unit Code	5040001	Delineation report/map	Х
Wetland Size (acres, hectare	Approximately 2.23-acres		

Name: Wetland 24		6/23/2016
sketch (include north arrow, i	relationshin with	
other surface waters, vegetat	tion zones etc)	Site: AEP Dennison-Yager Tline
other surface waters, vegetat		Site: ALL Definison ruger finite
	See attached map	
Notes/Comments/Narrative		
Final Score	31.5	Provisional Wetland Category

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Unit if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a mitigation site, conservation site, etc.	x	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	x	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	х	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	х	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		x
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.	х	

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature *and* by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap. The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is a legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Reynoldsburg Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	Critical Habitat. Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	NO Go to Question 2
2	Threatened or Endangered Species. Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	NO Go to Question 3
3	Documented High Quality Wetland. Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	NO Go to Question 4
4	Significant Breeding or Concentration Area. Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	NO Go to Question 5
5	Category 1 Wetlands. Is the wetland less than 0.5 hectares (1 acre) in size and hydrologically isolated and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by <i>Phalaris arundinacea, Lythrum salicaria,</i> or <i>Phragmites australis,</i> or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	NO Go to Question 6
6	Bogs. Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly <i>Sphagnum</i> spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	NO Go to Question 7
7	Fens. Is the wetland a carbon accumulating (peat, muck) wetland that is the saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	NO Go to Question 8a


#	Question	Circle one
8a	"Old Growth Forest." Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES NO Wetland is a Category 3 wetland. Go to Question 8b
8b	Mature forested wetlands . Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES NO Wetland should be evaluated for possible Category 3 status. Go to Question 9a
9a	Lake Erie coastal and tributary wetlands . Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 9d
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d Go to Question 9d
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES NO Wetland is a Category 3 wetland Go to Question 10
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10
10	Lake Plain Sand Prairies (Oak Openings) Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11
11	Relict Wet Prairies . Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio, Erie County, and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, etc.).	YES NO Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating

Wetland 24a/b

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	0ak Opening species	wet prairie species
Lythrum salicaria Myriophyllum spicatum Najas minor Phalaris arundinacea Phragmites australis Potamogeton crispus Ranunculus ficaria Rhamnus frangula Typha angustifolia Typha xglauca	Zygadenus elegans var. glaucus Cacalia plantaginea Carex flava Carex sterilis Carex stricta Deschampsia caespitosa Eleocharis rostellata Eriophorum viridicarinatum Gentianopsis spp. Lobelia kalmii Parnassia glauca Potentilla fruticosa Rhamnus alnifolia Rhynchospora capillacea Salix candida Salix myricoides Salix serissima Solidago ohioensis Tofieldia glutinosa Triglochin maritimum Triglochin palustre	Calla palustris Carex atlantica var. capillacea Carex echinata Carex oligosperma Carex trisperma Chamaedaphne calyculata Decodon verticillatus Eriophorum virginicum Larix laricina Nemopanthus mucronatus Schechzeria palustris Sphagnum spp. Vaccinium macrocarpon Vaccinium corymbosum Vaccinium oxycoccos Woodwardia virginica Xyris difformis	Carex cryptolepis Carex lasiocarpa Carex stricta Cladium mariscoides Calamagrostis stricta Calamagrostis canadensis Quercus palustris	Calamagrostis canadensis Calamogrostis stricta Carex atherodes Carex buxbaumii Carex pellita Carex sartwellii Gentiana andrewsii Helianthus grosseserratus Liatris spicata Lysimachia quadriflora Lythrum alatum Pycnanthemum virginianum Silphium terebinthinaceum Sorghastrum nutans Spartina pectinata Solidago riddellii

End of Narrative Rating. Begin Quantitative Rating on next page.



	Dennison-	Yager Tline	Rater(s): M.Thorr	nayer; P.Renner	Date:	6/23/201
			=	Field Id:	-	
	27.5			w-mdt6/23/201	6-03	
				W mato/20/201	0.00	
	subtotal this	bage				
	0 27.5	Metric 5. Spec	cial Wetlands.			
x 10 pts.	subtotal	Check all that ap	pply and score as indic	ated.		
		Bog (10)	1.5			
		Fen (10)				
		Old growth forest (10)				
		Mature forested wetla				
			tary wetland-unrestricted hydr			
			tary wetland-restricted hydrolo	ogy (5)		
			ies (Oak Openings) (10)			
		Relict Wet Praires (10) ate/federal threatened or enda	agorad aposica (10)		
			ongbird/water fowl habitat or u			
			See Question 5 Qualitative Rat			
	4 31.5			erspersion, microtopo	araphy.	
			etation Communities.	. ,	nunity Cover Scale	
20pts.	subtotal	Score all present using		5	0.1ha (0.2471 acres) contiguous area	
		Aquatic bed	g 0 to 3 scale.		prises small part of wetland's 1	
		2 Emergent			derate quality, or comprises a	
		Shrub		significant part but is of		
		Forest			prises significant part of wetland's 2	
		Mudflats			derate quality or comprises a small	
		Open water		part and is of high quali		
		Other			significant part, or more, of wetland's	3
		6b. horizontal (plan	view) Interspersion.	vegetation and is of hig	h quality	
		Select only one.				
		High (5)		Narrative Description		
		Moderately high(4)			r predominance of nonnative or low	
		Moderate (3)		disturbance tolerant nat		
		Moderately low (2)			t component of the vegetation, mod	
		Low (1) x None (0)			/or disturbance tolerant native spp of species diversity moderate to	
		6c. Coverage of inva	sive plants Refer		nerallyw/o presence of rare	
		Table 1 ORAM long for		threatened or endanger		
		or deduct points for co			ve species, with nonnative spp high	
		Extensive >75% cove			rant native spp absent or virtually	
		Moderate 25-75% cov			versity and often, but not always,	
		Sparse 5-25% cover (-1)	the presence of rare, th	reatened, or endangered spp	
		x Nearly absent <5% co	ver (0)			
		Absent (1)		Mudflat and Open Wa		
		6d. Microtopography		0 Absent <0.1ha (0.247 a		
		Score all present using		1 Low 0.1 to <1ha (0.247		
		2 Vegetated hummucks		2 Moderate 1 to <4ha (2.		
		Coarse woody debris		3 High 4ha (9.88 acres) c	or more	
		Standing dead >25cm Amphibian breeding p		Microtopography Cov	er Scale	
			0013	0 Absent		
				1 Present very small amo	unts or if more common	
				of marginal quality		
					nounts, but not of highest	
tegory 2					nounts, but not of highest Ints of highest quality	

and of highest quality


Wetland 24a/b

ORAM Summary Worksheet

		circle answer or insert score	Result
Narrative Rating	Question 1 Critical Habitat	YES NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES NO	If yes, Category 1.
	Question 6. Bogs	YES NO	If yes, Category 3.
	Question 7. Fens	YES NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands - Unrestricted.	YES NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	3	
	Metric 2. Buffers and surrounding land use	8.0	
	Metric 3. Hydrology	9.0	
	Metric 4. Habitat	7.5	
	Metric 5. Special Wetland Communities	0	
	Metric 6. Plant communities, interspersion, microtopography	4.0	
	TOTAL SCORE Consult most recent score calibration report at		Category based on score breakpoints
	http://www.epa.ohio.gov/dsw/401/index.aspx_to determine the wetland's category based on its quantitative score	31.5	Category 2

Complete Wetland Categorization Worksheet.

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland		Is quantitative rating score <i>less</i> than the Category 2 scoring threshold (<i>excluding</i> gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over-categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	NO	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	NO	Is quantitative rating score <i>greater</i> than the Category 2 scoring threshold <i>(including</i> any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on an quantitative score.
Does the quantitative score fall with the "gray zone" for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit <i>moderate OR superior</i> hydrologic OR habitat, OR recreational functions AND the wetland was <i>not</i> categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	NO Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.



End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Dennison-Yager 138 kV	Rebuild	City/County: Tuscarawas Cou	nty Sampling Date: 06-Sep-18
Applicant/Owner: AEP		State: 0	Sampling Point: w-bcr-042116-05b
Investigator(s): JTT, TL		Section, Township, Range: S	5TR
Landform (hillslope, terrace, etc.):	Flat	Local relief (concave, convex,	none): Concave Slope:0.0% /0.0 °
Subregion (LRR or MLRA): LRR N	Lat.	: 40.4040306 Lo	ng.: -81.3079804 Datum: NAD 83
Soil Map Unit Name: No			NWI classification: N/A
Are climatic/hydrologic conditions on Are Vegetation , Soil Are Vegetation , Soil Soil Summary of Findings - Att	, or Hydrology Significan , or Hydrology naturally	ntly disturbed? Are "Norma problematic? (If needed,	, explain in Remarks.) I Circumstances" present? Yes No explain any answers in Remarks.) ns, transects, important features, etc.
Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present?	Yes No Yes No Yes No Yes No	Is the Sampled Area within a Wetland?	Yes No O
Remarks: PFO wetland adjacent to ROW and	associated PEM wetland		
Hydrology			
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3)	True Aquatic Plan	nts (B14)	Secondary Indicators (minimum of two required) Surface Soil Cracks (B6) Sparsely Vegetated Concave Surface (B8) Drainage Patterns (B10) Moss Trim Lines (B16)

High Water Table (A2) Hydrogen Sulfide Odor (C1) Drainage Patterns (B10)	
Saturation (A3) Oxidized Rhizospheres along Living Roots (C3) Moss Trim Lines (B16)	
Water Marks (B1) Presence of Reduced Iron (C4) Dry Season Water Table (C2)	
Sediment Deposits (B2) Recent Iron Reduction in Tilled Soils (C6) Crayfish Burrows (C8)	
Drift deposits (B3) Thin Muck Surface (C7) Saturation Visible on Aerial Imagery (C9)
Algal Mat or Crust (B4) Other (Explain in Remarks) Stunted or Stressed Plants (D1)	
☐ Iron Deposits (B5)	
Inundation Visible on Aerial Imagery (B7)	
✓ Water-Stained Leaves (B9) ✓ Microtopographic Relief (D4)	
Aquatic Fauna (B13)	
Field Observations:	
Surface Water Present? Yes O No O Depth (inches):	
Water Table Present? Yes No No Depth (inches):	
Saturation Present? Yes O No O Depth (inches): Wetland Hydrology Present? Yes O No O	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks:	

Wetland 24b

VEGETATION (Five/Four Strata)- Use scientific names of plants.

		Dominant	untor	Sampling Point: <u>w-bcr-042116-05b</u>
	Absolute		Indicator	Dominance Test worksheet:
Tree Stratum (Plot size:)	% Cover	Cover	Status	Number of Dominant Species
1. Fraxinus pennsylvanica	25	26.3%	FACW	That are OBL, FACW, or FAC: (A)
2. Ulmus americana	40	✔ 42.1%	FACW	Total Number of Dominant
3. Gleditsia triacanthos	5	5.3%	FAC	Species Across All Strata:8(B)
4. Quercus palustris	25	26.3%	FACW	
5	0	0.0%		Percent of dominant Species That Are OBL, FACW, or FAC: <u>87.5%</u> (A/B)
6	0	0.0%		
7	0	0.0%		Prevalence Index worksheet:
8	0	0.0%		Total % Cover of: Multiply by:
Sapling-Sapling/Shrub Stratum (Plot size:)	95	= Total Cove	r	OBL species <u>25</u> x 1 = <u>25</u>
	~ ~	100.0%	FACW	FACW species x 2 =360
1. Fraxinus pennsylvanica		0.0%	FACW	FAC species x 3 =15
2	_	0.0%	- <u></u>	FACU species x 4 =60
3	_		- <u></u>	UPL species $0 \times 5 = 0$
4		0.0%		Column Totals: 225 (A) 460 (B)
5				
6		0.0%		Prevalence Index = $B/A = 2.044$
7	-	0.0%		Hydrophytic Vegetation Indicators:
8		0.0%		Rapid Test for Hydrophytic Vegetation
9		0.0%		✓ Dominance Test is > 50%
10		0.0%		✓ Prevalence Index is ≤3.0 1
Shrub Stratum (Plot size:)	20	= Total Cove	r	Morphological Adaptations ¹ (Provide supporting
1. Rosa multiflora	15	✔ 100.0%	FACU	data in Remarks or on a separate sheet)
2		0.0%		Problematic Hydrophytic Vegetation ¹ (Explain)
3		0.0%		¹ Indicators of hydric soil and wetland hydrology must
4		0.0%		be present, unless disturbed or problematic.
5		0.0%		Definition of Vegetation Strata:
6		0.0%		Four Vegetation Strata:
7.	_	0.0%		Tree stratum – Consists of woody plants, excluding vines, 3
Herb Stratum (Plot size:)		= Total Cove	r	in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
	35	36.8%	FACW	Sapling/shrub stratum – Consists of woody plants, excluding
1. Impatiens capensis 2. Lysimachia nummularia	25	26.3%	FACW	vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.
	10	10.5%	FACW	Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28
3. Onoclea sensibilis		26.3%	OBL	ft tall. Woody vines – Consists of all woody vines greater than 3.28
4. <u>Carex trichocarpa</u> 5		0.0%		ft in height.
		0.0%	FACW	
67		0.0%	FACW	Five Vegetation Strata:
7		0.0%	OBL	Tree - Woody plants, excluding woody vines, approximately
8			FACW	20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).
9				Sapling stratum – Consists of woody plants, excluding
10			OBL	woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.
11			FACW	Shrub stratum – Consists of woody plants, excluding woody
12		0.0%		vines, approximately 3 to 20 ft (1 to 6 m) in height.
Woody Vine Stratum (Plot size:)	90			Herb stratum – Consists of all herbaceous (non-woody)
1	0	0.0%		plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately
2	0	0.0%		3 ft (1 m) in height.
3	0	0.0%		Woody vines – Consists of all woody vines, regardless of
4	0	0.0%		height.
5	0	0.0%		Hydrophytic
6	0	0.0%		Vegetation
	0	= Total Cove	r	Present? Yes Vo 🗸
Remarks: (Include photo numbers here or on a separate she	at)			

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS. US Army Corps of Engineers

Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)	80	Dark Surf	20 20 20 20 20 20 20 20 20 20 20 20 20 2	Type 1 C	Loc2 M M 	Texture Silty Clay Silty Clay	Remarks
0-3 10YR 3/1 3-16 10YR 6/1 9 9 9	80 80	7.5YR 5/8 10YR 6/8 	20 20 20 20 20 20 20 20 20 20 20 20 20 2		M M	Silty Clay Silty Clay	
3-16 10YR 6/1 3-16 10YR 6/1 Image: Constraint of the second	80	10YR 6/8	20	C	M	Silty Clay	
Type: C=Concentration. D=Depletion Indicators: Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)		d Matrix, CS=(Covered or Coat				
ydric Soil Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)		Dark Surf		ed Sand Grains	s ² Local		
ydric Soil Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)		Dark Surf		ed Sand Grains	s ² Local		
Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)	on. RM=Reduced	Dark Surf		ed Sand Grains	s ² Locat	tion: PI =Pore Lining M=N	
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)	on. RM=Reduced	Dark Surf		ed Sand Grain	s ² Locat	tion: PI =Pore Lining M=N	
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)		Dark Surf		ed Sand Grains	s ² Locat		
ydric Soil Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)		Dark Surf		ed Sand Grains	s ² Locat	tion: PI = Pore Lining M=N	
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)	on. RM=Reduced	Dark Surf		ed Sand Grains	s ²Locat	tion: PI = Pore Lining M=N	
Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)		Dark Surf		ed Sand Grains	s ² Locat	tion: PI = Pore Lining M=N	
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)	n. RM=Reduced	Dark Surf		ed Sand Grains	s ² Locat	tion: PI =Pore Lining M=M	
Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)	on. RM=Reduced	Dark Surf		ed Sand Grains	s ² Locat	tion: PI =Pore Lining M=N	
Indicators: Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)		Dark Surf					latrix
Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5)			aaa (67)			Indicators for Proble	
 Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5) 			ace (S7)				-
Hydrogen Sulfide (A4) Stratified Layers (A5)			Below Surface	(S8) (MLRA 14	7,148)	2 cm Muck (A10)	
Stratified Layers (A5)		Thin Dark	Surface (S9) (N	/ILRA 147, 148)	Coast Prairie Redo (MLRA 147,148)	x (A16)
_		Loamy Gle	eyed Matrix (F2)			Piedmont Floodpla	ain Soils (F19)
		Depleted	• •			(MLRA 136, 147)	
2 cm Muck (A10) (LRR N)			rk Surface (F6)			Very Shallow Dark	Surface (TF12)
Depleted Below Dark Surface (A	411)		Dark Surface (F	7)		Other (Explain in I	Remarks)
Thick Dark Surface (A12)			pressions (F8)	(E12) (I DD N			
Sandy Muck Mineral (S1) (LRR MLRA 147, 148)	Ν,	MLRA 136	janese Masses ()	(FTZ) (LRR N,			
Sandy Gleyed Matrix (S4)		Umbric Su	urface (F13) (MI	RA 136, 122)			
Sandy Redox (S5)		Piedmont	Floodplain Soils	5 (F19) (MLRA	148)	³ Indicators of H	nydrophytic vegetation and rology must be present,
Stripped Matrix (S6)		Red Parer	nt Material (F21)) (MLRA 127, 1	147)		turbed or problematic.
estrictive Layer (if observed):							
Type: Depth (inches):						Hydric Soil Present?	Yes 🔍 No 🔾
emarks:						-	

Background Information

Name	Brian Robertson	4/21/2016	1			
Afilliation	AECOM					
Address	525 Vine Street, Suite 1800 Cincinnati, OH 45202					
Phone Number:	(513) 419-3403					
Email address:	brian.robertson@aecom.com					
Name of Wetland:	Wetland 26					
Vegetation Communities (US			-			
	Emergent, Forested		-			
HGM Class Depressional						
roads, etc.	available, north arrow, landmarks, distances, roads, etc.					
	See attached map					
		Sources of information used				
		Check all that apply				
Lat/Long or UTM Coordinate	40.4043355, -81.3085221	Site Visit	>			
USGS Quad Name	Uhrichsville	USGS Topo Map	>			
County	Tuscarawas	National Wetland Inventory Map	>			
Township	Union	Ohio Wetland Inventory Map	>			
Section and Subsection	S25	Soil Survey	>			
Hydrologic Unit Code	05040001	Delineation report/map	>			
Wetland Size (acres, hectares	Approximately 1.87-acres		Ι			

Name: Wetland 26			4/21/2016
sketch (include north arrow,	relationship with		
other surface waters, vegeta		Site: AEP Dennison-Yager	
other ourrace watere, regeta		ontorritzi Dominioon rugor	
	Soc attached man		
	See attached map		
Notes/Comments/Narrative			
Final Coord			
Final Score	54	Provisional Wetland Catego	ory 2

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Unit if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a mitigation site, conservation site, etc.	х	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	x	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	х	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.		x
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		х
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.	х	

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature *and* by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap. The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is a legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Reynoldsburg Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.


#	Question	Circle one	
1	Critical Habitat. Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES NO Wetland should be evaluated for possible Category 3 status Go to Question 2	
2	Threatened or Endangered Species. Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES NO Wetland is a Category 3 wetland. Go to Question 3	
3	Documented High Quality Wetland. Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	
4	Significant Breeding or Concentration Area. Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	
5	Category 1 Wetlands. Is the wetland less than 0.5 hectares (1 acre) in size and hydrologically isolated and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by <i>Phalaris arundinacea, Lythrum salicaria,</i> or <i>Phragmites australis,</i> or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES NO Wetland is a Category 1 wetland Go to Question 6	
6	Bogs. Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly <i>Sphagnum</i> spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES NO Wetland is a Category 3 wetland Go to Question 7	
7	Fens. Is the wetland a carbon accumulating (peat, muck) wetland that is the saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	а

#	Question	Circle one
8a	"Old Growth Forest." Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES NO Wetland is a Category 3 wetland. Go to Question 8b
8b	Mature forested wetlands . Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES NO Wetland should be evaluated for possible Category 3 status. Go to Question 9a
9a	Lake Erie coastal and tributary wetlands . Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 9d
9с	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES NO Go to Question 9d Go to Question 9d
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10
10	Lake Plain Sand Prairies (Oak Openings) Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES NO Wetland is a Category 3 wetland. Go to Question 11
11	Relict Wet Prairies . Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio, Erie County, and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, etc.).	YES NO Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	0ak Opening species	wet prairie species
Lythrum salicaria Myriophyllum spicatum Najas minor Phalaris arundinacea Phragmites australis Potamogeton crispus Ranunculus ficaria Rhamnus frangula Typha angustifolia Typha xglauca	Zygadenus elegans var. glaucus Cacalia plantaginea Carex flava Carex sterilis Carex stricta Deschampsia caespitosa Eleocharis rostellata Eriophorum viridicarinatum Gentianopsis spp. Lobelia kalmii Parnassia glauca Potentilla fruticosa Rhamnus alnifolia Rhynchospora capillacea Salix candida Salix myricoides Salix serissima Solidago ohioensis Tofieldia glutinosa Triglochin maritimum Triglochin palustre	Calla palustris Carex atlantica var. capillacea Carex echinata Carex oligosperma Carex trisperma Chamaedaphne calyculata Decodon verticillatus Eriophorum virginicum Larix laricina Nemopanthus mucronatus Schechzeria palustris Sphagnum spp. Vaccinium macrocarpon Vaccinium corymbosum Vaccinium oxycoccos Woodwardia virginica Xyris difformis	Carex cryptolepis Carex lasiocarpa Carex stricta Cladium mariscoides Calamagrostis stricta Calamagrostis canadensis Quercus palustris	Calamagrostis canadensis Calamogrostis stricta Carex atherodes Carex buxbaumii Carex pellita Carex sartwellii Gentiana andrewsii Helianthus grosseserratus Liatris spicata Lysimachia quadriflora Lythrum alatum Pycnanthemum virginianum Silphium terebinthinaceum Sorghastrum nutans Spartina pectinata Solidago riddellii

End of Narrative Rating. Begin Quantitative Rating on next page.



ite: AEP Dennison-Yag	ger F	Rater(s): B.Robert	son; J. Ll		Date:	4/21/201
	=		Fi	eld ld:	=	
41			W-	-bcr-042116-05		
41			~~~	-00-05		
subtotal this page						
0 41	Metric 5. Special	Wetlands.				
< 10 pts. subtotal	Check all that apply	and score as indicat	ted			
c to pis. Subiotai	Bog (10)		icu.			
	Fen (10)					
	Old growth forest (10)					
	Mature forested wetland (5					
		wetland-unrestricted hydrolo				
	Lake Erie coastal/tributary	wetland-restricted hydrology	y (5)			
	Relict Wet Praires (10)	Jak Openings) (10)				
		ederal threatened or endang	ered species	(10)		
	Significant migratory songl	bird/water fowl habitat or usa	age (10)			
		Question 5 Qualitative Ratin				
13 54	Metric 6. Plant co	ommunities, inter	spersion	n, microtopograp	ohy.	
20pts. subtotal	6a. Wetland Vegetat	ion Communities.	Ve	getation Communi	ty Cover Scale	
	Score all present using 0 to	o 3 scale.			(0.2471 acres) contiguous area	
	Aquatic bed			sent and either comprises		
2	Emergent Shrub			jetation and is of moderate nificant part but is of low q		
2	Forest				significant part of wetland's 2	
<u> </u>	Mudflats				e quality or comprises a small	
	Open water			, t and is of high quality		
	Other	= .			icant part, or more, of wetland's 3	
	6b. horizontal (plan view) Interspersion.	veg	etation and is of high qua	lity	
	Select only one. High (5)		Nar	rrative Description of Ve	netation Quality	
	Moderately high(4)				lominance of nonnative or low	
x	Moderate (3)			urbance tolerant native sp		
	Moderately low (2)				ponent of the vegetation, mod	
	Low (1)				sturbance tolerant native spp	
	None (0) 6c. Coverage of invasive	nlants Pofor		also be present, and spe derately high, but generall	cies diversity moderate to	
	Table 1 ORAM long form f			eatened or endangered sp		
	or deduct points for covera				ecies, with nonnative spp high	
	Extensive >75% cover (-5)				ative spp absent or virtually	
	Moderate 25-75% cover (-	3)			y and often, but not always,	
	Sparse 5-25% cover (-1) Nearly absent <5% cover ((0)	the	presence of rare, threater	ned, or endangered spp	
_	Absent (1)	(0)	Mu	dflat and Open Water Cl	ass Quality	
	6d. Microtopography.			sent <0.1ha (0.247 acres)		
	Score all present using 0 to			v 0.1 to <1ha (0.247 to 2.4		
	Vegetated hummucks/tuss			derate 1 to <4ha (2.47 to s		
	Coarse woody debris >150 Standing doad > 25cm (10)		3 Hig	h 4ha (9.88 acres) or mor	e	
	Standing dead >25cm (10i Amphibian breeding pools		Mic	rotopography Cover Sc	ale	
			0 Abs			
				sent very small amounts of	or if more common	
				narginal quality		
			2 Pre	sent in moderate amounts	s, but not of highest	
tegory 2				ality or in small amounts of	high ant munitur	


and of highest quality

ORAM Summary Worksheet

		circle answer or insert score	Result
Narrative Rating	Question 1 Critical Habitat	YES NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES NO	If yes, Category 1.
	Question 6. Bogs	YES NO	If yes, Category 3.
	Question 7. Fens	YES NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands - Unrestricted.	YES NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2	
	Metric 2. Buffers and surrounding land use	9	
	Metric 3. Hydrology	18.5	
	Metric 4. Habitat	11.5	
	Metric 5. Special Wetland Communities	0	
	Metric 6. Plant communities, interspersion, microtopography	13	
	TOTAL SCORE Consult most recent score calibration report at http://www.epa.ohio.gov/dsw/401/index.aspx to	54	Category based on score breakpoints
	determine the wetland's category based on its quantitative score	07	Category 2

Complete Wetland Categorization Worksheet.

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland		Is quantitative rating score <i>less</i> than the Category 2 scoring threshold (<i>excluding</i> gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over-categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	NO	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	NO	Is quantitative rating score <i>greater</i> than the Category 2 scoring threshold <i>(including</i> any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on an quantitative score.
Does the quantitative score fall with the <i>"gray zone"</i> for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit <i>moderate OR superior</i> hydrologic OR habitat, OR recreational functions AND the wetland was <i>not</i> categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	NO Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.



End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Dennison-Yager 138 kV Rebuild	City/County: Tuscarawas County	Samplir	ng Date: 06-Sep-18
Applicant/Owner: AEP	State: OH	Sampling Poin	nt: w-mdt-062316-03b
Investigator(s):	Section, Township, Range: S	т	R
Landform (hillslope, terrace, etc.): Flat	Local relief (concave, convex, none): none	Slope: <u>0.0%</u> / <u>0.0</u> °
Subregion (LRR or MLRA): LRR N Lat.:	40.407312 Long.:	-81.3129775	Datum: NAD 83
Soil Map Unit Name: CcA		NWI classification:	N/A
	tly disturbed? Are "Normal Circ	lain in Remarks.) cumstances" present? ain any answers in Re	

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes 🖲	No O			
Hydric Soil Present?	Yes 🖲	No O	Is the Sampled Area	Yes \odot No \bigcirc	
Wetland Hydrology Present?	Yes 🖲	No 🔿	within a Wetland?		
Remarks:					

Hydrology

Wetland Hydrology Indicat	ors:				Secondary Indicators (minimum of two required)
Primary Indicators (minimu	um of one	requir	ed; che	eck all that apply)	Surface Soil Cracks (B6)
Surface Water (A1)				True Aquatic Plants (B14)	Sparsely Vegetated Concave Surface (B8)
High Water Table (A2)				Hydrogen Sulfide Odor (C1)	Drainage Patterns (B10)
Saturation (A3)				Oxidized Rhizospheres along Living Roots	(C3) Moss Trim Lines (B16)
Water Marks (B1)				Presence of Reduced Iron (C4)	Dry Season Water Table (C2)
Sediment Deposits (B2)				Recent Iron Reduction in Tilled Soils (C6)	Crayfish Burrows (C8)
Drift deposits (B3)				Thin Muck Surface (C7)	Saturation Visible on Aerial Imagery (C9)
Algal Mat or Crust (B4)				Other (Explain in Remarks)	Stunted or Stressed Plants (D1)
Iron Deposits (B5)				,	Geomorphic Position (D2)
Inundation Visible on Aeri	al Imagery	(B7)			Shallow Aquitard (D3)
Water-Stained Leaves (B9)				Microtopographic Relief (D4)
🗌 Aquatic Fauna (B13)					FAC-neutral Test (D5)
Field Observations:	_		_		
Surface Water Present?	$Yes \bigcirc$	No	ullet	Depth (inches):	
Water Table Present?	$_{\rm Yes} \bigcirc$	No	ullet	Depth (inches):	
Saturation Present? (includes capillary fringe)	$_{\rm Yes} \bigcirc$	No (●	Depth (inches):	tland Hydrology Present? Yes $ullet$ No $igodoldsymbol{ imes}$
(includes capillary fringe)				Depth (inches): g well, aerial photos, previous inspectio	
(includes capillary fringe)				Depth (inches):	
(includes capillary fringe)				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	
(includes capillary fringe) Describe Recorded Data (st				Depth (inches):	

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Wetland 26b

			minant ecies? –		Sampling Point: w-mdt-062316-03b
Tree Stratum (Plot size:)	Absolute % Cover	Re	.Strat.	Indicator Status	Dominance Test worksheet:
1 Quercus palustris	35		43.8%	FACW	Number of Dominant Species That are OBL, FACW, or FAC: 9 (A)
2. Acer saccharinum	20		25.0%	FACW	
3. Fraxinus pennsylvanica			31.3%	FACW	Total Number of Dominant Species Across All Strata: 9 (B)
4			0.0%		
5			0.0%		Percent of dominant Species
6.	_		0.0%		That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)
7			0.0%		Prevalence Index worksheet:
8	0		0.0%		Total % Cover of: Multiply by:
	80	= To	tal Cover		OBL species 20 x 1 = 20
Sapling-Sapling/Shrub Stratum (Plot size:)	_			FACW species 135 x 2 = 270
1. Fraxinus pennsylvanica	25	✓	100.0%	FACW	
2	0		0.0%		
3	0		0.0%		FACU species $\underbrace{0}_{0}$ x 4 = $\underbrace{0}_{0}$
4	0		0.0%		UPL species $0 \times 5 = 0$
5	0		0.0%		Column Totals: <u>160</u> (A) <u>305</u> (B)
6	0		0.0%		Prevalence Index = B/A = 1.906
7			0.0%		Hydrophytic Vegetation Indicators:
8			0.0%		Rapid Test for Hydrophytic Vegetation
9			0.0%		
10	0		0.0%		
		= To	tal Cover		V Prevalence Index is \leq 3.0 ¹
Shrub Stratum (Plot size:)			0.0%		Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
1					Problematic Hydrophytic Vegetation ¹ (Explain)
2			0.0%		
3			0.0%		¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
4			0.0%		Definition of Vegetation Strata:
5			0.0%		_
6			0.0%		Four Vegetation Strata: Tree stratum – Consists of woody plants, excluding vines, 3
7		\square_{-}	0.0%		in. (7.6 cm) or more in diameter at breast height (DBH),
Herb Stratum (Plot size:)	0	= Tot	tal Cover		regardless of height.
1. Schoenoplectus tabernaemontani	10	✓_	20.0%	OBL	Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.
2. Phalaris arundinacea	15	✓	30.0%	FACW	Herb stratum – Consists of all herbaceous (non-woody)
3. Carex trichocarpa	10	✓	20.0%	OBL	plants, regardless of size, and all other plants less than 3.28
4. Juncus effusus	15		30.0%	FACW	ft tall, Woody vines – Consists of all woody vines greater than 3.28
5	0		0.0%		ft in height.
6	0		0.0%		Five Vegetation Strata:
7	0		0.0%		Tree - Woody plants, excluding woody vines, approximately
8	0		0.0%		20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in
9.	0		0.0%		diameter at breast height (DBH).
10	0		0.0%		Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and
11			0.0%		less than 3 in. (7.6 cm) DBH.
12	0		0.0%		Shrub stratum – Consists of woody plants, excluding woody
Woody Vine Stratum (Plot size:)	50	= Toi	tal Cover		vines, approximately 3 to 20 ft (1 to 6 m) in height.
	5	✓	100.0%	FAC	Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and
1. Toxicodendron radicans					woody species, except woody vines, less than approximately
2			0.0%		3 ft (1 m) in height.
3			0.0%		Woody vines – Consists of all woody vines, regardless of height.
4	0		0.0%		-
5	-		0.0%		Hydrophytic
6	0		0.0%		Vegetation Present? Yes • No ·
	5	= To	tal Cove	•	
Remarks: (Include photo numbers here or on a separate she	et.)				

Remarksi (Include photo numbers here of on a separate sheeti)

Wetland 26b

file Desc	ription: (Describe to t	the depth r	needed to documen	t the indica	tor or co	nfirm the a	absence of indicators.)		
Depth	Matrix		Re	dox Feature					
iches)	Color (moist)	<u>%</u>	Color (moist)		Tvpe ¹	Loc ²	Texture	Ren	narks
)-16	10YR 2/1	85	7.5YR 5/8	15	C	М	Silty Clay Loam		
			· · · · ·						
	<u> </u>								
e: C=Cor	ncentration. D=Depletion	ı. RM=Redu	iced Matrix, CS=Cove	red or Coated	d Sand Gra	ins ² Loca	tion: PL=Pore Lining. M=N	Natrix	
	Indicators:						Indicators for Proble	ematic Hydri	ic Soils ³ :
Histosol			Dark Surface	• •			2 cm Muck (A10)	(MLRA 147)	
	ipedon (A2)						Coast Prairie Redo	ox (A16)	
Black His	n Sulfide (A4)		Thin Dark Surf		RA 147, 1	48)	(MLRA 147,148)		
	l Layers (A5)		Loamy Gleyed				Piedmont Floodpl	ain Soils (F19)
	ck (A10) (LRR N)		Redox Dark Su				(MLRA 136, 147)	o ((TE	
	Below Dark Surface (A	11)	Depleted Dark	. ,			Very Shallow Darl		12)
	rk Surface (A12)	11)	Redox Depress				Other (Explain in	Remarks)	
	uck Mineral (S1) (LRR N		Iron-Mangane		12) (LRR N	I,			
MLRA 14	7, 148)	,	MLRA 136)		, ,				
Sandy Gl	eyed Matrix (S4)		Umbric Surfac	e (F13) (MLR	A 136, 12	2)	3		
Sandy Re	edox (S5)		Piedmont Floo	dplain Soils ((F19) (MLR	A 148)	³ Indicators of wetland hyd	hydrophytic v Irology must l	egetation and be present,
Stripped	Matrix (S6)		Red Parent Ma	aterial (F21)	(MLRA 127	, 147)		sturbed or pro	
rictive I	ayer (if observed):								
ype:									
	ches):						Hydric Soil Present?	Yes 🖲	No \bigcirc
arks:	51100)1								
iai ks.									

APPENDIX 08-3

STREAM DATA FORMS

Oh	ieEP 2	Primary	[,] Headw	vater Ha		aluation Fo		
SITE NAM hh-jbl-07		SITE NUMBER				DRA	INAGE AREA (mi²)	
DATE	\$	SCORER	cc	OMMENTS		RIVER CODE		
STREAM	I CHANNEL CATIONS:			_				
	Aax of 32). Add BLDR SLABS BOULDER (> BEDROCK COBBLE (65-	total number of sign [16 pts] [256 mm) [16 pts] [16 pt] [256 mm) [12 pts] [4 mm) [9 pts]		-	(Max of 8). Final r SILT [3 pt]	PAN [0 pt]	f boxes A & B. PERCENT	HHEI Metric Points Substrate Max = 40
	ldr Slabs, Bould	rcentages of er, Cobble, Bedrock		(A)	Substrate Perc Check	centage	(B)	A + B

	Bldr Slabs, Boulder, Cobble, Bedrock	Check	ATU
SCOR	E OF TWO MOST PREDOMINATE SUBSTRATE TYPES:	TOTAL NUMBER OF SUBSTRATE TYPES:	
2.		epth within the 61 meter (200 ft) evaluation reach at the time of	Pool Depth
_	evaluation. Avoid plunge pools from road culverts or stor	m water pipes) (Check ONLY one box):	Max = 30
	> 30 centimeters [20 pts]	> 5 cm - 10 cm [15 pts]	
	> 22.5 - 30 cm [30 pts]	< 5 cm [5 pts]	
	> 10 - 22.5 cm [25 pts]	NO WATER OR MOIST CHANNEL [0 pts]	
	COMMENTS	MAXIMUM POOL DEPTH (Inches):	
_			
3	BANK FULL WIDTH (Measured as the average of 3-4	measurements) (Check ONLY one box):	Bankfull
	> 4.0 meters (> 13') [30 pts]	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]	Width
	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	□ ≤ 1.0 m (<=3' 3") [5 pts]	Max=30
	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		
	, , , , , , , , , , , , , , , , , , ,		
	COMMENTS	AVERAGE BANKFULL WIDTH (Feet):	

COMMENTS	AVERAGE B/	ANKFULL WIDTH (Feet):
RIPARIAN ZONE AND FLOODP RIPARIAN WIDTH L R (Per Bank) Image: Constraint of the system	This information must also be complementation LAIN QUALITY ☆NOTE: River Left (L) and FLOODPLAIN QUALITY L R (Most Predominant per Bank) □ Mature Forest, Wetland □ Immature Forest, Shrub or Old Field	leted Right (R) as looking downstream☆ L R D D Conservation Tillage D D Urban or Industrial
 Narrow <5m None COMMENTS 	Image: Construction Residential, Park, New Field Image: Construction Fenced Pasture	Open Pasture, Row Crop Image: Construction
FLOW REGIME (At Time of Eval Stream Flowing Subsurface flow with isolated pool COMMENTS	Moist Chann	el, isolated pools, no flow (Intermittent) no water (Ephemeral)
SINUOSITY (Number of bends p None 0.5	er 61 m (200 ft) of channel) (Check ONLY one 1.0	box):
STREAM GRADIENT ESTIMATE	Moderate (2 ft/100 ft) Moderate t	o Severe (10 ft/100 ft)

		(mpleted QHEI Form)
DOWNSTREAM DESIGNATI	ED USE(S)		
_			tance from Evaluated Stream
			ance from Evaluated Stream
EWH Name:		Dist	ance from Evaluated Stream
MAPPING: ATTACH COPIES	OF MAPS, INCLUDING THE EN	ITIRE WATERSHED ARE	A. CLEARLY MARK THE SITE LOCATION
JSGS Quadrangle Name:		NRCS Soil Map Page:	NRCS Soil Map Stream Order
County:	Towns	ship / City:	
MISCELLANEOUS			
Base Flow Conditions? (Y/N):	Date of last precipitation:	(Quantity:
Photograph Information:			
Elevated Turbidity? (Y/N):	Canopy (% open):		
Nere samples collected for water chem	istry? (Y/N): (Note lat	sample no. or id. and att	ach results) Lab Number:
Field Measures: Temp (°C)	Dissolved Oxygen (mg/l)	pH (S.U.)	_ Conductivity (µmhos/cm)
s the sampling reach representative of	the stream (Y/N) If not,	please explain:	
Additional comments/deceminting of a st	ution imposto:		
Auditional comments/description of poll	ution impacts:		
BIOTIC EVALUATION			
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N)	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua	a sheets from the Primary H bserved? (Y/N) Vo	E: all voucher samples must be labeled with the s leadwater Habitat Assessment Manual) pucher? (Y/N) served? (Y/N) Voucher? (Y/N)
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N)	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua	a sheets from the Primary H bserved? (Y/N) Vo	leadwater Habitat Assessment Manual) bucher? (Y/N)
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N)	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua	a sheets from the Primary H bserved? (Y/N) Vo	leadwater Habitat Assessment Manual) bucher? (Y/N)
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology:	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua	a sheets from the Primary H bserved? (Y/N) Vo tic Macroinvertebrates Ob	leadwater Habitat Assessment Manual) oucher? (Y/N) served? (Y/N) Voucher? (Y/N)
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Voucher Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua	a sheets from the Primary H bserved? (Y/N) Vo tic Macroinvertebrates Ob	leadwater Habitat Assessment Manual) bucher? (Y/N)
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Voucher Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo	a sheets from the Primary H bserved? (Y/N) Vo tic Macroinvertebrates Ob	Headwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This <u>must</u> be completed):
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Voucher Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo	a sheets from the Primary H bserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na	Headwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This <u>must</u> be completed):
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Voucher Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo old grass	a sheets from the Primary H bserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na	Headwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This <u>must</u> be completed):
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Voucher Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo old grass access	a sheets from the Primary H bserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na	Ieadwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This must be completed): rrative description of the stream's location
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Voucher Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo old grass access road	A sheets from the Primary H Ibserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na hh-01	Ieadwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This must be completed): rrative description of the stream's location
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR Include important landmarks an	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo old grass access	A sheets from the Primary H Ibserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na hh-01	Headwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This <u>must</u> be completed):
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR Include important landmarks an	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo old grass access road	A sheets from the Primary H Ibserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na hh-01	Ieadwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This must be completed): rrative description of the stream's location
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR Include important landmarks an	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo old grass access road	A sheets from the Primary H Ibserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na hh-01	Ieadwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This must be completed): rrative description of the stream's location
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR Include important landmarks an	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo old grass access road	A sheets from the Primary H Ibserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na hh-01	Ieadwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This must be completed): rrative description of the stream's location
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR Include important landmarks an	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo old grass access road	A sheets from the Primary H Ibserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na hh-01	Ieadwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This must be completed): rrative description of the stream's location
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR Include important landmarks an	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo old grass access road	A sheets from the Primary H Ibserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na hh-01	Ieadwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This must be completed): rrative description of the stream's location
Performed? (Y/N): (If Yes, F ID numb Fish Observed? (Y/N) Vouche Frogs or Tadpoles Observed? (Y/N) Comments Regarding Biology: DRAWING AND NAR Include important landmarks an	er. Include appropriate field data r? (Y/N) Salamanders C Voucher? (Y/N) Aqua RATIVE DESCRIPTION d other features of interest fo old grass access road	A sheets from the Primary H Ibserved? (Y/N) Vo tic Macroinvertebrates Ob OF STREAM REAC r site evaluation and a na hh-01	Ieadwater Habitat Assessment Manual) Ducher? (Y/N) served? (Y/N) Voucher? (Y/N) H (This must be completed): rrative description of the stream's location

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

12/21/2018 3:21:52 PM

in

Case No(s). 18-1856-EL-BTA

Summary: Application electronically filed by Ms. Christen M. Blend on behalf of AEP Ohio Transmission Power Company, Inc.