

Republic Wind Farm


Adams, Pleasant, Reed, Scipio, and Thompson Townships, Seneca County, and York Township, Sandusky County, Ohio

Figure 04-1: Study Area Evaluated

- Project Boundary
- Study Area Evaluated
- County Boundary
- Township Boundary

Notes: 1. Basemap: ESRI ArcGIS Online "World Topographic Map" map service. 2. This map was generated in ArcMap on December 13, 2018. 3. This is a color graphic. Reproduction in grayscale may misrepresent the data. 4. Project Boundary provided by Apex. 5. Map Scale 1: 130,000.






Republic Wind Farm

Adams, Pleasant, Reed, Scipio, and Thompson Townships, Seneca County, and York Township, Sandusky County, Ohio

Figure 04-2: Constraints Map


- Wind Turbine
- Structure
- Delineated Stream
- - - Major Pipeline
- Public Road
- Delineated Waterbody
- Delineated Wetland
- ▭ Project Boundary
- ▭ Setback Area
- ▭ Township Boundary
- ▭ County Boundary



Notes: 1. Basemap: ESRI StreetMap North America, 2008. 2. This map was generated in ArcMap on December 13, 2018. 3. This is a color graphic. Reproduction in grayscale may misrepresent the data. 4. Project components and pipeline data provided by Apex; delineated resources provided by Cardno. 5. Wind turbine setbacks are composed of 1371 feet from nonparticipating parcels, and 662.2 feet from existing pipelines, transmission lines, and public roads. 6. A survey will be conducted to inform the final Facility design, and this survey will verify the precise location of gas pipelines. The exact turbine locations may be subject to unsubstantial and minor engineering revisions (micro-siting) prior to construction. Any such micro-siting will comply with state laws and regulations (including all applicable setbacks), be compatible with landowner preferences, and be presented at the preconstruction meeting with OPSS with proof all necessary participation agreement. 7. Map Scale 1: 24,000.



www.edrdpc.com



Republic Wind Farm

Adams, Pleasant, Reed, Scipio, and Thompson Townships, Seneca County, and York Township, Sandusky County, Ohio

Figure 04-2: Constraints Map

- Wind Turbine
- Structure
- Delineated Stream
- - - Major Pipeline
- Existing Transmission Line
- Public Road
- Delineated Waterbody
- Delineated Wetland
- Project Boundary
- Setback Area
- Township Boundary
- County Boundary




Sheet 2 of 3

Notes: 1. Basemap: ESRI StreetMap North America, 2008. 2. This map was generated in ArcMap on December 13, 2018. 3. This is a color graphic. Reproduction in grayscale may misrepresent the data. 4. Project components and pipeline data provided by Apex; delineated resources provided by Cardno. 5. Wind turbine setbacks are composed of 1371 feet from nonparticipating parcels, and 662.2 feet from existing pipelines, transmission lines, and public roads. 6. A survey will be conducted to inform the final Facility design, and this survey will verify the precise location of gas pipelines. The exact turbine locations may be subject to unsubstantial and minor engineering revisions (micro-siting) prior to construction. Any such micro-siting will comply with state laws and regulations (including all applicable setbacks), be compatible with landowner preferences, and be presented at the preconstruction meeting with OPSS with proof all necessary participation agreement. 7. Map Scale 1: 24,000.



www.edrdpc.com



Republic Wind Farm

Adams, Pleasant, Reed, Scipio, and Thompson Townships, Seneca County, and York Township, Sandusky County, Ohio

Figure 04-2: Constraints Map

- Wind Turbine
- Structure
- Delineated Stream
- - - Major Pipeline
- Public Road
- Delineated Waterbody
- Delineated Wetland
- ▭ Project Boundary
- ▭ Setback Area
- ▭ Township Boundary
- ▭ County Boundary



Notes: 1. Basemap: ESRI StreetMap North America, 2008. 2. This map was generated in ArcMap on December 13, 2018. 3. This is a color graphic. Reproduction in grayscale may misrepresent the data. 4. Project components and pipeline data provided by Apex; delineated resources provided by Cardno. 5. Wind turbine setbacks are composed of 1371 feet from nonparticipating parcels, and 662.2 feet from existing pipelines, transmission lines, and public roads. 6. A survey will be conducted to inform the final Facility design, and this survey will verify the precise location of gas pipelines. The exact turbine locations may be subject to unsubstantial and minor engineering revisions (micro-siting) prior to construction. Any such micro-siting will comply with state laws and regulations (including all applicable setbacks), be compatible with landowner preferences, and be presented at the preconstruction meeting with OPSS with proof of all necessary participation agreement. 7. Map Scale 1: 24,000.



www.edrdpc.com

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

12/26/2018 11:44:52 AM

in

Case No(s). 17-2295-EL-BGN

Summary: Application Figures 04-01 and 04-02 electronically filed by Teresa Orahod on behalf of Dylan F. Borchers