



Case Number: 19-0837-EL-REN

A. Generating Facility

Name of Renewable Generating Facility: Sarnese, Bill Residence - B Sarnese

The name specified will appear on the facility's certificate of eligibility issued by the Public Utilities Commission of Ohio.

Facility Location

Street Address: 1779 Wolford Road

City: Schwenksville **State:** PA **County:** Montgomery **Zip Code:** 19473

Facility Latitude and Longitude

Latitude: 40.2882 **Longitude:** -75.4377

There are internet mapping tools available to determine the latitude and longitude, if you do not have this information.

If applicable, U.S. Department of Energy, Energy Information Administration Form EIA-860 Plant Name and Plant Code.

EIA-860 Plant Name:

EIA Plant Code:

B. Legal Name of the Facility Owner

Please note that the facility owner name listed will be the name that appears on the certificate.

The address provided in this section is where the certificate will be sent.

If the facility has multiple owners, please provide the following information for each on additional sheets.

Legal Name of the Facility Owner: Bill Sarnese

Legal Name of Facility Owner Representative: Bill Sarnese

Title:

Organization:

Street Address: 1779 Wolford Road

City: Schwenksville **State:** PA **Zip Code:** 19473

Phone: 215-285-5541 **Fax:**

Email Address: bill.sarnese@americanreading.com

Web Site Address (if applicable):

C. List the name, address, telephone number and web site address under which the Applicant will do business in Ohio

Legal Name of Facility Owner Representative: Bill Sarnese

Title:

Organization:

Street Address: 1779 Wolford Road

City: Schwenksville **State:** PA **Zip Code:** 19473

Phone: 215-285-5541 **Fax:**

Email Address: bill.sarnese@americanreading.com

Web Site Address (if applicable):

D. Name of Generation Facility Operating Company

Name of Generation Facility Operating Company: Sarnese, Bill Residence - B Sarnese

Legal Name of Contact Person: Bill Sarnese

Title:

Organization:

Street Address: 1779 Wolford Road

City: Schwenksville **State:** PA **Zip Code:** 19473

Phone: 215-285-5541 **Fax:**

Email Address: bill.sarnese@americanreading.com

Web Site Address (if applicable):

E. Regulatory/Emergency Contact

Legal Name of Contact Person: Nancy Director Renewable Energy Director, Renewable Energy Administration
Strahan

Title: Administration

Organization: SRECTrade

Street Address: 201 California Street, Suite 630

City: San Francisco **State:** CA **Zip Code:** 94111

Phone: 4157637732 **Fax:**

Email Address: applications@srectrade.com

Web Site Address (if applicable):

F. Certification Criteria 1: Deliverability of the Generation into Ohio

Ohio Revised Code (ORC) Sec. 4928.64(B)(3)

The facility must have an interconnection with an electric utility.

Check which of the following applies to the facility's location:

No The facility is located in Ohio.

Yes The facility is located in a state geographically contiguous to Ohio (IN, KY, MI, PA, WV).

No The facility is located in the following state:

(If the renewable energy resource generation facility is not located in Ohio, Indiana, Kentucky, Michigan, Pennsylvania, or West Virginia, you are required to submit a POWER FLOW study by one of the regional transmission organizations (RTO) operating in Ohio, either PJM or Midwest ISO, demonstrating that the power from the facility is physically deliverable into the state of Ohio. This study must be appended to the application as an exhibit. THE FACILITY MUST BE INTERCONNECTED TO TRANSMISSION LINES. FOR ADDITIONAL INFORMATION ON DELIVERABILITY REQUIREMENTS, PLEASE REFER TO THE COMMISSION FINDING & ORDER of 3/23/11 IN CASE NO. 09-555-EL-REN.)

G. Certification Criteria 2: Qualified Resource or Technology

You should provide information for only one resource or technology on this application; please check and/or fill out only one of the sections below. If you are applying for more than one resource or technology, you will need to complete a separate application for each resource or technology.

G.1. For the resource or technology you identify in Sections G.4 - G.13 below, please provide a written description of the system.

Roof mounted behind the meter solar photovoltaic facility.

G.2. Please include a detailed description of how the output of the facility is going to be measured and verified, including the configuration of the meter(s) and the meter type(s).

The facility has 1 Sunpower PVS5 revenue grade meter that will be used to report production to GATS.

G.3. Please submit digital photographs that depict an accurate characterization of the renewable generating facility. Please indicate the date(s) the photographs were taken. For existing facilities, these photographs must be submitted for your application to be reviewed. For proposed facilities or those under construction, photographs will be required to be filed within 30 days of the on-line date of the facility.



The Applicant is applying for certification in Ohio for a facility using one of the following qualified resources or technologies (Sec. 4928.01 ORC):

G.4 SOLAR PHOTOVOLTAIC

G.4a Location of the PV Array: Roof

Description:

G.4b Total number of Modules: 24

G.4.1 PV Modules

For each PV module, provide the following information:

G.4.1.a Manufacturer: Sunpower

G.4.1.b Model and Rating: X21-350-BLK-D-AC, 350

H. Certification Criteria 3: Placed-in-Service Date (Sec. 4928.64. (A)(1) O.R.C.)

The Renewable Energy Facility:

No has a placed-in-service date before January 1, 1998; Date:

Yes has a placed-in-service date on or after January 1, 1998; Date: 3/25/19

No has been modified or retrofitted on or after January 1, 1998; Date:

Please provide a detailed description of the modifications or retrofits made to the facility that rendered it eligible for consideration as a qualified renewable energy resource. In your description, please include the date of initial operation and the date of modification or retrofit to use a qualified renewable resource. Please include this description as an exhibit attached to your application filing and identify the subject matter in the heading of the exhibit.

No Not yet online; projected in-service date:

H.1 Is the renewable energy facility owner a mercantile customer? No

ORC Sec. 4928.01 (19) "Mercantile customer" means a commercial or industrial customer if the electricity consumed is for nonresidential use and the customer consumes more than seven hundred thousand kilowatt hours per year or is part of a national account involving multiple facilities in one or more states.

Has the mercantile customer facility owner committed to integrate the resource under the provisions of Rule 4901:1-39-08 O.A.C? No

If yes, please insert/submit a copy of your approved application as an exhibit to this filing.

I. Facility Information

I.a The nameplate capacity of the entire facility kilowatts (kW): 8.40 (megawatts (MW): 0.0084)

I.b If applicable, what is the expected heat rate of resource used per kWh of net generation:
BTU/kWh

I.1 For each generating unit, provide the following information:

<u>Unit In-Service Date</u>	<u>Unit Nameplate</u>	<u>Projected Gross</u>	<u>Expected Annual</u>	<u>Number of</u>
	Capacity (MW)	Annual Generation	Capacity Factor %	Generating Units
3/25/19	0.0084	9.66	13.1	1

$$\text{Capacity Factor \%} = \frac{\text{Projected Annual Generation}}{\text{Nameplate Capacity} \times 8,760} \times 100$$

J. Regional Transmission Organization Information

In which Regional Transmission Organization area is your facility located:

Yes Within Geographic Area of PJM Interconnection, L.L.C.

No Within Geographic Area of Midwest ISO

No Other (specify):

K. Attribute Tracking System Information

Are you currently registered with an attribute tracking system: No

In which attribute tracking system are you currently registered or in which do you intend to register (*the tracking system you identify will be the system the PUCO contacts with your eligibility certification*):

Yes GATS (Generation Attribute Tracking System)

No M-RETS (Midwest Renewable Energy Tracking System)

Other (specify):

K.1 Enter the generation ID number you have been assigned by the tracking system:

(If the generation ID number has not yet been assigned, you will need to file this number in the PUCO Case Docket within 15 days of the facility receiving this number from the tracking system).

K.2 Has any of the generation of the facility been tracked as RECS that have been sold or otherwise consumed? No

L. Other State Certification

Is the facility certified by another state as an eligible generating resource to meet the renewable portfolio standards of that state? No

L.1 If yes, for each state, provide the following information:

<u>Name of State</u>	<u>State Certification Agency</u>	<u>State Certification Number</u>	<u>Certification Date Issued</u>
<hr/>			

M. Type of Generating Facility

Please check all of the following that apply to the facility:

- No Utility Generating Facility:
- No Investor Owned Utility
- No Rural Electric Cooperative
- No Municipal System
- No Electric Services Company (competitive retail electric service provider certified by the PUCO)
- Yes Distributed Generation with a net metering and interconnection agreement with a utility.
Identify the Utility: PECO Energy Co
- No Distributed Generation with both on-site use and wholesale sales.
Identify the Utility:
- No Distributed Generation, interconnected without net metering.
Identify the Utility:
-

N. Meter Specifications

Metering Requirements

- 1. If the renewable energy resource generating facility is 6 kW or below, the output may be measured with either an inverter meter or a utility grade meter.*
- 2. All facilities that are larger than 6 kW must measure the output of the facility with a utility grade meter. Facilities that are larger than 6 kW and that are not measuring output with a utility grade meter will not be certified. OAC 4901:1-40-04 (D)(1)*
- 3. Please only report on the meter or the meters used to measure the output from the facility which will be reported to the attribute tracking system.*

N.a The meter(s) that are measuring output from the facility are:

No Inverter Meter(s)

Yes Utility Grade Meter(s) (Must meet ANSI 12.1, or demonstrate an accuracy level of $\pm 2\%$)

N.1 Please provide the following information for each meter used in your system.

N.1.a Manufacturer: SunPower

N.1.b Serial Number: ZT183085000441D0419

N.1.c Type: PVS5

N.1.d Date of Last Certification: February 01, 2019

Attach a photograph of the meter(s) with date image taken. The meter reading(s) must be clearly visible in the photograph.

N.1.e Report the total meter reading number at the time the photograph was taken and specify the appropriate unit of generation (e.g., kWh): 33.875

4/5/2019 12:00:00AM



SunPower Monitoring® System | Residential PVS5x

Improve Support, Reduce Maintenance Costs
An intuitive monitoring website enables you to:

- See a visual map of homeowner sites
- Remotely manage hundreds of sites
- Receive elective system reports
- Locate system issues and remotely diagnose
- Diagnose issues online
- Drill down for the status of individual devices



Add Value for Homeowners
With the SunPower Monitoring System homeowners can:

- See what their solar system produces each day, month, or year
- Optimize their solar investment and save on energy expenses.
- See their energy use and estimated bill savings
- See their solar system's performance using the SunPower monitoring website or mobile app



SunPower Monitoring Solution, Plug and Play Installation
This complete solution for residential monitoring includes the SunPower® PV Supervisor 5x (PVS5x) which improves the installation process, overall system reliability, and customer experience.

- Compact footprint for improved aesthetics
- Robust cloud connectivity and comprehensive local connectivity
- Flexible configuration of devices during installation
- Consumption metering
- Revenue-grade production metering
- Web-based commissioning app
- Remote diagnostics of PVS5x and inverters
- Durable NEMA 3R enclosure reduces maintenance costs



Robust Cloud Connectivity
Multiple options to maintain optimal connectivity:

- Hardwired Ethernet
- Power Line Communication (PLC)
- Wi-Fi
- Cellular backup

Supports Multiple Inverter Types
Supports SunPower 96-cell AC module systems, DC string inverter systems, and hybrid (DC and AC) systems.

Datasheet

SUNPOWER®

SUNPOWER Monitoring System

Bill Samase, 1779 Wolford Road, Schwenksville, PA 19473, US

Last Data: 1:38 PM, Apr 5, 2019
Power Today This Month
2.180 kW 6.19 kWh 191.06 kWh

Matt Santoleri

Site Production Components Service Codes Modules Impact Reports

Site List

Filter multiple terms

All

Expand all

Collapse all

Meter PVS5M680834p

Last Data: 9:00 AM, Apr 5, 2019

PV Supervisor ZT18308500044100419

Status: Working

Serial Number: PVS5M680834p

First Connection: 10:02 AM, Jan 23, 2019

Model: PVS5M0400p

Energy Produced Today: 0.3542 kWh

Source Timestamp: -

Avg AC Current: 0.11 A

Avg AC Power: 0.026 kW

Avg AC Voltage: 248.65 V

Avg DC Current MPPT 1: 0.52 A

Avg DC Power MPPT 1: 0.029 kW

Avg DC Voltage MPPT 1: 57.93 V

Avg Operating Frequency: 59.98 Hz

Total Lifetime Energy: 33.8785 kWh

Meter PVS5M680834p

Inverter 450051834014219

Inverter 450051835001308

Inverter 450051835001528

Inverter 450051835007330

Inverter 450051836003582

Inverter 450051836003569

Inverter 450051836003930

Inverter 450051836003947

Inverter 450051836004676

Inverter 450051836004678

Inverter 450051836004710

Inverter 450051836004749

1d 3d 7d 1m 2m 1y YTD

Internet communication down Monitoring system error Inverter down Active

Downloads Alerts

Apr 5, 2019

Select Components or System:

System


Select Parameter:

Cumulative Energy Produced (kWh)

Graph Now

System: Cumulative Energy Produced (kWh) X

System: Max AC Power Produced (kW) X



Note: Data available for last 60 days

Last Checked: 2:18 PM, Apr 5, 2019



Public Utilities Commission

Affidavit for Application for Certification as an Eligible Ohio Renewable Energy Resource Generating Facility

Please be advised that all applicant's contact information, including address and telephone number, will be made public and is not subject to confidential treatment. Additionally, any information pertaining to trade secrets contained within the application will be made public unless filed under seal with a motion for protective order, pursuant to Rule 4901-1-24 of the Ohio Administrative Code.

Case Number: 19-0837-EL-REN

Facility Address: 1779 Wolford Road
Schwenksville, PA 19473

Name of person making this affidavit: Sarah Heller

State of CA
County of San Francisco

The undersigned, being duly sworn according to law, deposes and says that:


1. I am authorized to and do hereby make this affidavit on behalf of the Applicant,
2. All facts and statements made in the application for certification, including all attachments and supplemental information or filings, are true and complete to the best of my knowledge, information, and belief,
3. The facility has obtained or will obtain and will maintain all required local, state, and federal environmental permits,
4. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

[Signature], Client Solutions and Communications Supervisor
Signature of Affiant & Title

Sworn and subscribed before me this 16 day of April, 2019 Month/Year

[Signature]
Notary

My commission expires on _____



State of California, County of San Francisco
Subscribed and sworn to (or affirmed) before me on this
16 day of April, 2019 by

Sarah Heller
proved to me on the basis of satisfactory evidence to be
the person(s) who appeared before me.

Signature [Signature] (seal)

The Public Utilities Commission of Ohio reserves the right to verify the accuracy of the data reported to the tracking system and to the PUCO.

Version: June 3, 2013

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

4/18/2019 11:07:29 AM

in

Case No(s). 19-0837-EL-REN

Summary: Application REN Application for Sarnese, Bill Residence - B Sarnese electronically filed by Mr. Steven Eisenberg on behalf of Bill Sarnese