290 W. Nationwide Blvd. Columbus, Ohio 43215 Direct: 614.460.6988 josephclark@nisource.com



May 10, 2019

Ms. Tanowa Troupe Secretary, Public Utilities Commission of Ohio 180 East Broad Street, 11th Floor Columbus, Ohio 43215

RE: Revised Redactions - Case Nos. 16-1309-GA-UNC and 16-1310-GA-AAM

Dear Ms. Troupe:

Please find enclosed the revised redactions ordered by the Public Utilities Commission of Ohio ("Commission") in its April 10, 2019 Second Entry on Rehearing in Case Nos. 16-1309-GA-UNC, et al. Columbia notes there are no customer participation rates contained in OCC Interrogatory Set 2, No. 5 or OCC Request for Production of Documents Set 2, No. 6, Attachment A. Therefore, Columbia is not submitting revised redactions for those documents.

Sincerely,

Joseph M. Clark, Senior Counsel

Jisipi m. Cum

On Behalf of Columbia Gas of Ohio, Inc.

### PUCO Case Nos. 16-1309-GA-UNC and 16-1310-GA-AAM OCC Interrogatories Set 2 No. 1 Respondent: Sarah Poe

# COLUMBIA GAS OF OHIO, INC. RESPONSE TO OCC'S INTERROGATORIES DATED JULY 20, 2016

- INT-1. Section 3.1 of the Application states that the proposed budgets are "based on estimated projections of potential customer participation rates and activity within each program." Please provide an estimate, using your best available data of:
  - a. the number of customers that will participate in each program in each of 2017 through 2022,
  - b. the total number of unique customers that will participate in at least one program during the Plan Period.

### **RESPONSE:**

a. The estimated number of customers participating in each program are included in the table below:

Program	2017	2018	2019	2020	2021	2022
Home Performance	6,000	6,000	6,000	6,000	6,000	6,000
Solutions						
WarmChoice®	2,150	2,150	2,150	2,150	2,150	2,150
HE HVAC Rebates	6,845	6,845	6,845	6,845	6,845	6,845
EfficiencyCrafted® Homes	2,356	2,536	2,729	2,937	3,161	3,403
Home Energy Reports	430,000	430,000	430,000	430,000	430,000	430,000
Simple Energy Solutions	11,267	11,267	11,267	11,267	11,267	11,267
Student Education	15,750	15,750	15 <i>,7</i> 50	15 <i>,</i> 750	15 <i>,7</i> 50	15,750
On Line Audit	5,000	5,000	5,000	5,000	5,000	5,000
Innovative Energy	35	35	35	35	35	35
Solutions						
Energy Design Solutions	25	25	25	25	25	25
EPA Portfolio Manager	15	20	25	30	30	30

b. Columbia estimates that at least 684,835 unique customers will participate in at least one program during the Plan Period.

PUCO Case Nos. 16-1309-GA-UNC and 16-1310-GA-AAM OCC Interrogatories Set 2 No. 13 Respondent: John A. Laverty

# COLUMBIA GAS OF OHIO, INC. RESPONSE TO OCC'S INTERROGATORIES DATED JULY 20, 2016

### <u>REDACTED</u>

INT-13. Section 3.2.1 of the Application pertains to the Home Performance Solutions (Home Energy Audits) program.

- a. What is the total cost of a full in-home audit? What portion of that cost does the participating customer pay?
- b. How many customers does Columbia project will opt for the walk through analysis and safety inspection?
- c. What is the total cost for the walk through analysis and safety inspection? What portion of that cost does the participating customer pay?

#### **RESPONSE:**

- a. Columbia estimates that the cost for a full in-home energy audit will be approximately on average. Non-income qualified customers pay towards the full in-home energy audit and income-qualified customers pay towards the full in-home energy audit.
- b. Columbia estimates that 1,000 customers per year will opt for the walk through analysis and safety inspection.
- c. Columbia estimates that the total cost for the walk through analysis and safety inspection will be approximately on average. Columbia plans to set the walk through analysis cost at ...

This foregoing document was electronically filed with the Public Utilities

**Commission of Ohio Docketing Information System on** 

5/10/2019 11:53:03 AM

in

Case No(s). 16-1309-GA-UNC, 16-1310-GA-AAM

Summary: Correspondence providing revised redactions pursuant to Second Entry on Rehearing electronically filed by Mr. Joseph Clark on behalf of Columbia Gas of Ohio, Inc.