

**From:** [Puco ContactOPSB](#)  
**To:** [Puco Docketing](#)  
**Subject:** public comment 16-0253-GA-BTX  
**Date:** Monday, September 30, 2019 10:22:51 AM

---

Please post the email and photos below to the public comments for 16-0253.

Thanks!

---

**From:** Alan Ullman <ahullman@gmail.com>  
**Sent:** Saturday, September 28, 2019 9:27 PM  
**To:** Butler, Matthew <matthew.butler@puco.ohio.gov>  
**Subject:** Matt: Please post to the Docket for Case #16-0253-GA-BTX

Siting Board Members,

Do you remember the gas explosion in August at a Maryland Shopping Center? If not, see the article at this URL: "Gas explosion levels part of a building in Maryland shopping center"  
<https://www.cnn.com/2019/08/25/us/maryland-gas-explosion-trnd/index.html>

I just passed this shopping center a few hours ago and took these photos. Lucky no one was hurt, probably because of the time of the explosion. Looks like no demolition or repairs have begun, even after a month.

Imagine how bad this would be if it had been Duke's proposed high-pressure, large diameter pipe passing by Jewish Hospital, Kenwood Towne Center, or one of the other highly populated areas along either of the proposed routes!

Don't approve this unnecessary pipeline!

Alan Ullman  
Cincinnati









**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**10/1/2019 3:49:55 PM**

**in**

**Case No(s). 16-0253-GA-BTX**

Summary: Public Comment electronically filed by Docketing Staff on behalf of Docketing

**This foregoing document was electronically filed with the Public Utilities**

**Commission of Ohio Docketing Information System on**

**10/3/2019 12:40:28 PM**

**in**

**Case No(s). 16-0253-GA-BTX**

Summary: Public Comment (refiled from 9/30, corrected images) electronically filed by  
Docketing Staff on behalf of Docketing