

April 9, 2020

Ms. Barcy F. McNeal
Public Utilities Commission of Ohio
180 East Broad Street
Columbus, Ohio 43215

Re: *In re Aqua Ohio, Inc.*, Case No. 20-0532-WW-SIC

Dear Ms. McNeal:

On March 5, 2020, in accordance with R.C. 4909.172 and Ohio Adm.Code 4901:1-15-35, Aqua Ohio, Inc. (Aqua Ohio) filed an Application in the above-captioned docket seeking approval to collect a System Improvement Charge (SIC). As part of its Application, Aqua Ohio requested that the Commission approve proposed legal notices in the Application's Exhibit A.

In light of the Governor's March 9, 2020 Executive Order 2020-01D and the Commission's March 12, 2020 Entry in Case No. 20-591-AU-UNC, Aqua Ohio requests that the Commission incorporate the following revisions in the final approved legal notices:

A copy of the application is available for inspection and can be requested by contacting Aqua Ohio, Inc. directly at (330) 397-0887 at the office of Aqua Ohio, Inc., located at 6650 South Avenue, Boardman, Ohio 44512. You can request to receive the copy through an email account or the US Postal Service. Additionally, a copy of said application is available for inspection at the offices of the Public Utilities Commission of Ohio located at 180 East Broad Street, Columbus, Ohio 43215. The filing may also be viewed online at the Commission's docketing department website <http://dis.puc.state.oh.uswww.ohio.gov/puco/docketing/index.cfm>.

Please note that a copy of this correspondence will be filed electronically in the above-captioned docket. Please do not hesitate to contact me with any questions.

Respectfully submitted,

/s/ Christopher T. Kennedy
Counsel for Aqua Ohio, Inc.

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

4/9/2020 4:03:08 PM

in

Case No(s). 20-0532-WW-SIC

Summary: Correspondence Correspondence re: Proposed Legal Notices included in Aqua Ohio's Application electronically filed by Mr. Christopher T Kennedy on behalf of Aqua Ohio, Inc.