



NORWOOD C350 STATION

SCALE 1:200
LAT. 38.17822° LONG. -84.45434°

DRAWING INDEX			
PAGE #	DRAWING NUMBER	SHEET DESCRIPTION	REV.
1	PNG-G-004-0001043	COVER SHEET	0
2	PNG-G-004-0001044	GENERAL NOTES & REQUIREMENTS	0
3	PNG-C-004-0001271	CIVIL GENERAL NOTES AND ABBREVIATIONS	0
4	PNG-C-004-0001272	ACCESS & CONSTRUCTION STAGING	0
5	PNG-C-004-0001273	ES&PC NOTES	0
6	PNG-C-004-0001274	ES&PC PLAN	0
7	PNG-C-004-0001275	DEMOLITION PLAN	0
8	PNG-C-004-0001276	SITE PLAN	0
9	PNG-C-004-0001277	GRADING PLAN	0
10	PNG-C-004-0001278	LANDSCAPING PLAN	0
11	PNG-C-004-0001279	CIVIL DETAILS - 1	0
12	PNG-C-004-0001280	CIVIL DETAILS - 2	0
13	PNG-C-004-0001281	CIVIL DETAILS - 3	0
14	PNG-C-004-0001282	CIVIL DETAILS - 4	0
15	PNG-C-004-0001283	CIVIL DETAILS - 5	0
16	PNG-C-004-0001284	CIVIL DETAILS - 6	0
17	PNG-C-004-0001286	CIVIL DETAILS - 7	0
18	PNG-C-004-0001287	CIVIL DETAILS - 8	0
19	PNG-C-004-0001288	CIVIL DETAILS - 9	0
20	PNG-C-004-0001289	CIVIL DETAILS - 10	0
21	PNG-C-004-0001290	CIVIL DETAILS - 11	0
22	PNG-S-004-0001009	STRUCTURAL NOTES (1 OF 2)	0
23	PNG-S-004-0001010	STRUCTURAL NOTES (2 OF 2)	0
24	PNG-S-004-0001011	FOUNDATION LOCATION	0
25	PNG-S-004-0001012	FOUNDATION DETAILS 1 OF 5	0
26	PNG-S-004-0001013	FOUNDATION DETAILS 2 OF 5	0
27	PNG-S-004-0001014	FOUNDATION DETAILS 3 OF 5	0
28	PNG-S-004-0001015	FOUNDATION DETAILS 4 OF 5	0
29	PNG-S-004-0001016	FOUNDATION DETAILS 5 OF 5	0
30	PNG-D-004-0001021	P&ID SYMBOLS & LEGEND - 1	0
31	PNG-D-004-0001022	P&ID SYMBOLS & LEGEND - 2	0
32	PNG-D-004-0001023	P&ID SYMBOLS & LEGEND - 3	0
33	PNG-D-004-0001024	PROCESS FLOW DIAGRAM	0
34	PNG-D-004-0001025	MAINLINE VALVE P&ID	0
35	PNG-D-004-0001026	PIPELINE RECEIVER P&ID	0
36	PNG-D-004-0001027	HEATER P&ID	0
37	PNG-D-004-0001028	PRESSURE CONTROL P&ID - 1	0
38	PNG-D-004-0001029	PRESSURE CONTROL P&ID - 2	0
39	PNG-M-004-0001030	MECHANICAL NOTES	0
40	PNG-M-004-0001031	MECHANICAL PLOT PLAN	0

41	PNG-M-004-0001032	PIPELINE RECEIVER P&ID	0
42	PNG-M-004-0001033	HEATER HTR-202 P&ID DETAILS	0
43	PNG-M-004-0001034	CONTROL VALVE INLET HEADER	0
44	PNG-M-004-0001035	CONTROL VALVE OUTLET HEADER	0
45	PNG-M-004-0001036	DOWNSIDE ISOLATION AND TIE-IN	0
46	PNG-M-004-0001037	MECHANICAL P&ID DETAILS	0
47	PNG-M-004-0001038	MECHANICAL BILL OF MATERIALS - 1	0
48	PNG-M-004-0001039	MECHANICAL BILL OF MATERIALS - 2	0
49	PNG-M-004-0001040	MECHANICAL BILL OF MATERIALS - 3	0
50	PNG-X-004-0001021	EMERGENCY SCHEMATIC	0
51	PNG-E-004-0001052	ELECTRICAL GENERAL NOTES	0
52	PNG-E-004-0001053	ELECTRICAL LEGEND	0
53	PNG-E-004-0001054	ONE-LINE DIAGRAM & PANELBOARD SCHEDULE	0
54	PNG-E-004-0001055	CABLE AND CONDUIT SCHEDULE	0
55	PNG-E-004-0001056	HAZARDOUS AREA CLASSIFICATION PLAN	0
56	PNG-E-004-0001057	ELECTRICAL GROUNDING PLAN	0
57	PNG-E-004-0001058	CONDUIT AND INSTRUMENT PLOT PLAN	0
58	PNG-E-004-0001059	HAZARDOUS AREA CLASSIFICATION DETAILS	0
59	PNG-E-004-0001060	ELECTRICAL DETAILS: MISCELLANEOUS	0
60	PNG-E-004-0001061	ELECTRICAL DETAILS: GROUNDING	0
61	PNG-E-004-0001062	CATHODIC PROTECTION SITE PLAN 1	0
62	PNG-E-004-0001063	CATHODIC PROTECTION SITE PLAN 2	0
63	PNG-E-004-0001070	CP DEEP WELL GROUNDING	0
64	PNG-E-004-0001071	CATHODIC PROTECTION RECTIFIER	0
65	PNG-E-004-0001072	ANODE TEST STATION	0
66	PNG-E-004-0001073	BOLLARDS & ISOLATION JOINT PROTECTION	0
67	PNG-E-004-0001074	EXOTHERMIC WELDING	0
68	PNG-E-004-0001075	CATHODIC PROTECTION BOM	0

ISSUED FOR
CONSTRUCTION

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00429557



NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB		
						AREA CODE	
						ACCOUNT NUMBER	AW2128
						PROJECT NUMBER	1880115
						DRAWING BY	MAS
						STATION ID	S066801
						CHECKER INITIALS	JBF
						DATE	01/08/2021
						INITIALS	CAB

REGIONAL
ENGINEER
MGR. TECH
REC & STD
PRINCIPAL
ENGINEER



C350 PROJECT
NORWOOD C350 STATION
COVER SHEET
HAMILTON COUNTY, OHIO

SHEET(S) 1 OF 68	DWG SCALE	AS NOTED
DWG DATE 07/15/2019	SUPERSEDED	
DRAWING NUMBER	REVISION	
PNG -G-004-0001043	0	
DISCIPLINE / RESOURCE CENTER / LINE NUMBER		

GENERAL NOTES:

1. INSTALLER SHALL FURNISH ALL MATERIALS NOT PROVIDED BY THE COMPANY (UNLESS OTHERWISE NOTED ON DRAWINGS OR SPECIFICATIONS), INCLUDING EQUIPMENT, TRANSPORTATION, SERVICES, AND PERFORM ALL NECESSARY WORK AS SHOWN ON THE DRAWINGS AND SPECIFIED HEREINAFTER.
2. IT SHALL BE THE RESPONSIBILITY OF THE INSTALLER TO VERIFY ALL DIMENSIONS GIVEN ON THE DRAWINGS. ANY ITEM IN QUESTION SHALL BE BROUGHT TO THE ATTENTION OF THE PROJECT MANAGER IN WRITING VIA RFI PROCESS PRIOR TO PROCEEDING WITH THE WORK.
3. INSTALLER SHALL BE RESPONSIBLE FOR PROTECTION OF ALL SURROUNDING AREAS. CONTRACTOR SHALL NOT UNNECESSARILY DISTURB EXISTING CONDITIONS WITHIN CONSTRUCTION LIMITS. DISCRETION SHALL BE PER COMPANY REPRESENTATIVE.
4. PROPOSED ELEVATIONS AND DIMENSIONS INDICATE TOP OF PIPE, UNLESS OTHERWISE NOTED. UNLESS SPECIFICALLY NOTED, DEPTHS OF EXISTING FACILITIES ARE ESTIMATED ONLY. CONTRACTOR IS RESPONSIBLE FOR VERIFYING DEPTH AND LOCATION OF ALL FACILITIES PRIOR TO COMMENCING WORK.
5. ALL BELOW GROUND WELDS SHALL BE COATED WITH DENSOL 7200 PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS OR AS APPROVED OTHERWISE. SURFACE PREPARATION AND BLASTING SHALL ADHERE TO PERTINENT DESIGN AND CONSTRUCTION STANDARDS AND COATING MATERIAL SPECIFICATIONS.
6. UPON BACKFILLING IN AREAS OF ROCK, BURIED PIPE SHALL HAVE MINIMUM 6" OF SAND PAD FILL PLACED AROUND THE PIPE'S CIRCUMFERENCE.
7. PRESSURE TESTING SHALL MEET THE REQUIREMENTS OF DUKE'S PRESSURE TESTING STANDARD, PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS.
8. INSTALLER SHALL DEWATER ALL HYDROSTATICALLY TESTED PIPING, USING CLEANING PIGS AS REQUIRED, AND DRY TO A DOWPOINT OF -40°F PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS.
9. ALL DISTANCES SHOWN ARE GRID DISTANCES BASED ON OHIO STATE PLANE COORDINATE SOUTH ZONE (3422) NAD 83.
10. ABOVE GROUND FEATURES AND CONTOURS PROVIDED BY XP-RS, LLC FROM OVERLAND PARK, KS 66225.
11. BELOW GROUND SURVEY PROVIDED BY G.J. BERDING SURVEYING FROM MILFORD, OH 45150. SURVEY SUBS INCLUDE UTILITIES FROM CINCINNATI, OH 45215 AND THE UNDERGROUND DETECTIVE FROM CINCINNATI, OH 45251.
12. ANY CHANGES TO THE DESIGN SHOWN ON DRAWINGS SHALL BE APPROVED BY COMPANY REPRESENTATIVE IN WRITING VIA RFI PROCESS.

CONSTRUCTION NOTES:

1. EXISTING OVERHEAD AND BELOWGROUND FACILITIES MAY BE IN THE WORK AREA VICINITY. INSTALLER IS RESPONSIBLE FOR HAVING SUCH FACILITIES LOCATED AND IS RESPONSIBLE FOR MAINTENANCE AND PRESERVATION OF THESE FACILITIES.
2. PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS, INSTALLER IS REQUIRED TO CALL 811 FOR UTILITY LOCATES A MINIMUM OF 72 HOURS PRIOR TO COMMENCEMENT OF WORK. NO EXTRA COMPENSATION WILL BE ALLOWED FOR DELAYS FROM ANY WORK PROVIDED BY OTHER UTILITIES.
3. IF EXISTING UTILITIES OF ANY TYPE ARE ENCOUNTERED IN THE FIELD AND DEEMED TO BE IN CONFLICT WITH INSTALLATION OF FACILITIES, INSTALLER SHALL NOTIFY THE PROJECT MANAGER IN WRITING VIA RFI PROCESS IMMEDIATELY SO THE CONFLICT MAY BE RESOLVED.
4. WHEN EXISTING DRAINAGE FACILITIES ARE DISTURBED, INSTALLER SHALL PROVIDE AND MAINTAIN TEMPORARY OUTLETS AND CONNECTIONS FOR PRIVATE DRAINS OR SEWERS. RESTORATION OF THESE FACILITIES IS TO BE PERFORMED ONCE CONSTRUCTION IS COMPLETE AND ARE CONSIDERED INCIDENTAL COSTS OF THE PROJECT.
5. ALL DRAWING MEASUREMENTS ARE TO BE TAKEN FROM EXISTING GRADE. FINAL GRADE SHALL BE MATCHED TO SURROUNDING GRADE AS PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS.
6. INSTALLER IS TO REMAIN WITHIN CONSTRUCTION WORKING LIMITS. ACCESS TO AREAS OUTSIDE WORKING LIMITS MUST BE COORDINATED WITH THE OWNER OR DUKE ENERGY PROJECT MANAGER.
7. ALL EXCESS EXCAVATION, CONSTRUCTION DEMOLITION DEBRIS AND UNSUITABLE MATERIALS THAT DO NOT CONTAIN ASBESTOS SHALL BE REMOVED FROM THE SITE AND PROPERLY DISPOSED.
8. STANDARD SPECIFICATIONS REFERENCED ON THIS SHEET AND CONSTRUCTION PLANS ARE CONSIDERED AS PART OF THE CONTRACT DOCUMENTS. INCIDENTAL ITEMS OR ACCESSORIES NECESSARY TO COMPLETE THIS WORK MAY NOT BE SPECIFICALLY NOTED, BUT ARE CONSIDERED TO BE A PART OF THIS CONTRACT.

9. BEFORE ACCEPTANCE BY THE OWNER AND FINAL PAYMENT, ALL WORK SHALL BE INSPECTED AND APPROVED BY DUKE OR COMPANY REPRESENTATIVE. FINAL PAYMENT SHALL BE MADE AFTER ALL OF THE INSTALLER'S WORK HAS BEEN ACCEPTED AND APPROVED AND IN ACCORDANCE WITH THE CONTRACT DOCUMENTS.
10. DURING CONSTRUCTION, ALL LOOSE MATERIAL THAT ARE DEPOSITED IN THE FLOW LINE OF GUTTERS, DRAINAGE STRUCTURES, DITCHES, ETC. SUCH THAT THE NATURAL FLOW LINE OF WATER IS OBSTRUCTED, SHALL BE REMOVED AT THE END OF EACH WORK DAY.
11. ALL FIELD TILE ENCOUNTERED DURING CONSTRUCTION SHALL BE EXTENDED TO OUTLET INTO AN EXISTING DRAINAGE WAY. A RECORD OF ALL FIELD TILE FOR ONSITE DRAIN PIPE ENCOUNTERED SHALL BE KEPT BY THE INSTALLER AND TURNED OVER TO THE PROJECT MANAGER UPON COMPLETION OF THE PROJECT.
12. INSTALLER IS REQUIRED TO MAINTAIN A SET OF ISSUED FOR CONSTRUCTION DRAWINGS AND ALL PERMITS AT THE JOB SITE. ANY MODIFICATIONS OR ALTERATIONS TO THE PLANS OR SPECIFICATIONS SHALL BE APPROVED BY THE PROJECT MANAGER.
13. INSTALLER IS SOLELY RESPONSIBLE FOR EXECUTION OF HIS/HER WORK IN ACCORDANCE WITH THE CONTRACT DOCUMENTS AND SPECIFICATIONS. INSTALLER IS RESPONSIBLE FOR THE CONSTRUCTION METHODS AND TECHNIQUES, SEQUENCES, TIME OF PERFORMANCE ALL SAFETY PRECAUTIONS.
14. MINIMUM DEPTH OF BURIAL SHALL BE PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS.
15. ALL PIPELINES BEING CROSSED ARE TO BE PROTECTED WITH A MINIMUM OF (3) 4 FEET X 18 FEET WOODEN MATS.
16. CONTRACTOR TO PROTECT SIDEWALKS AND BIKE PATHS FROM VEHICLE TRAFFIC UTILIZING STEEL PLATING, TIMBER MATTING OR SIMILAR. EXISTING SIDEWALK, BITUMINOUS SHOULDER, CURB/GUTTER AND/OR ROADWAY PAVEMENT DISTURBED OR DAMAGED DUE TO THE PERMITTED WORK SHALL BE REPLACED IN KIND UP TO THE LIMITS AS DETERMINED AND DIRECTED BY THE CITY REPRESENTATIVE IN WHICH DAMAGE WAS DONE.
17. PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS, FOR OPEN DITCH EXCAVATION, A MINIMUM OF TWO FEET OF SEPARATION SHALL BE MAINTAINED BETWEEN ALL CROSSING STRUCTURES. SEPARATION BETWEEN CROSSING STRUCTURES AND PIPELINES THAT ARE INSTALLED VIA DIRECTIONAL DRILLING METHOD IS AT THE DISCRETION OF ENGINEERING.
18. DURING BACKFILLING, A SIX INCH CROWN SHALL BE PLACED ON ALL DISTURBED AREAS. COMPACTION REQUIREMENTS SHALL BE PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS.
19. BOLTS FOR FLANGES TO BE TORQUE PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS.
20. ALL BUTT WELDS SHALL BE 100% X-RAYED PER PERTINENT WELDING PROCEDURES. ALL OTHER WELDS SHALL BE NON DESTRUCTIVELY TESTED PERTINENT WELDING PROCEDURES.

CIVIL AND STRUCTURAL NOTES:

1. ADDITIONAL EXCAVATIONS BELOW FOOTINGS MAY BE NECESSARY TO REACH UNDISTURBED SOIL. SHOULD THIS OCCUR, REFER TO THE SOILS AND FOUNDATIONS SECTION ON DWG PNG-S-004-0001009 FOR ADDITIONAL DETAILS.
2. CONCRETE SHALL BE MIXED AND POURED PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS. TESTING SHALL CONFORM TO ACI 318. CONTRACTOR TO SUPPLY ALL CONCRETE AND TESTING.
3. ALL STRUCTURAL STEEL SHALL CONFORM TO ASTM A36 SPECIFICATION. STEEL REINFORCING BAR SHALL CONFORM TO ASTM A615 GRADE 60 AND WELDED WIRE FABRIC SHALL CONFORM TO ASTM A18. TIE WIRE SHALL CONFORM TO ASTM A82.
4. UNSUITABLE OR EXCESS EARTH SPOIL SHALL BE DISPOSED OF AT AN APPROVED WASTE LOCATION. SOIL BEING TRANSPORTED ONTO THE JOB SITE SHALL BE APPROVED BY DUKE ENERGY.
5. A LAYER OF NON ABRASIVE MATERIAL SUCH AS FRP SHALL BE INSTALLED BETWEEN ALL PIPE SUPPORTS AND PIPING.
6. ALL FIELD BENDING OF REBAR SHALL BE DONE COLD.

ENVIRONMENTAL NOTES:

1. CONTRACTOR IS TO CONSTRUCT ALL SOIL EROSION AND SEDIMENT CONTROL MEASURES AT THE COMMENCEMENT OF THE PROJECT. PROVIDE MAINTENANCE AND ASSURE EFFECTIVENESS THROUGHOUT THE DURATION OF THE PROJECT.
2. CARE SHALL BE TAKEN TO MINIMIZE DOWNSTREAM SILTATION. RAW BANKS MAY BE SEEDING AND MULCHED TO PREVENT EROSION.
3. ALL SPOILS INCLUDING ORGANIC SOILS, VEGETATION AND DEBRIS SHALL BE REMOVED FROM THE SITE AND PROPERLY DISPOSED OF IN SUCH A MANNER AS TO NOT ERODE INTO ANY BODY OF WATER OR WETLAND.

4. SOIL EROSION AND SEDIMENT CONTROLS SHALL BE PLACED WHERE NECESSARY TO PREVENT SEDIMENT FROM LEAVING THE WORK AREA.
5. INLET PROTECTION DEVICES ARE REQUIRED AT ALL SEWER INLETS, GRATES AND MANHOLES FOR SEDIMENT CONTROL.
6. TOPSOIL STOCKPILES SHALL BE LOCATED TO AVOID EROSION OF SAID STOCKPILE ONTO OFFSITE AREAS.
7. ALL ENVIRONMENTAL MEASURES SHALL BE PER PERTINENT DESIGN AND CONSTRUCTION STANDARDS.
8. DUKE ENERGY SHALL CONTACT OPB STAFF, ODNR, AND USFWS WITHIN 24 HOURS IF STATE OR FEDERAL THREATENED OR ENDANGERED SPECIES ARE ENCOUNTERED DURING CONSTRUCTION ACTIVITIES. CONSTRUCTION ACTIVITIES THAT COULD ADVERSELY IMPACT THE IDENTIFIED PLANTS OR ANIMALS SHALL BE IMMEDIATELY HALTED UNTIL AN APPROPRIATE COURSE OF ACTION HAS BEEN AGREED UPON BY DUKE ENERGY, OPB STAFF, AND THE APPROPRIATE REGULATORY AGENCIES.
9. THE CONSTRUCTION CONTRACTOR SHALL COMPLY WITH FUGITIVE DUST RULES BY THE USE OF WATER SPRAY OR OTHER APPROPRIATE DUST SUPPRESSANT MEASURES WHENEVER NECESSARY.
10. THE CONSTRUCTION CONTRACTOR SHALL REMOVE ALL TEMPORARY GRAVEL AND OTHER CONSTRUCTION STAGING AREA AND ACCESS ROAD MATERIALS AFTER COMPLETION OF CONSTRUCTION ACTIVITIES. AS WEATHER PERMITS, UNLESS OTHERWISE DIRECTED BY THE LANDOWNER OR DUKE ENERGY IMPACTED AREAS SHALL BE RESTORED TO RECONSTRUCTION CONDITIONS IN COMPLIANCE WITH OHIO EPA GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS OBTAINED FOR THE PROJECT AND THE APPROVED STORMWATER POLLUTION PREVENTION PLAN (SWPPP) CREATED FOR THE PROJECT.

REF DWG(S) PNG-G-004-0001040

SHEET(S) 2 OF 68 DWG SCALE NONE
DWG DATE 08/29/2018 SUPERSEDED
DRAWING NUMBER
PNG -G-004-0001044 0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER

C350 PROJECT
NORWOOD C350 STATION
GENERAL NOTES & REQUIREMENTS
HAMILTON COUNTY, OHIO



NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MAS		
						STATION ID	S066801		
						CHECKER INITIALS	JBF	01/08/2021	CAB



GENERAL NOTES:

- THE EXISTING SITE UTILITIES AND FEATURES SHOWN ARE BASED ON A FIELD RUN TOPOGRAPHIC SURVEY PERFORMED BY BEDON SURVEY CONSULTING IN FEBRUARY, 2020.
- ALL DIMENSIONS, ELEVATIONS, AND STATIONS ARE IN FEET, UNLESS INDICATED OTHERWISE.
- ALL CUTS, COORDINATES, AND DIMENSIONS ARE POINTED TO OR MEASURED TO STRUCTURE CENTER, EDGE OF PAVEMENT, BACK OF CURB, OR OUTSIDE FACE OF FOUNDATION WALL, UNLESS INDICATED OTHERWISE.
- ALL WORK SHALL BE SUBJECT TO INSPECTION BY AUTHORIZED PERSONNEL OF LOCAL AND GOVERNMENT REGULATORY AGENCIES AND THE CLIENT REPRESENTATIVE.
- SEE OHIO DEPARTMENT OF TRANSPORTATION (ODOT) DESIGN STANDARDS FOR REFERENCES TO CDOT STANDARD DRAWINGS. ALL SUBSEQUENT SPECIFICATIONS AND STANDARDS SHALL APPLY.
- ALL WORK SHALL BE CONDUCTED IN ACCORDANCE WITH THE PLANS AND SPECIFICATIONS AND LOCAL AND GOVERNMENT CODES, ORDINANCES, AND REGULATIONS. IN CASE OF CONFLICT OR DISCREPANCY BETWEEN REQUIREMENTS, CONTRACTOR SHALL CONSULT WITH THE CLIENT REPRESENTATIVE. WHERE A QUESTION REMAINS ON WHICH REQUIREMENT IS MOST STRINGENT, THE DECISION OF THE CLIENT REPRESENTATIVE SHALL BE CONSIDERED FINAL.
- ALL WORK SHALL BE CONDUCTED IN A PROFESSIONAL WORKMANSHIP MANNER USING QUALITY MATERIALS. WORK SHALL CONFORM TO THESE DRAWINGS, UNLESS INDICATED OTHERWISE OR AS DIRECTED BY THE CLIENT REPRESENTATIVE.
- CONTRACTOR SHALL CONFINED ALL WORK TO BE WITHIN THE PERMANENT AND TEMPORARY EASEMENTS.
- ALL GRADING, PAVEMENT WORK, AND ANY OTHER MISCELLANEOUS WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE CURRENT CDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND SUPPLEMENTAL SPECIFICATIONS.
- CONTRACTOR SHALL TAKE CARE TO MAINTAIN THE SITE AND ADJACENT AREAS AS CLEAN A CONDITION AS POSSIBLE. ANY DEBRIS, SILT, MUD, ETC. SHALL BE CLEANED DAILY. OR AS THE CLIENT REPRESENTATIVE DIRECTS, FROM ANY ADJOINING STREETS OR PROPERTIES BY THE CONTRACTOR AS PART OF THE PRIMARY CONSTRUCTION WORK. THIS SHALL BE AT NO ADDITIONAL COMPENSATION TO THE CONTRACTOR.
- DUKE ENERGY SHALL CONTACT OPS&S STAFF, CON, AND US&HS WITHIN 24 HOURS IF STATE OR FEDERAL THREATENED OR ENDANGERED SPECIES ARE ENCOUNTERED DURING CONSTRUCTION ACTIVITIES. CONSTRUCTION ACTIVITIES THAT COULD ADVERSELY IMPACT THE IDENTIFIED PLANTS OR ANIMALS SHALL BE IMMEDIATELY HALTED UNTIL AN ADEQUATE COURSE OF ACTION HAS BEEN AGREED UPON BY DUKE ENERGY, OPS&S STAFF, AND THE APPROPRIATE REGULATORY AGENCY.
- THE CONSTRUCTION CONTRACTOR SHALL COMPLY WITH FUGITIVE DUST RULES BY THE USE OF WATER SPRAY OR OTHER APPROPRIATE DUST SUPPRESSANT MEASURES WHENEVER NECESSARY.
- THE CONSTRUCTION CONTRACTOR SHALL REMOVE ALL TEMPORARY GRAVEL AND OTHER CONSTRUCTION STAGING AREA AND ACCESS ROAD MATERIALS AFTER COMPLETION OF CONSTRUCTION ACTIVITIES. AS WEATHER PERMITS, UNLESS OTHERWISE DIRECTED BY THE UNCONFINED OR DUKE ENERGY, IMPACTED AREAS SHALL BE RESTORED TO RECONSTRUCTION CONDITIONS IN COMPLIANCE WITH THE OHIO EPA GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS OBTAINED FOR THE PROJECT AND THE APPROVED STORMWATER POLLUTION PREVENTION PLAN (SWPPP) CREATED FOR THE PROJECT.

CONSTRUCTION DRAWING NOTES:

- CONTRACTOR SHALL MAINTAIN UPDATED CONSTRUCTION DRAWINGS AT ALL TIMES THROUGHOUT THE DURATION OF THE PROJECT. CONSTRUCTION RECORD DRAWINGS SHALL BE SUBMITTED TO THE CLIENT REPRESENTATIVE.
- DURING CONSTRUCTION OF THE PROJECT, CONTRACTOR SHALL BE RESPONSIBLE FOR KEEPING TRACK OF ANY CLIENT REPRESENTATIVE APPROVED FIELD CONSTRUCTION REVISIONS TO THE DESIGN SPECIFIED ON APPROVED CONSTRUCTION DRAWINGS.
- ALL VARIATIONS IN PROJECT CONDITIONS, LOCATIONS, AND CONFIGURATIONS, AND ANY OTHER CHANGES OR DEVIATIONS FROM THE INFORMATION PRESENTED ON THE ORIGINAL, APPROVED CONSTRUCTION DRAWINGS SHALL BE NOTED. THIS INCLUDES BURIED OR CONCEALED CONSTRUCTION AND UTILITY FEATURES THAT WERE REVEALED DURING CONSTRUCTION.
- THE CLIENT REPRESENTATIVE SHALL REVIEW COMPLETENESS, ACCURACY, AND FORMAT OF SUBMITTED CONSTRUCTION DRAWINGS. IF THE CONSTRUCTION DRAWINGS ARE CONSIDERED UNACCEPTABLE, THEY SHALL BE RETURNED TO THE CONTRACTOR FOR CORRECTION AND RESUBMISSION. THIS SHALL BE AT NO ADDITIONAL COMPENSATION TO THE CONTRACTOR.

COORDINATION AND COMMUNICATION:

- CONTRACTOR SHALL APPOINT A PRIMARY CONSTRUCTION SUPERINTENDENT, SUBJECT TO THE APPROVAL OF THE CLIENT REPRESENTATIVE, WHO SHALL BE PRESENT ON THE CONSTRUCTION SITE AT ALL TIMES DURING WORKING HOURS AND ACCESSIBLE AT ALL TIMES WHILE WORK IS IN PROGRESS. THE PRIMARY CONSTRUCTION SUPERINTENDENT SHALL BE DESIGNATED THE RESPONSIBLE CONTRACTOR REPRESENTATIVE WHO SHALL BE AVAILABLE ON A 24-HOUR BASIS. WHEN THE CONTRACTOR'S PRIMARY CONSTRUCTION REPRESENTATIVE IS NOT AVAILABLE ON THE CONSTRUCTION SITE, AN ALTERNATE REPRESENTATIVE SHALL BE PROVIDED. CONTRACTOR SHALL PROVIDE NAMES AND CONTACT INFORMATION OF REPRESENTATIVES TO THE CLIENT REPRESENTATIVE PRIOR TO THE START OF CONSTRUCTION ACTIVITIES.
- CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING CONSTANT COORDINATION BETWEEN ANY SUBCONTRACTORS AND THE CLIENT REPRESENTATIVE. ALL CONSTRUCTION ACTIVITIES PLANNED BY THE CONTRACTOR SHALL BE REVIEWED AND APPROVED BY THE CLIENT REPRESENTATIVE.
- THE FOLLOWING CONTACT INFORMATION IS PROVIDED FOR CONTRACTOR USE IN CASE OF AN EMERGENCY:
a. EMERGENCY: 911
b. OTHER CONTACTS ARE OBTAINED AT PRE-CONSTRUCTION MEETING

EXCAVATION AND TRENCHING:

- CONTRACTOR SHALL COMPLY WITH THE MOST CURRENT EDITION OF OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA) REGULATIONS AND THE STATE OF OHIO LAWS CONCERNING EXCAVATION.
- CONTRACTOR SHALL BE RESPONSIBLE FOR ENSURING THAT ALL EXCAVATION, TRENCHING AND SHORING ARE PERFORMED IN A MANNER THAT COMPLIES WITH LOCAL REGULATIONS AND OSHA REGULATIONS FOR CONSTRUCTION.
- OPEN TRENCHES AND EXCAVATIONS AT THE CONSTRUCTION SITE SHALL BE PROMINENTLY MARKED WITH ORANGE BARRICADES WITH FLASHING RED LIGHTS ACCEPTABLE TO THE CLIENT REPRESENTATIVE.

- CONTRACTOR SHALL PROVIDE A MINIMUM NOTICE OF 48 HOURS TO THE CLIENT REPRESENTATIVE AND ASSOCIATED UTILITY COMPANIES AND AGENCIES BEFORE PROCEEDING WITH ANY EXCAVATION.
- DEWATERING OF UTILITY TRENCHES AND OTHER EXCAVATIONS MAY BE REQUIRED.
- OPEN ONLY THOSE TRENCHES FOR WHICH MATERIAL IS OBTAINED AND READY FOR PLACING THEREIN, AS SOON AS POSSIBLE AFTER THE MATERIAL HAS BEEN PLACED AND WORK APPROVED. BACKFILL AND COMPACT TRENCHES AS SPECIFIED.
- NO SPECIAL PROVISIONS WILL BE MADE FOR ROCK EXCAVATION. ANY Boulders ENCOUNTERED SHALL BE REMOVED AND DISPOSED OF OFF SITE.
- ALL TOPSOIL SHALL BE REMOVED FROM AREAS TO BE GRADED. ALL USABLE TOPSOIL SHALL BE STOCKPILED DURING GRADING AND REPLACED IN 3" LAYERS TO ALL SLOPES IMMEDIATELY AFTER GRADING IS COMPLETED.

OTHER SAFETY REQUIREMENTS:

- CONTRACTOR SHALL MAINTAIN SAFETY PRACTICES THAT CONFORM TO OSHA REGULATIONS.
- IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO OBTAIN AND PAY FOR ALL APPLICABLE PERMITS, FEES AND LICENSES FOR CONSTRUCTION AND EQUIPMENT.
- THE CONTRACTOR SHALL PERFORM ON-SITE INSPECTIONS THROUGHOUT THE PROJECT AND REMEDY ANY SAFETY CONCERNS IMMEDIATELY.
- THERE SHALL BE NO PERMANENT WASTE SITES ON SITE PROPERTY. ANY TEMPORARY WASTE AREA SHALL BE APPROVED BY THE CLIENT REPRESENTATIVE AND SHALL BE KEPT IN ORDERLY CONDITION. REMOVAL OF WASTE THAT IS NOT PROPERLY MAINTAINED IS SUBJECT TO THE DIRECTION OF THE CLIENT REPRESENTATIVE.
- EROSION CONTROL DEVICES SHALL BE USED FOR THE ACCESS AND HAUL ROUTES, STAGING AREA, AND ANY MATERIAL STOCKPILES WHEN NECESSARY TO CONTROL EROSION AND STORM WATER RUNOFF. SEE DRAWINGS PNG-C-004-0001071 AND PNG-C-004-0001072 FOR EROSION AND SEDIMENT CONTROL REQUIREMENTS.
- STOCKPILED MATERIAL SHALL BE CONFINED IN A MANNER TO PREVENT MOVEMENT RESULTING FROM WIND CONDITIONS.
- CONTRACTOR SHALL MAKE NECESSARY PROVISIONS TO LIMIT DUST CAUSED BY CONSTRUCTION ACTIVITIES TO A LIMIT ACCEPTABLE TO PROJECT SITE OPERATIONS. THE CONTRACTOR SHALL CONTROL DUST BLOWING DUST ON THE PROJECT SITE FROM ANY HAUL ROUTE OR WORK AREA, REGARDLESS OF SOURCE.
- WILDLIFE ATTRACTANTS, SUCH AS TRASH AND FOOD SCRAPS, FROM CONSTRUCTION PERSONNEL AND ACTIVITIES SHALL BE REMOVED FROM THE PROJECT LIMITS.
- GASOLINE, DIESEL FUEL, OIL, AND HAZARDOUS WASTE RESULTING FROM CONTRACTOR'S OPERATIONS OR ACTIVITIES SHALL BE PROPERLY DISPOSED OF IN ACCORDANCE WITH THE SPECIFICATIONS AND LOCAL REGULATORY REQUIREMENTS AND PROPERLY REMOVED FROM THE PROJECT PROPERTY. IF HAZARDOUS MATERIALS ARE ENCOUNTERED OR UNCOVERED DURING CONSTRUCTION ACTIVITIES, THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE CLIENT REPRESENTATIVE.
- FAILURE TO COMPLY WITH THE CLIENT REPRESENTATIVE SAFETY REQUIREMENTS SHALL RESULT IN THE SUSPENSION OF CONSTRUCTION ACTIVITIES UNTIL ALL SAFETY CONCERNS ARE ADDRESSED BY THE CONTRACTOR TO THE SATISFACTION OF THE CLIENT REPRESENTATIVE.
- ANY WORKERS AND EQUIPMENT NOT IN COMPLIANCE WITH SAFETY PLAN SHALL IMMEDIATELY BE REMOVED FROM THE WORK AREA.
- THE CONTRACTOR SHALL NOT BURN OR BURY DEBRIS WITHOUT PERMISSION FROM THE SITE INSPECTOR.

SURVEY AND SUBSURFACE INVESTIGATION NOTES:

- SURVEY CONTROL POINTS WILL BE PROVIDED PRIOR TO CONSTRUCTION. IF THE CONTRACTOR SHOULD NEED TO DISTURB THE CONTROL POINTS DURING CONSTRUCTION, REQUEST SHALL BE GIVEN TO THE SURVEYOR TO HAVE THE CONTROL POINTS RESET.
- IF BENCHMARKS SHOWN ARE AREAS THAT REQUIRE DEMOLITION, OTHER BENCHMARKS SHALL BE ESTABLISHED BEFORE DEMOLITION OR CONSTRUCTION WORK BEGINS. CONTRACTOR SHALL GIVE REQUEST TO THE SURVEYOR.
- HORIZONTAL CONTROL IS BASED ON NAD 83 OHIO STATE PLANE SOUTH ZONE. VERTICAL CONTROL IS BASED ON NAVD 83.

EXISTING CONDITIONS NOTES:

- LOCATIONS OF STRUCTURES AND UNDERGROUND UTILITIES AS INDICATED HAVE BEEN OBTAINED FROM EXISTING RECORDS AND FIELD SURVEYS. UNDERGROUND STRUCTURES AND UTILITIES MAY BE PRESENT WHICH ARE NOT DOCUMENTED OR LOCATED.
- THE CONTRACTOR SHALL FIELD-CHECK ALL EXISTING CONDITIONS AND BE THOROUGHLY FAMILIAR WITH THE SITE BEFORE ANY WORK COMMENCES. ANY DISCREPANCIES IN THE DRAWINGS SHALL BE IMMEDIATELY REPORTED TO THE CLIENT REPRESENTATIVE BEFORE ANY FURTHER WORK COMMENCES.
- IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO FIELD-VERIFY EXISTING STRUCTURES, UTILITIES, AND SURVEY INFORMATION, AND TO TAKE NECESSARY PRECAUTIONS DURING DEMOLITION AND CONSTRUCTION. CONTRACTOR SHALL VERIFY EXISTENCE AND MARK LOCATIONS OF ALL UTILITIES INCLUDING SERVICE CONNECTIONS TO UNDERGROUND UTILITIES. PRIOR TO BEGINNING WORK, CONTRACTOR SHALL CONTACT THE CLIENT REPRESENTATIVE AND ALL ASSOCIATED UTILITY COMPANIES AND AGENCIES TO IDENTIFY THE LOCATION OF UTILITIES. THERE IS NO GUARANTEE, EITHER EXPRESSED OR IMPLIED, THAT THE LOCATIONS, SIZE AND TYPE OF MATERIAL OF EXISTING UNDERGROUND UTILITIES INDICATED ARE REPRESENTATIVE OF TYPE TO BE ENCOUNTERED DURING CONSTRUCTION.
- PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL NOTIFY THE CLIENT REPRESENTATIVE OF OPERATIONAL PLANS. IN THE EVENT AN UNEXPECTED UTILITY OR STRUCTURE INTERFERENCE OR CONFLICT IS ENCOUNTERED DURING CONSTRUCTION, THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE CLIENT REPRESENTATIVE. ANY UTILITY BARRIERS OR STRUCTURES DETURBED BY THE CONTRACTOR'S OPERATIONS SHALL BE RESTORED IMMEDIATELY TO CONTRACTOR'S EXPENSE TO THE SATISFACTION OF THE OWNER.
- THE CONTRACTOR IS RESPONSIBLE FOR PROTECTING ITEMS NOT TO BE DAMAGED DURING DEMOLITION AND CONSTRUCTION. THE CONTRACTOR SHALL REPAIR OR REPLACE DAMAGED OR DETURBED ITEMS TO THE SATISFACTION OF THE CLIENT REPRESENTATIVE.

GENERAL GRADING NOTES:

- ALL GRADING, PAVEMENT WORK, AND ANY OTHER MISCELLANEOUS WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE CURRENT CDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND SUPPLEMENTAL SPECIFICATIONS.
- THE GRAVEL SURFACE COURSE SHALL BE CONSTRUCTED IN ACCORDANCE WITH ITEM #11 OF THE CDOT CONSTRUCTION AND MATERIAL SPECIFICATIONS.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR GRADING INCLUDING EXCAVATION, EMBANKMENT, AND BACKFILLING AS NECESSARY TO CONSTRUCT ALL AGGREGATE ACCESS ROADS, AS OUTLINED IN THESE TECHNICAL SPECIAL PROVISIONS AND AS DIRECTED BY THE CLIENT REPRESENTATIVE.
- THE CONTRACTOR SHALL BE HELD RESPONSIBLE FOR ANY DAMAGE DONE TO STORM MANHOLES OR OTHER UTILITIES DURING GRADING.
- DISTRIBUTE EXCESS SOIL ON SITE AT THE DIRECTION OF THE CLIENT REPRESENTATIVE. DO NOT ALTER DIRECTION OF SURFACE DRAINAGE PATTERNS.
- THE TOLERANCE OF THIS WORK SHALL BE TO WITHIN 0.1 FT OF THE EXISTING GROUND SURFACE ELEVATIONS.
- THE ACCESS ROAD SUBGRADE SHALL HAVE SUFFICIENT STABILITY TO ACCOMMODATE CONSTRUCTION TRAFFIC WITHOUT EXCESSIVE SURFACE RUTTING OR SHOVING. AT THE TIME OF PLACEMENT OF THE PAVEMENT, THE SUBGRADE SHALL HAVE A CALIFORNIA BEARING RATIO (CBR) OF AT LEAST 6 PERCENT IN THE TOP 12 INCHES OF SUBGRADE. THE CBR PERCENTAGE SHALL BE ASCERTAINED BY THE CONTRACTOR.
- IF SOFT SPOTS ARE IDENTIFIED IN THE SUBGRADE SOIL, THE SUBGRADE SHALL BE SCARIFIED AND PROOF-ROLLED TO THE DEPTHS REQUIRED BY THE OWNER'S CONSTRUCTION INSPECTOR TO COMPACT AREAS TO THE DENSITY REQUIREMENTS OF THIS DOCUMENT. IF THE SOFT AREAS CANNOT BE ADEQUATELY COMPACTED, THE SOFT SOIL SHALL BE REMOVED AND REPLACED PER THE DESIGN PLAN WITH SUITABLE SOIL MATERIAL, AND COMPACTED TO THE DENSITY REQUIREMENTS IN ACCORDANCE WITH THIS DOCUMENT.
- THE QUALITY OF THE SOIL TO BE USED AS FILL MATERIAL SHALL BE AS SPECIFIED IN THIS DOCUMENT. ALL BACKFILL SHALL BE SPREAD IN LOOSE LIFTS NOT EXCEEDING 8" WHEN HAND GUIDED EQUIPMENT IS USED. ALL ROOTS, WOOD, AND VEGETATION SHALL BE REMOVED FROM THE LAYER OF FILL PRIOR TO COMPACTING. ALL FILL AND EXPOSED SOIL IN CUT AREAS SHALL BE COMPACTED AS SPECIFIED IN THIS DOCUMENT. SOIL COMPACTION TESTS WILL BE REQUESTED BY THE OWNER AT APPROPRIATE INTERVALS DURING GRADING OPERATIONS.
- ALL HAUL-IN MATERIAL SHALL BE FREE OF ROCKS 3" IN DIAMETER AND LARGER. THE OWNER'S CONSTRUCTION INSPECTOR SHALL APPROVE ALL HAUL-IN MATERIAL TO ENSURE THE QUALITY AND THE ABSENCE OF ENVIRONMENTAL HAZARDS.
- THE FILL AREA SHALL BE CONSTRUCTED TO THE LINES AND GRADES SHOWN ON THE DESIGN DRAWINGS WITH MATERIAL SPECIFIED IN THIS DOCUMENT. THE OWNER'S CONSTRUCTION INSPECTOR WILL PROVIDE ALL NECESSARY BENCHMARKS, SURVEY MONUMENTS, AND BASE LINES REQUIRED FOR THE WORK. THE CONTRACTOR SHALL LAY OUT ALL LINES AND GRADES FOR THE BACKFILL AREAS. ANY PROPOSED CHANGES TO THE LINES AND GRADES SHALL REQUIRE THE APPROVAL OF THE OWNER'S CONSTRUCTION INSPECTOR IN ADVANCE. THE CONTRACTOR SHALL BE REQUIRED TO REMOVE, AT HIS OWN EXPENSE, ANY COMPACTED MATERIAL PLACED OUTSIDE OF THE APPROVED LINES OR GRADES.

- SPK MATERIAL SHALL BE TOPSOIL AND OTHER SOIL MATERIALS CONTAINING GREATER THAN 5 PERCENT ORGANIC MATERIAL, SOIL WHICH IS TOO WEET, SOIL WHICH DOES NOT MEET THE PLASTICITY AND/OR GRAVIMETRIC LIMITS SELECT MATERIAL AS SPECIFIED IN THIS DOCUMENT. OR OTHER SOIL MATERIAL, DESIGNATED BY THE OWNER'S CONSTRUCTION INSPECTOR TO BE UNSUITABLE FOR SELECT MATERIAL.
- SELECT SOIL MATERIAL SHALL BE THAT MATERIAL CLASSIFIED AS SM, SP, SC, SW AND CL, OR SW AND SC IN ACCORDANCE WITH ASTM D4957, AND SHALL HAVE A MAXIMUM LIQUID LIMIT OF 30, A MAXIMUM PLASTICITY INDEX OF 8, AND A MAXIMUM OF 35 PERCENT PASSING THE #200 SIEVE.
- THE TOP SURFACE OF EACH LIFT OF BACKFILL SHALL BE PROTECTED FROM PUMPING, PONDING, AND GULLING.
- COMPACTION TESTING WILL BE PROVIDED AT THE EXPENSE OF THE CONTRACTOR. COMPACTION REQUIREMENTS OF SOIL BACKFILL SHALL BE AS INDICATED IN THE FOLLOWING TABLE:

LOCATION OF FILL	MINIMUM REQUIRED COMPACTION LEVEL STANDARD PROCTOR
A. GENERAL YARD AREA	98%ASTM D698
B. UPPER 18 INCHES OF SOIL TO BE USED AS ROAD SUBGRADE MATERIAL AND EXISTING A MINIMUM OF 5 FEET BEYOND THE EDGE OF DEFINED ROADWAYS IMMEDIATELY UNDER BASE MATERIAL	98%ASTM D698
C. CRUSHED STONE IN DRIVE AREAS SHALL BE COMPACTED WITH A STATIC STEEL DRUM ROLLER (APPROXIMATELY 1 TON) IF A VIBRATORY COMPACTOR IS USED, NO MORE THAN FOUR (4) PASSES SHALL BE ALLOWED.	
D. APPROVAL SHALL BE RECEIVED FROM THE CLIENT REPRESENTATIVE FOR EACH FILL TYPE TO BE USED PRIOR TO PROCEEDING WITH BACKFILL OPERATIONS WITH THE MATERIAL IN QUESTION.	
E. BACKFILL TO BE IMPORTED SHALL BE TESTED IN ACCORDANCE WITH THIS DOCUMENT AND APPROVED BY THE PROJECT MANAGER PRIOR TO DELIVERY OF MATERIAL TO THE SITE. THE OWNER'S CONSTRUCTION INSPECTOR ACCEPTS NO LIABILITY FOR ANY OUT OF SPECIFICATION MATERIAL ACCEPTED AND STOCKPILED BY THE CONTRACTOR.	
F. INSPECTION AND TESTING OF MATERIAL SHALL BE PERFORMED AS REQUIRED BY THIS DOCUMENT AT THE EXPENSE OF THE CONTRACTOR.	
G. TESTS AND ANALYSIS OF MATERIAL SHALL BE PERFORMED IN ACCORDANCE WITH THE APPLICABLE STANDARDS REFERENCED IN THIS DOCUMENT FOR THE SPECIFIC TEST. FIELD INSPECTION SHALL BE PERFORMED AS REQUIRED BY THIS DOCUMENT.	

- THE BACKFILL AND EXPOSED SOIL IN CUT AREAS SHALL BE COMPACTED AS SPECIFIED IN THIS DOCUMENT. FIELD DENSITY TESTS SHALL BE PERFORMED BY THE CONTRACTOR TO VERIFY COMPACTION REQUIREMENTS HAVE BEEN ACHIEVED. IN-PLACE FIELD DENSITY TESTING OF THE COMPACTED BACKFILL SHALL BE CONDUCTED ACCORDING TO THE PROCEDURES OF THE SAND CONE METHOD (ASTM 1558), NUCLEAR METHOD (ASTM D698), OR ACCORDING TO THE PROVISIONS OF THIS DOCUMENT. TEST RESULTS REPORTED SHALL INCLUDE BOTH THE MOISTURE CONTENT AND DRY DENSITY. ALONG WITH OTHER PERTINENT DATA SUCH AS LOCATION, ELEVATION, PROCTOR CURVE USED FOR COMPARISON, ETC. THE TESTING FREQUENCY SHALL BE ONE TEST FOR EACH 5,000 SQUARE FEET OF LIFT AREA OR PORTION THEREOF FOR EACH LIFT. IN ISOLATED AREAS OF LESS THAN 5,000 SQUARE FEET, TEST AT LEAST EVERY THIRD LIFT. WHEN BACKFILL OPERATIONS ARE CONCENTRATED IN SMALL AREAS USING LIGHT MANUALLY-GUIDED EQUIPMENT AND RELATIVELY THIN LIFTS, THE FREQUENCY OF DENSITY TESTING MAY BE REDUCED AS DIRECTED BY THE OWNER'S CONSTRUCTION INSPECTOR. TEST LOCATION SHALL BE THE WEAKEST APPEARING AREA OF THE TOP LIFT DETERMINED BY TRACKING ACTION OF THE EQUIPMENT.
- SUITABILITY OF SOIL MATERIAL FOR USE AS BACKFILL SHALL BE DETERMINED FOR EACH FILL TYPE BY THE RESULTS OF THE FOLLOWING TESTS:
A. LIQUID LIMIT IN ACCORDANCE WITH ASTM D4318.
B. PARTICLE SIZE ANALYSIS IN ACCORDANCE WITH ASTM D422.
C. MOISTURE-DENSITY RELATIONS (STANDARD PROCTOR) IN ACCORDANCE WITH ASTM D698.
D. MOISTURE CONTENT IN ACCORDANCE WITH ASTM D2216.
E. SAMPLING OF SOIL SHALL BE IN ACCORDANCE WITH ASTM D2216.
F. SOIL SHALL BE CLASSIFIED IN ACCORDANCE WITH ASTM D4957.

- FREQUENCY OF TESTS: TESTS OF MATERIALS TO BE USED IN THE OPERATIONS COVERED IN THIS DOCUMENT SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS GIVEN IN THIS DOCUMENT. FREQUENCIES OF IN-PLACE DENSITY TESTS SHALL BE AS STATED IN THIS DOCUMENT.
- IF QUESTIONABLE COMPACTION RESULTS ARE OBTAINED, THE CLIENT REPRESENTATIVE MAY REQUIRE THE CONTRACTOR TO PERFORM PROCTOR CHECKS (ON DRY SIDE OF OPTIMUM) TO VERIFY THAT THE PROPER PROCTOR CURVE IS BEING REFERENCED. IF NOT, A NEW PROCTOR CURVE DETERMINED BY A FRESH TEST SHALL BE REQUIRED. IF THE COMPACTION REQUIREMENTS FOR A LIFT HAVE NOT BEEN ACHIEVED, THE LIFT SHALL BE REMOVED OR REPLACED AT THE CONTRACTOR'S EXPENSE.

- TESTING OF IN-PLACE DENSITY AND MOISTURE CONTENT BY NUCLEAR METHODS IN ACCORDANCE WITH ASTM D2922 AND ASTM D6987, RESPECTIVELY, WILL BE ALLOWED PROVIDED:

- ACCEPTABLE CORRELATION WITH SAND CONE DENSITY AND LABORATORY DETERMINED MOISTURE CONTENT TEST RESULTS CAN BE OBTAINED ACCORDING TO THE GUIDELINES OF "CALIBRATION" SECTIONS OF ASTM D2922 AND ASTM D6987.
- THE INITIAL CORRELATION RESULTS ARE REVIEWED AND USE OF THE NUCLEAR DEVICE IS APPROVED BY THE OWNER'S CONSTRUCTION INSPECTOR.
- THE CONTRACTOR INSURES THAT THE REPRESENTATIVE FROM THE TESTING AGENCY OPERATING THE NUCLEAR DENSITY TESTING HAS THE NECESSARY STATE AND/OR FEDERAL LICENSES TO OPERATE THE DEVICE AND CARRY A NUCLEAR ENERGY SOURCE.

EMBANKMENT FILL NOTES:

- EMBANKMENT FILL SHALL CONSIST OF AN INORGANIC, NON-PLASTIC, GRANULAR SOIL CONTAINING LESS THAN 10% MATERIAL PASSING THE #200 MESH SIEVE WITH UNFINED SOIL CLASSIFICATION OF SP, SP-SM, OR SP-SM. EMBANKMENT FILL SHALL BE PLACED IN LIFTS NOT EXCEEDING 8 INCHES WHEN USING A STATIC DRUM ROLLER WITH A MINIMUM OPERATING WEIGHT OF 5 TONS WITH A DRUM DIAMETER OF 3 TO 4 FEET. WHERE "LIGHTWEIGHT" VIBRATORY COMPACTION METHODS ARE UTILIZED, MAXIMUM LOOSE LIFT THICKNESS SHALL BE 6 INCHES. COMPACTION TO MEET A MAXIMUM DRY DENSITY OF 98% STANDARD PROCTOR DRY DENSITY.
- ANY GRADING TO CORRECT SLOPES SHALL BE COMPACTED PER THIS DOCUMENT.

GENERAL EXCAVATION REQUIREMENTS FOR CONSTRUCTION:

- THIS ITEM SHALL CONSIST OF FURNISHING ALL LABOR, MATERIALS, MACHINERY, TOOLS, AND SUPERVISION FOR EXCAVATION AND GRADING REQUIRED TO PREPARE THE ROADWAY, AND GRADING REQUIRED TO COMPLETE THE FINAL GRADING OF AREAS ADJACENT TO THE ROADWAY AS SHOWN ON THE PLANS IN ACCORDANCE WITH THE PROVISIONS OF ITEM 209 OF THE CDOT CONSTRUCTION AND MATERIAL SPECIFICATIONS INsofar AS THEY ARE NOT AMENDED BY THE PLANS AND THESE SPECIAL PROVISIONS, AND IN ACCORDANCE WITH THE FOLLOWING SPECIAL PROVISIONS.

SUBGRADE COMPACTION VERIFICATION:

- THE CONTRACTOR SHALL EMPLOY AN INDEPENDENT CONSTRUCTION MATERIAL ENGINEERING TESTING FIRM TO MONITOR THE PROOF-ROLLING OF THE SITE AFTER THE STRIPPING HAS BEEN COMPLETED TO INSPECT AND TEST THE COMPACTED FILL AREAS IN THE ACCESS ROAD AREAS AS INDICATED ON THE BID DOCUMENTS AND/OR AS SPECIFIED BY THE OWNER'S DESIGNATED REPRESENTATIVE. COPIES OF THE TEST RESULTS SHALL BE FURNISHED TO THE OWNER'S DESIGNATED REPRESENTATIVE AND TO THE OWNER'S DESIGNATED REPRESENTATIVE. THE OWNER'S DESIGNATED REPRESENTATIVE MUST APPROVE THE INDEPENDENT CONSTRUCTION MATERIAL ENGINEERING TESTING FIRM, INCLUDED WITH THIS BID PROPOSAL. THE CONTRACTOR SHALL FURNISH THE NAME, ADDRESS AND A PHONE NUMBER OF THE INDEPENDENT CONSTRUCTION MATERIAL ENGINEERING TESTING FIRM FOR APPROVAL.

DEWATERING NOTES:

- ALL DEWATERING SHALL BE PERFORMED IN ACCORDANCE WITH THE SWPPP.
- CONTROL GRADING AROUND EXCAVATIONS TO PREVENT SURFACE WATER FROM FLOWING INTO EXCAVATION AREAS.
- DRAIN OR PUMP AS REQUIRED TO MAINTAIN INCLUDING DAYS NOT NORMALLY WORKED. ALL EXCAVATIONS FREE OF WATER OR MUDFILL ANY SOURCE, AND DISCHARGE TO APPROVED DRAINS OR CHANNELS, COMMENCE WHEN WATER FIRST APPEARS AND CONTINUE AS REQUIRED TO KEEP EXCAVATION FREE OF STANDING WATER DURING ENTIRE THE EXCAVATION IS OPEN.
- USE PUMPS OF ADEQUATE CAPACITY TO ENSURE RAPID DRAINAGE OF AREA AND CONSTRUCT AND USE DRAINAGE CHANNELS AND SUBURBS WITH SLOPES AS REQUIRED BY QUANTITY OF INFLOW.
- WHEN WATER IS FOUND IN THE EXCAVATION DUE TO CONTRACTOR NEGLIGENCE, REMOVE UNSUITABLE EXCESSIVELY WET SUBGRADE MATERIALS AND REPLACE WITH APPROVED COMPACTED EMBANKMENT MATERIAL AS DIRECTED BY OWNER AND AT NO ADDITIONAL COST TO OWNER.


ABBREVIATIONS:

ASTM	AMERICAN SOCIETY FOR TESTING AND MATERIALS
CBR	CALIFORNIA BEARING RATION
FEET	FEET
JAS	JACK AND BORE
GIS	GEOSPATIAL INFORMATION SYSTEM
MAX	MAXIMUM
MIN	MINIMUM
NPDES	NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
NTS	NOT TO SCALE
ODOT	OHIO DEPARTMENT OF TRANSPORTATION
OSHA	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PL	PROPERTY LINE

LEGEND:



BURR & BUCKLE
ENGINEERING COMPANY, INC.
STATE LICENSE # 00429597



PROFESSIONAL ENGINEER'S STAMP

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE	
						ACCOUNT NUMBER	AW2128
						PROJECT NUMBER	1880115
						DRAWING BY	JTG
						STATION ID	S06801
						CHECKER INITIALS	CNS
						DATE	01/08/2021
						INITIALS	CDW

DUKE ENERGY

C350 PROJECT
NORWOOD C350 STATION
CIVIL GENERAL NOTES AND ABBREVIATIONS
HAMILTON COUNTY, OHIO

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 3 OF 68 DWG SCALE AS NOTED

DWG DATE 07/26/2019 SUPERSEDED

DRAWING NUMBER PNG -C-004-0001271 REVISION 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER



- ACCESS AND STAGING**
1. ACCESS AND HAUL ROUTES FOR ALL CONTRACTOR PERSONNEL, VEHICLES, EQUIPMENT, AND DELIVERIES ARE ILLUSTRATED ON THIS DRAWING AND ARE SUBJECT TO THE APPROVAL OF THE CLIENT REPRESENTATIVE. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO COORDINATE OFF-SITE HAUL ROUTES WITH THE APPROPRIATE OWNER WHO HAS JURISDICTION OVER THE AFFECTED ROUTE. ACCESS ROUTES AND HAUL ROUTES ARE SUBJECT TO CHANGE AT THE DIRECTION OF THE CLIENT REPRESENTATIVE AND MAY CHANGE BASED ON OPERATIONAL REQUIREMENTS OF THE SITE.
 2. CONTRACTOR SHALL COORDINATE ACTIVITIES AND MAINTAIN ALL ACCESS AND HAUL ROUTES IN A MANNER THAT ALLOWS UNOBSTRUCTED EMERGENCY ACCESS TO ALL PROJECT AREAS AND EXISTING ROADWAYS AT ALL TIMES WITHOUT DELAY TO EMERGENCY AND SECURITY VEHICLE RESPONSE TIME.
 3. IF ANY EMERGENCY ROUTES REQUIRE CLOSURE DUE TO CONSTRUCTION ACTIVITIES, CONTRACTOR SHALL NOTIFY THE CLIENT REPRESENTATIVE, POLICE, LOCAL FIRE AUTHORITY, AND ALL OTHER EMERGENCY SERVICES OF THE CLOSURE.
 4. CONTRACTOR SHALL MAINTAIN ACCESS AND HAUL ROUTES TO BE FREE FROM DEBRIS CAUSED FROM CONSTRUCTION ACTIVITIES ON A DAILY BASIS.
 5. CONTRACTOR SHALL RESTRICT ALL OPERATIONS TO AREAS WITHIN THE CONSTRUCTION LIMITS UNLESS COORDINATED OTHERWISE WITH THE CLIENT REPRESENTATIVE.
 6. CONTRACTOR SHALL PROVIDE TEMPORARY CONSTRUCTION FENCING AROUND THE ENTIRE SITE DURING CONSTRUCTION.
 7. CONTRACTOR IS RESPONSIBLE FOR ESTABLISHING A STAGING AND STOCKPILE AREA FOR MATERIALS AND EQUIPMENT. LOCATION OF CONTRACTORS STAGING SHALL BE AS ILLUSTRATED ON THIS DRAWING, AND IS SUBJECT TO THE APPROVAL OF THE CLIENT REPRESENTATIVE. CONTRACTOR MAY SUBMIT ALTERNATIVES TO THE STAGING AREA LOCATIONS AS SHOWN. CONTRACTOR'S STAGING AREA IS SUBJECT TO CHANGE AT THE DIRECTION OF THE CLIENT REPRESENTATIVE AND MAY CHANGE BASED ON OPERATIONAL REQUIREMENTS OF THE PROJECT SITE.
 8. WHEN NOT ENGAGED IN CONSTRUCTION ACTIVITIES, CONTRACTOR'S EQUIPMENT AND VEHICLES SHALL BE PARKED IN THE STAGING AREA.
 9. ACCESS POINTS, HAUL ROUTES, STAGING AREA, AND ANY OTHER AREAS DISTURBED BY THE CONTRACTOR SHALL BE RESTORED TO THEIR ORIGINAL CONDITION OR BETTER TO THE SATISFACTION OF THE CLIENT REPRESENTATIVE.
 10. CONTRACTOR SHALL IMPROVE THE EXISTING ACCESS ROAD AS REQUIRED AND AS DIRECTED BY AND APPROVED BY CLIENT REPRESENTATIVE.

- TRAFFIC CONTROL**
1. PRIOR TO CONSTRUCTION, CONTRACTOR SHALL CORDON OFF THE CONSTRUCTION WORK AREA AND ASSOCIATED ROADWAYS BY USING BARRICADES APPROVED BY THE CLIENT REPRESENTATIVE.
 2. ALL CONSTRUCTION EQUIPMENT AND VEHICLES SHALL BE MARKED WITH COMPANY DESIGNS, INSIGNIAS, OR OTHER MARKINGS, WHICH ARE CLEARLY VISIBLE.
 3. CONSTRUCTION EQUIPMENT SHALL HAVE AUTOMATIC SIGNALING DEVICES TO SOUND AN ALARM WHEN MOVING IN REVERSE.
 4. NO PEDESTRIAN TRAFFIC SHALL BE ALLOWED INSIDE THE CONSTRUCTION LIMITS.
 5. ANY DAMAGE TO ROADS AND PAVEMENTS-TO-REMAIN DUE TO CONSTRUCTION EQUIPMENT OR TRAFFIC SHALL BE REPAIRED TO RESTORE THE ROADS AND PAVEMENTS TO THEIR ORIGINAL CONDITION TO THE SATISFACTION OF THE CLIENT REPRESENTATIVE.



BURRILL MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00421957



NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S086801		
						CHECKER INITIALS	CNS	01/08/2021	CDW
									REGIONAL ENGINEER
									MGR. TECH REC & STD
									PRINCIPAL ENGINEER



C350 PROJECT
NORWOOD C350 STATION
ACCESS & CONSTRUCTION STAGING
HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	4 OF 68
DWG DATE	07/26/2019
DWG SCALE	SUPERSEDED
DRAWING NUMBER	PNG -C-004-0001272
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

GENERAL NOTES FOR SEDIMENT POLLUTANT CONTROLS:

- PERIMETER SEDIMENT CONTROL MEASURES (FILTER SOCK) SHALL BE IMPLEMENTED AS THE FIRST STEP OF GRADING AND WITHIN SEVEN (7) DAYS FROM THE START OF GRUBBING AND SHALL CONTINUE TO FUNCTION UNTIL UPLAND AREAS DRAINING TO THEM ARE PERMANENTLY STABILIZED.
- EXISTING STORM DRAINAGE SYSTEM SHALL BE FLUSHED OF SEDIMENT PRIOR TO BEGINNING GRADING ACTIVITIES.
- NO EROSION AND SEDIMENT CONTROL BMPs SHALL BE REMOVED FROM THE SITE PRIOR TO ADEQUATE PERMANENT STABILIZATION OF THE ASSOCIATED UPLAND DRAINAGE AREAS. ALL BMPs WILL BE MAINTAINED IN ACCORDANCE WITH OHIO EPA GENERAL NPDES PERMIT AUTHORIZATION FOR STORM WATER DISCHARGE ASSOCIATED WITH CONSTRUCTION ACTIVITY.
- THERE SHALL BE NO SEDIMENT-AIDED OR TURBID DISCHARGES TO WATER RESOURCES OR WETLANDS RESULTING FROM DEWATERING ACTIVITIES. IF TRENCH OR GROUNDWATER CONTAINS SEDIMENT, IT MUST PASS THROUGH A SEDIMENT TRAP OR OTHER EQUALLY EFFECTIVE SEDIMENT CONTROL DEVICE. PRIOR TO BEING DISCHARGED FROM THE CONSTRUCTION SITE, ALTERNATIVELY, SEDIMENT MAY BE REMOVED BY SETTLING IN PLACE OR BY DEWATERING INTO A PUMP PIT, FILTER BAG OR COMPARABLE PRACTICE. GROUND WATER DEWATERING WHICH DOES NOT CONTAIN SEDIMENT OR OTHER POLLUTANTS IS NOT REQUIRED TO BE TREATED PRIOR TO DISCHARGE. HOWEVER, CARE MUST BE TAKEN WHEN DISCHARGING GROUND WATER TO ENSURE THAT IT DOES NOT BECOME POLLUTANT-AIDED BY TRAVERSING OVER DISTURBED SOILS OR OTHER POLLUTANT SOURCES.
- STREETS DIRECTLY ADJACENT TO CONSTRUCTION ENTRANCES AND RECEIVING TRAFFIC FROM THE DEVELOPMENT AREA, SHALL BE CLEANED DAILY TO REMOVE SEDIMENT TRACKED OFF-SITE. IF APPLICABLE, THE CATCH BASINS ON THESE STREETS NEAREST TO THE CONSTRUCTION ENTRANCES SHALL ALSO BE CLEANED WEEKLY.
- IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR, OR HISHER REPRESENTATIVE, TO INSPECT ALL CONTROLS ON THE SITE AT LEAST ONCE EVERY SEVEN (7) CALENDAR DAYS AND WITHIN TWENTY-FOUR (24) HOURS AFTER ANY STORM EVENT GREATER THAN ONE-HALF (1/2) INCH OF RAIN PER TWENTY-FOUR (24) HOUR PERIOD, WHEN INSPECTIONS REVEAL THE NEED FOR REPAIR, REPLACEMENT, OR INSTALLATION OF EROSION AND SEDIMENT CONTROL BMPs. THE FOLLOWING PROCEDURES SHALL BE FOLLOWED:
 - WHEN PRACTICES REQUIRE REPAIR OR MAINTENANCE: IF AN INTERNAL INSPECTION REVEALS THAT A CONTROL PRACTICE IS IN NEED OF REPAIR OR MAINTENANCE, WITH THE EXCEPTION OF A SEDIMENT-SETTLING POND, IT MUST BE REPAIRED OR MAINTAINED WITHIN THREE (3) DAYS OF THE INSPECTION. SEDIMENT-SETTLING PONDS MUST BE REPAIRED OR MAINTAINED WITHIN TEN (10) DAYS OF THE INSPECTION.
 - WHEN PRACTICES FAIL TO PROVIDE THEIR INTENDED FUNCTION: IF AN INTERNAL INSPECTION REVEALS THAT A CONTROL PRACTICE FAILS TO PERFORM ITS INTENDED FUNCTION AS DETAILED IN THE SWP3 AND THAT ANOTHER, MORE APPROPRIATE CONTROL PRACTICE IS REQUIRED, THE SWP3 MUST BE AMENDED AND THE NEW CONTROL PRACTICE MUST BE INSTALLED WITHIN TEN (10) DAYS OF THE INSPECTION.
 - WHEN PRACTICES DEPICTED ON THE SWPPP ARE NOT INSTALLED: IF AN INTERNAL INSPECTION REVEALS THAT A CONTROL PRACTICE HAS NOT BEEN IMPLEMENTED IN ACCORDANCE WITH THE SCHEDULE, THE CONTROL PRACTICE MUST BE IMPLEMENTED WITHIN TEN (10) DAYS FROM THE DATE OF THE INSPECTION. IF THE INTERNAL INSPECTION REVEALS THAT THE PLANNED CONTROL PRACTICE IS NOT NEEDED, THE RECORD MUST CONTAIN A STATEMENT OF EXPLANATION AS TO WHY THE CONTROL PRACTICE IS NOT NEEDED.
- THE APPLICANT SHALL MAINTAIN FOR THREE (3) YEARS FOLLOWING FINAL STABILIZATION THE RESULTS OF THESE INSPECTIONS, THE NAMES AND QUALIFICATIONS OF PERSONNEL MAKING THE INSPECTIONS, THE DATES OF INSPECTIONS, MAJOR OBSERVATIONS RELATING TO THE IMPLEMENTATION OF THE SWP3, A CERTIFICATION AS TO WHETHER THE FACILITY IS IN COMPLIANCE WITH THE SWP3, AND INFORMATION ON ANY INCIDENTS OF NON-COMPLIANCE DETERMINED BY THESE INSPECTIONS.
- ALL EROSION AND SEDIMENT CONTROL PRACTICES SPECIFIED ON THIS PLAN SHALL CONFORM WITH DETAILS AND SPECIFICATIONS OUTLINED IN THE CURRENT VERSION OF THE OHIO DEPARTMENT OF NATURAL RESOURCES BOOKLET, "RAINWATER AND LAND DEVELOPMENT" OR OTHER STANDARDS ACCEPTABLE TO OHIO EPA.

- EROSION AND SEDIMENT CONTROL PRACTICES NOT ALREADY SPECIFIED ON THIS PLAN MAY BE NECESSARY DUE TO UNFORESEEN ENVIRONMENTAL CONDITIONS AND/OR CHANGES IN DRAINAGE PATTERNS CAUSED BY EARTH-MOVING ACTIVITY.
- NO STRUCTURAL SEDIMENT CONTROLS (E.G. FILTER SOCK, SEDIMENT TRAPS, ETC.) SHALL BE USED IN A WATER RESOURCE OR WETLAND, UNLESS THEIR USE IS SPECIFICALLY PROVIDED FOR WITHIN THE SITE'S APPROVED PLAN.
- SOIL STOCKPILES, TOPSOIL, OR OTHERWISE, SHALL BE SITUATED AWAY FROM STREETS, SWALES, OR OTHER WATERWAYS AND SHALL BE SEEDED AND/OR MULCHED IN ACCORDANCE WITH THE OHIO EPA TIMEFRAME FOR STABILIZATION.
- STORM DRAINAGE SHALL BE FLUSHED OF SEDIMENT AFTER COMPLETION OF CONSTRUCTION.
- ON-SITE PERSONNEL SHALL TAKE ALL NECESSARY MEASURES TO COMPLY WITH APPLICABLE REGULATIONS REGARDING FUGITIVE DUST EMISSIONS. FUGITIVE DUST EMISSIONS SHALL BE CONTROLLED IN ACCORDANCE WITH OAC-3745-17-08.
- FINAL STABILIZATION REQUIREMENTS SHALL INCLUDE A UNIFORM PERENNIAL VEGETATIVE COVER WITH A DENSITY OF AT LEAST 80% COVER FOR ALL UNPAVED AREAS AND AREAS NOT COVERED BY PERMANENT STRUCTURES OR EQUIVALENT STABILIZATION MEASURES.

PERMANENT/TEMPORARY SEEDING, FERTILIZING, AND MULCHING:

- ALL ACTIVITIES, MATERIALS, EQUIPMENT AND PERFORMANCE IN CONNECTION WITH ESTABLISHING TURF SHALL BE IN ACCORDANCE WITH THE SPECIFICATIONS.
- PERMANENT SEEDING SPECIES AND RATES SHALL BE IN ACCORDANCE WITH THE SEEDING SPECIFICATION.
- TEMPORARY TOPSOIL STOCKPILE SHALL BE SEEDDED AT A RATE OF 150 POUNDS OF PURE LIVE SEED (PLS) PER ACRE IF LEFT UNDISTURBED FOR OVER 7 DAYS. SEEDING RATE SHALL BE 80 LBS/ACRE CEREAL RYE OR WHEAT PLUS 20 LBS/ACRE ANNUAL RYEGRASS.
- ACTIVITIES ASSOCIATED WITH APPLICATION OF LIME, SEED, MULCH, COMPACTING, WATERING, MAINTENANCE AND PROTECTION SHALL BE IN ACCORDANCE WITH SPECIFICATIONS.
- STABILIZATION SHALL BE IN ACCORDANCE WITH THE FOLLOWING TABLES.

PERMANENT STABILIZATION

AREAS REQUIRING PERMANENT STABILIZATION	TIME FRAME TO APPLY EROSION CONTROLS:
ANY AREAS THAT WILL BE DORMANT FOR ONE (1) YEAR OR MORE	WITHIN SEVEN (7) DAYS OF THE MOST RECENT DISTURBANCE
ANY DISTURBED AREA WITHIN FIFTY (50) FEET OF A STREAM AND AT FINAL GRADE.	WITHIN TWO (2) DAYS OF REACHING FINAL GRADE.
ANY OTHER AREAS AT FINAL GRADE	WITHIN SEVEN (7) DAYS OF REACHING FINAL GRADE WITHIN THAT AREA
NOTE: WHERE VEGETATIVE STABILIZATION TECHNIQUES MAY CAUSE STRUCTURAL INSTABILITY OR ARE OTHERWISE UNOBTAINABLE, ALTERNATIVE STABILIZATION TECHNIQUES MUST BE EMPLOYED. THESE TECHNIQUES MAY INCLUDE MULCHING OR EROSION MATTING.	

TEMPORARY STABILIZATION

AREAS REQUIRING TEMPORARY STABILIZATION	TIME FRAME TO APPLY EROSION CONTROLS:
ANY DISTURBED AREA WITHIN FIFTY (50) FEET OF A STREAM AND NOT AT FINAL GRADE.	WITHIN TWO (2) DAYS OF THE MOST RECENT DISTURBANCE IF THAT AREA WILL REMAIN IDLE FOR MORE THAN FOURTEEN (14) DAYS.
FOR ALL CONSTRUCTION ACTIVITIES, ANY DISTURBED AREA, INCLUDING SOIL STOCKPILES THAT WILL BE DORMANT FOR MORE THAN FOURTEEN (14) DAYS BUT LESS THAN ONE YEAR, AND NOT WITHIN FIFTY (50) FEET OF A STREAM.	WITHIN SEVEN (7) DAYS OF THE MOST RECENT DISTURBANCE WITHIN THE AREA.
DISTURBED AREA THAT WILL BE IDLE OVER WINTER. PRIOR TO THE ONSET OF WINTER WEATHER NOVEMBER 1ST.	
NOTE: WHERE VEGETATIVE STABILIZATION TECHNIQUES MAY CAUSE STRUCTURAL INSTABILITY OR ARE OTHERWISE UNOBTAINABLE, ALTERNATIVE STABILIZATION TECHNIQUES MUST BE EMPLOYED. THESE TECHNIQUES MAY INCLUDE MULCHING OR EROSION MATTING.	

GENERAL NOTES FOR NON-SEDIMENT POLLUTANT CONTROLS:

- CONCRETE WASH WATER SHALL NOT BE ALLOWED TO FLOW TO STREAMS, DITCHES, STORM DRAINS, OR ANY OTHER WATER CONVEYANCE. A SUMP OR PIT WITH NO POTENTIAL FOR DISCHARGE SHALL BE CONSTRUCTED IF NEEDED TO CONTAIN CONCRETE WASH WATER. FIELD TILE OR OTHER SUBSURFACE DRAINAGE STRUCTURES WITHIN 10 FT. OF THE SUMP SHALL BE CUT AND PLUGGED. FOR SMALL PROJECTS, TRUCK CHUTES MAY BE RINSED AWAY FROM ANY WATER CONVEYANCES.
- CONSTRUCTION MATERIALS THAT POSE A POTENTIAL CONTAMINATION THREAT TO STORM WATER SHALL BE MANAGED TO MINIMIZE EXPOSURE TO STORM WATER. MATERIALS SHALL BE KEPT IN SECURE CONTAINERS AND PROPERLY LABELED. SOLID AND LIQUID WASTE AND OTHER WASTES SHALL BE DISPOSED OF PROPERLY IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL DISPOSAL REQUIREMENTS. DISPOSAL SHALL BE CONSISTENT WITH APPLICABLE STATE AND/OR LOCAL WASTE DISPOSAL, SANITARY SEWER OR SEPTIC SYSTEM REGULATIONS AND SHALL PROVIDE FOR THE PROPER DISPOSAL OF CONTAMINATED SOILS TO THE EXTENT THESE ARE LOCATED WITHIN THE PERMITTED AREA.
- HANDLING CONSTRUCTION CHEMICALS, MIXING, PUMPING, TRANSFERRING OR OTHER HANDLING OF CONSTRUCTION CHEMICALS SUCH AS FERTILIZER, LIME, ASPHALT, CONCRETE DRYING COMPOUNDS, AND ALL OTHER POTENTIALLY HAZARDOUS MATERIALS SHALL BE PERFORMED IN AN AREA AWAY FROM ANY WATERCOURSE, DITCH OR STORM DRAIN.
- EQUIPMENT FUELING AND MAINTENANCE, OIL CHANGING, ETC., SHALL BE PERFORMED IN ACCORDANCE WITH THE SITE SPECIFIC SWP3 AND GENERAL PERMIT.
- THE FOLLOWING GOOD HOUSEKEEPING PRACTICES WILL BE FOLLOWED ON SITE DURING THE CONSTRUCTION PROJECT:
 - AN EFFORT WILL BE MADE TO STORE ONLY ENOUGH PRODUCT REQUIRED TO DO THE JOB.
 - ALL MATERIALS STORED ON SITE WILL BE STORED IN A NEAT, ORDERLY MANNER IN THEIR APPROPRIATE CONTAINERS AND, IF POSSIBLE, UNDER A ROOF OR OTHER ENCLOSURE.
 - PRODUCTS WILL BE KEPT IN THEIR ORIGINAL CONTAINERS WITH THE MANUFACTURER'S LABEL. SUBSTANCES WILL NOT BE MIXED WITH ONE ANOTHER UNLESS RECOMMENDED BY THE MANUFACTURER.
 - WHENEVER POSSIBLE, ALL OF A PRODUCT WILL BE USED UP BEFORE DISPOSING OF THE CONTAINER.
 - THE MANUFACTURER'S RECOMMENDATIONS FOR PROPER USE AND DISPOSAL WILL BE FOLLOWED.
 - PROPER USE AND DISPOSAL OF MATERIALS ON SITE SHALL BE IN ACCORDANCE WITH THE SITE SPECIFIC SWP3.
- IN ADDITION TO PREVIOUS NOTES, THE FOLLOWING PRACTICES WILL BE FOLLOWED FOR SPILL PREVENTION AND CLEAN-UP:
 - SPILL CLEAN-UP AND PROCEDURES SHALL BE IN CONFORMANCE WITH THE SITE SPECIFIC SWP3.
 - MATERIALS AND EQUIPMENT NECESSARY FOR SPILL CLEANUP WILL BE KEPT READILY AVAILABLE ON THE SITE IN ACCORDANCE WITH THE SITE SPECIFIC SWP3.
 - ALL SPILLS WILL BE CLEANED UP IMMEDIATELY AFTER DISCOVERY.
 - SPILLS OF TOXIC OR HAZARDOUS MATERIALS SHALL BE ADDRESSED AND REPORTED IN CONFORMANCE WITH THE SITE SPECIFIC SWP3.
 - THE SPILL PREVENTION PLAN WILL BE ADJUSTED TO INCLUDE MEASURES TO PREVENT THIS TYPE OF SPILL FROM REOCCURRING AND HOW TO CLEAN UP THE SPILL IF THERE IS ANOTHER ONE. A DESCRIPTION OF THE SPILL, WHAT CAUSED IT, AND THE CLEANUP MEASURES WILL ALSO BE INCLUDED.
 - SPILL CONTROL AND CLEANUP AND SITE PERSONNEL AWARENESS SHALL BE IN CONFORMANCE WITH THE SITE SPECIFIC SWP3.

SOIL CLASSIFICATIONS:

U/LUXC URBAN LAND
UOORTMENTS COMPLEX
0 TO 12 PERCENT SLOPES
GROUP D

PER THE USDA NATURAL RESOURCES CONSERVATION SERVICE, THIS SOIL IS DEFINED AS FOLLOWS:

GROUP D: SOILS HAVING A VERY SLOW INFILTRATION RATE (HIGH RUNOFF POTENTIAL) WHEN THOROUGHLY WET. THESE CONSIST CHIEFLY OF CLAYS THAT HAVE A HIGH SHRINK-SWELL POTENTIAL. SOILS THAT HAVE A HIGH WATER TABLE. SOILS THAT HAVE A CLAYPAN OR CLAY LAYER AT OR NEAR THE SURFACE, AND SOILS THAT ARE SHALLOW OVER NEARLY IMPERVIOUS MATERIAL. THESE SOILS HAVE A VERY SLOW RATE OF WATER TRANSMISSION.

SEEDING SCHEDULE:

TYPE 1 MIX - CUT AND EMBANKMENT FILL AREAS (NON-WET)/CHANNELS

BOTANICAL NAME COMMON NAME RATE OF PURE LIVE SEED (PLS) PER ACRE:

Festuca Arundinacea	TALL FESCUE	40-50 LBS
---------------------	-------------	-----------

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00429557



NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S066801		
						CHECKER INITIALS	CNS	01/08/2021	INITIALS CDW



C350 PROJECT
NORWOOD C350 STATION
ES&PC NOTES
HAMILTON COUNTY, OHIO

REF. DWG(S) PNG-G-004-0001043


SHEET(S) 5 OF 68 DWG SCALE AS NOTED

DWG DATE 07/26/2019 SUPERSEDED

DRAWING NUMBER REVISION

PNG -C-004-0001273 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER



- NOTES:**
1. THE EXISTING SITE UTILITIES AND FEATURES SHOWN ARE BASED ON A FIELD RUN TOPOGRAPHIC SURVEY PERFORMED BY BERNDING SURVEY IN FEBRUARY, 2020. COORDINATES ARE IN OHIO STATE PLANE SOUTH ZONE, 3702, NAD83 HORIZONTAL DATUM AND NAVD83 VERTICAL DATUM.
 2. SEE SHEET C-004-0001271 FOR CIVIL GENERAL NOTES AND ABBREVIATIONS.
 3. SEE SHEET C-004-0001273 FOR GENERAL EROSION CONTROL NOTES.
 4. SEE SHEET C-004-0001273 FOR TEMPORARY AND PERMANENT STABILIZATION REQUIREMENTS AND SEEDING SCHEDULES.
 5. ALL DIMENSIONS SHOWN ARE IN FEET UNLESS NOTED OTHERWISE.

- KEY NOTES:**
- | | | | |
|---|---------------------------------|---|---------------|
| 1 | SILT FENCE | 3 | C-350-0001279 |
| 2 | TEMPORARY CONSTRUCTION ENTRANCE | 1 | C-004-0001279 |
| 3 | CONCRETE WASHOUT | 2 | C-004-0001279 |
| 4 | ROCK CHECK DAM | 4 | C-004-0001279 |
| 5 | EROSION CONTROL BLANKET | 1 | C-004-0001280 |
| 6 | FIBER ROLL | 2 | C-004-0001280 |
| 7 | CURB INLET PROTECTION | 3 | C-004-0001280 |
| 8 | NON-PAVED AREA INLET PROTECTION | 4 | C-004-0001280 |
| 9 | PAVED AREA INLET PROTECTION | 5 | C-004-0001280 |

- LEGEND:**
- | | |
|--|----------------------------|
| | CONSTRUCTION ENTRANCE/EXIT |
| | SILT FENCE |
| | COMPOST SOCK |
| | LIMITS OF DISTURBANCE |
| | EROSION CONTROL BLANKET |



BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # CDA21957



NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S086801		
						CHECKER INITIALS	CNS		
								01/08/2021	



**C350 PROJECT
NORWOOD C350 STATION
ES&PC PLAN**
HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	6 OF 68
DWG SCALE	AS NOTED
DWG DATE	07/26/2019
SUPERSEDED	
DRAWING NUMBER	PNG -C-004-0001274
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



- NOTES:**
1. THE EXISTING SITE UTILITIES AND FEATURES SHOWN ARE BASED ON A FIELD RUN TOPOGRAPHIC SURVEY PERFORMED BY BERNDT SURVEY IN FEBRUARY, 2020. COORDINATES ARE IN OHIO STATE PLANE SOUTH ZONE, 3702, NAD83 HORIZONTAL DATUM AND NAVD83 VERTICAL DATUM.
 2. SEE SHEET C-004-0001271 FOR CIVIL GENERAL NOTES AND ABBREVIATIONS.
 3. ALL DIMENSIONS SHOWN ARE IN FEET UNLESS NOTED OTHERWISE.
 4. SEE ODOT DESIGN STANDARDS, LATEST EDITION, AS INDICATED. ALL SUBSEQUENT AND RELEVANT STANDARDS AND SPECIFICATIONS SHALL APPLY.
 5. EXISTING OVERHEAD ELECTRIC POLE AND BILLBOARD SHALL REMAIN IN PLACE AND BE PROTECTED FROM DAMAGE DURING DEMOLITION AND GRADING.
 6. EXISTING STORMWATER PIPES SHALL BE CUT OFF TO 2FT NORTH OF THE EXISTING MANHOLE. CUT AND CAP PIPES SUCH THAT REMAINS ARE WATER TIGHT.

- KEY NOTES:**
- 1 DEMOLISH AND REMOVE ASPHALT PAVEMENT, ASSUME 2" ASPHALT OVER 4" BASE COURSE
 - 2 DEMOLISH AND REMOVE OVERHEAD POWER POLE
 - 3 DEMOLISH AND REMOVE SINGLE WIRE BOLLARD FENCE
 - 4 DEMOLISH AND REMOVE STORM DRAIN LINE
 - 5 DEMOLISH AND REMOVE STORM INLET
 - 6 MAINTAIN AND PROTECT EXISTING 20" GAS LINE

- LEGEND:**
- DEMOLISH AND REMOVE ASPHALT PAVEMENT, ASSUME 2" ASPHALT OVER 4" BASE COURSE
 - DEMOLISH AND REMOVE UTILITY FEATURE AS NOTED
 - DEMOLISH AND REMOVE SINGLE WIRE BOLLARD FENCE
 - DEMOLISH AND REMOVE STORM DRAIN LINE
 - LIMITS OF DISTURBANCE



BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00429557



NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S066801		
						CHECKER INITIALS	CNS	01/08/2021	CDW



**C350 PROJECT
NORWOOD C350 STATION
DEMOLITION PLAN**
HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	7 OF 68
DWG DATE	07/26/2019
DRAWING NUMBER	PNG -C-004-0001275
REVISION	0

NOTES:

1. THE EXISTING SITE UTILITIES AND FEATURES SHOWN ARE BASED ON A FIELD RUN TOPOGRAPHIC SURVEY PERFORMED BY BEADING SURVEY IN FEBRUARY, 2020. COORDINATES ARE IN OHIO STATE PLANE SOUTH ZONE, 3702, NAD83 HORIZONTAL DATUM AND NAVD83 VERTICAL DATUM.
2. SEE SHEET C-004-0001271 FOR CIVIL GENERAL NOTES AND ABBREVIATIONS.
3. ALL DIMENSIONS SHOWN ARE IN FEET UNLESS NOTED OTHERWISE.

KEY NOTES:

- CHAIN-LINK SECURITY FENCE WITH VINYL SCREENING
- 16" SLIDE GATE
- LAUNCHER/RECEIVER CONCRETE PAD
- HEATER CONCRETE PAD
- REGULATOR CONCRETE PAD (WITHIN BUILDING, SEE MECHANICAL AND STRUCTURAL DRAWINGS)
- CONTROL BUILDING
- REGULATOR BUILDING
- 000' STANDARD MIDWEST GUARDRAIL SYSTEM (MGS 1.1 AND 2.1)
- LIGHT POLE
- 4' MANUAL PERSONNEL GATE
- CONCRETE SIDEWALK
- 000' STANDARD CONCRETE CURB TYPE 6 (BP-5.1)

LEGEND:

- PROPOSED GRAVEL SURFACE COURSE
- PROPOSED ACCESS ROAD SURFACE COURSE
- CONCRETE PAD
- CONCRETE SIDEWALK
- LIMITS OF DISTURBANCE



BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00420957



NO.	DATE	REVISION(S) DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS	REGIONAL ENGINEER	MGR. TECH REC & STD	PRINCIPAL ENGINEER
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE						
						ACCOUNT NUMBER	AW2128					
						PROJECT NUMBER	1880115					
						DRAWING BY	JTG					
						STATION ID	S06801					
						CHECKER INITIALS	CNS					
								01/08/2021				



**C350 PROJECT
NORWOOD C350 STATION
SITE PLAN**
HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	8 OF 68
DWG SCALE	AS NOTED
DWG DATE	07/26/2019
SUPERSEDED	
DRAWING NUMBER	PNG -C-004-0001276
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



NOTES:

1. THE EXISTING SITE UTILITIES AND FEATURES SHOWN ARE BASED ON A FIELD RUN TOPOGRAPHIC SURVEY PERFORMED BY BERGSON SURVEY IN FEBRUARY, 2020. COORDINATES ARE IN OHIO STATE PLANE SOUTH ZONE, 3702, NAD83 HORIZONTAL DATUM AND NAVD08 VERTICAL DATUM.
2. SEE SHEET C-004-0001271 FOR CIVIL GENERAL NOTES AND ABBREVIATIONS.
3. ALL DIMENSIONS SHOWN ARE IN FEET UNLESS NOTED OTHERWISE.
4. SEE ODOT DESIGN STANDARDS, LATEST EDITION, AS INDICATED. ALL SUBSEQUENT AND RELEVANT STANDARDS AND SPECIFICATIONS SHALL APPLY.
5. DIMENSIONS NOTED AS MATCH ARE INTENDED TO MATCH EXISTING GRADE.
6. ALL ELEVATIONS ARE TO FINISHED GRADE UNLESS OTHERWISE NOTED.

KEY NOTES:

- 1 12" RCP CLASS III
- 2 CATCH BASIN NO. 2-2A; SEE ODOT STANDARD DRAWING CB-1.1
- 3 NYOPLAST PVC MANHOLE W/ WEIR AT ELEVATION 591, 30" DIA, HS-20 RATED
- 4 IN-LINE CATCH BASIN BY TRENCH DRAIN MANUFACTURER
- 5 REINFORCED CONCRETE PIPE SADDLE
- 6 UNDERGROUND DETENTION VAULT
- 7 TRENCH DRAIN
- 8 CONNECT TO EXISTING INLET, REMOVE AND REPLACE EXISTING ASPHALT PAVEMENT
- 9 24" CORRUGATED HDPE
- 10 TAP RCP AND CONNECT WITH WATER TIGHT SEAL, INCLUDE CORRUGATED HDPE ADAPTER
- 11 6" PERFORATED PVC BUILDING DRAIN

LEGEND:

- 1 PROPOSED GRAVEL SURFACE COURSE
- 2 PROPOSED ACCESS ROAD SURFACE COURSE
- 3 LIMITS OF DISTURBANCE



REF. DWG(S) PNG-G-004-0001043

SHEET(S) 9 OF 68 DWG SCALE AS NOTED

DWG DATE 07/26/2019 SUPERSEDED

DRAWING NUMBER PNG -C-004-0001277 REVISION 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

NO. DATE REVISION(S) DESCRIPTION

0 01/08/2021 ISSUED FOR CONSTRUCTION

BY CHK APPR DESCRIPTION

JTG CNS CDW AREA CODE

ACCOUNT NUMBER AW2128

PROJECT NUMBER 1880115

DRAWING BY JTG

STATION ID S86801

CHECKER INITIALS CNS

DATE INITIALS APPROVALS

DATE INITIALS

DATE INITIALS

DATE INITIALS

DATE INITIALS

DATE INITIALS

REGIONAL ENGINEER


MGR TECH REC & STD

PRINCIPAL ENGINEER




C350 PROJECT
NORWOOD C350 STATION
GRADING PLAN
HAMILTON COUNTY, OHIO

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # CDA21957



01/08/2021
PROFESSIONAL ENGINEER STAMP




NOTES:

1. THE EXISTING SITE UTILITIES AND FEATURES SHOWN ARE BASED ON ODOT PROVIDED PRELIMINARY PLANS.
2. SEE SHEET C-004-0001271 FOR CIVIL GENERAL NOTES AND ABBREVIATIONS.
3. ALL DIMENSIONS SHOWN ARE IN FEET UNLESS NOTED OTHERWISE.

LANDSCAPE SCHEDULE						
SYMBOL	QTY	BOTANICAL NAME	COMMON NAME	SIZE	ROOT	
EVERGREEN TREES						
JV		26	JUNPERUS VIRGINIANA	EASTERN RED CEDAR	6' - 8'	B & B
TOTAL		26				
ANY DISCREPANCIES BETWEEN QUANTITIES ON THE PLAN AND SCHEDULE, THE PLAN SHALL DICTATE.						

GENERAL RANGE OF SOIL MODIFICATIONS & VOLUMES FOR VARIOUS SOIL CONDITIONS		
POST-CONSTRUCTION SOIL CONDITION	MIN / WIDTH PREPARED SOIL FOR TREES (X)	TYPE OF PREPARATION
GOOD SOIL (NOT PREVIOUSLY GRADED OR COMPACTED, TOPSOIL LAYER INTACT)	6 FT. OR TWICE THE WIDTH OF THE ROOT BALL, WHICHEVER IS GREATER	GENERAL RANGE OF SOIL MODIFICATIONS & VOLUMES FOR VARIOUS SOIL CONDITIONS
COMPACTED SOIL (NOT PREVIOUSLY GRADED, TOPSOIL LAYER DISTURBED BUT NOT ELIMINATED)	15 FT.	LOOSEN THE EXISTING SOILS TO THE WIDTHS AND DEPTHS SHOWN IN DETAILS. ABOVE: ADD COMPOSTED ORGANIC CONTENT UP TO 5% DRY WEIGHT.
GRADED SUBSOILS AND CLEAN FILLS WITH CLAY CONTENT BETWEEN 5 & 35%	20 FT.	MINIMUM TREATMENT: LOOSEN EXISTING SOIL TO WIDTHS AND DEPTHS SHOWN. ADD COMPOSTED ORGANIC MATTER TO BRING ORGANIC CONTENT UP TO 5% DRY WEIGHT. OPTIMUM TREATMENT: REMOVE TOP 8-10 IN. OR THE EXISTING SOILS TO THE WIDTHS AND DEPTHS SHOWN, ADD 8-10 IN. OF LOAM TOPSOIL.
POOR QUALITY FILLS, HEAVY CLAY SOILS, SOILS CONTAMINATED WITH RUBBLE OR TOXIC MATERIAL	20 FT.	REMOVE EXISTING SOILS TO THE WIDTHS AND DEPTHS CONTAMINATED WITH RUBBLE OR TOXIC MATERIAL

10' HIGH CHAIN LINK FENCE WITH THREE STRANDS OF BARBED WIRE AND BLACK VINYL OPAQUE SLATS. REFER TO CIVIL PLANS FOR FENCE DETAIL.



LEGEND:

- PROPOSED GRAVEL SURFACE COURSE
- CONCRETE PAD

BURNS & McDONNELL
ENGINEERING COMPANY INC.
STATE LICENSE #COA.01557


01/08/2021
PROFESSIONAL ENGINEER STAMP

NO.	DATE	REVISION / DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S068001		
						CHECKER INITIALS	CNS		




C350 PROJECT
NORWOOD C350 STATION
LANDSCAPING PLAN
HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	10 OF 68
DWG DATE	07/26/2019
DWG SCALE	AS NOTED
DRAWING NUMBER	PNG -C-004-0001278
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	




NOTES:

1. PLACE 8 OZ/SY NON-WOVEN GEOTEXTILE FABRIC UNDERLINER TO STABILIZE FOUNDATION (ESPECIALLY WHEN WET CONDITIONS ARE EXPECTED) TO EXTEND 2' FROM OUTSIDE EDGE. GEOTEXTILE CAN ALSO BE ADDED FOR INCREASED STABILITY.
2. COUNTY OR STATE HIGHWAY ACCESS PERMITTING MAY BE REQUIRED FOR PLACEMENT OF ENTRANCE.
3. CULVERT PLACEMENT MAY BE REQUIRED TO MAINTAIN FLOW.
4. WASH RACK SHALL BE 20 FEET (MIN.) WIDE OR TOTAL WIDTH OF ACCESS.
5. WASH RACK SHALL BE DESIGNED AND CONSTRUCTED TO ACCOMMODATE ANTICIPATED CONSTRUCTION VEHICULAR TRAFFIC.
6. A WATER SUPPLY SHALL BE MADE AVAILABLE TO WASH THE WHEELS OF ALL VEHICLES EXITING THE SITE.
7. MAINTENANCE: ROCK CONSTRUCTION ENTRANCE THICKNESS SHALL BE CONSTANTLY MAINTAINED TO THE SPECIFIED DIMENSIONS BY ADDING ROCK. A STOCKPILE OF ROCK MATERIAL SHALL BE MAINTAINED ON SITE FOR THIS PURPOSE. DRAIN SPACE UNDER WASH RACK SHALL BE KEPT OPEN AT ALL TIMES. DAMAGE TO THE WASH RACK SHALL BE REPAIRED PRIOR TO FURTHER USE OF THE RACK. ALL SEDIMENT DEPOSITED ON ROADWAYS SHALL BE REMOVED AND RETURNED TO THE CONSTRUCTION SITE IMMEDIATELY. WASHING THE ROADWAY OR SWEEPING THE DEPOSITS INTO ROADWAY DITCHES, SEWERS, CULVERTS, OR OTHER DRAINAGE COURSES IS NOT ACCEPTABLE.




NOTES:

1. LOCATE WASHOUT STRUCTURE A MINIMUM OF 50 FEET AWAY FROM OPEN CHANNELS, STORM DRAIN INLETS, SENSITIVE AREAS, WETLANDS, BUFFERS AND WATER COURSES AND AWAY FROM CONSTRUCTION TRAFFIC.
2. SIZE WASHOUT STRUCTURE FOR VOLUME NECESSARY TO CONTAIN WASH WATER AND SOLIDS AND MAINTAIN AT LEAST 4 INCHES OF FREEBOARD. TYPICAL DIMENSIONS ARE 10 FEET X 10 FEET X 3 FEET DEEP.
3. PREPARE SOIL BASE FREE OF ROCKS OR OTHER DEBRIS THAT MAY CAUSE TEARS OR HOLES IN THE LINER. FOR LINER, USE 10 MIL OR THICKER UV RESISTANT, IMPERMEABLE SHEETING, FREE OF HOLES AND TEARS OR OTHER DEFECTS THAT COMPROMISE IMPERMEABILITY OF THE MATERIAL.
4. PROVIDE A SIGN FOR THE WASHOUT IN CLOSE PROXIMITY TO THE FACILITY.
5. KEEP CONCRETE WASHOUT STRUCTURE WATER TIGHT. REPLACE IMPERMEABLE LINER IF DAMAGED (E.G., RIPPED OR PUNCTURED). EMPTY OR REPLACE WASHOUT STRUCTURE THAT IS 75 PERCENT FULL, AND DISPOSE OF ACCUMULATED MATERIAL PROPERLY. DO NOT REUSE PLASTIC LINER. WET-VACUUM STORED LIQUIDS THAT HAVE NOT EVAPORATED AND DISPOSE OF IN AN APPROVED MANNER. PRIOR TO FORECASTED RAINSTORMS, REMOVE LIQUIDS OR COVER STRUCTURE TO PREVENT OVERFLOWS. REMOVE HARDENED SOLIDS, WHOLE OR BROKEN UP, FOR DISPOSAL OR RECYCLING. MAINTAIN RUNOFF DIVERSION AROUND EXCAVATED WASHOUT STRUCTURE UNTIL STRUCTURE IS REMOVED.
6. BALES CAN BE TWO STACKED OR PARTIALLY EXCAVATED TO REACH 3FT DEPTH (MIN.).
7. PREFABRICATED UNITS MAY BE USED WITH APPROVAL.



NOTES:

1. SILT FENCE SHALL BE PLACED ON SLOPE CONTOURS TO MAXIMIZE PONDING EFFICIENCY.
2. INSPECT AND REPAIR FENCE AFTER EACH STORM EVENT AND REMOVE SEDIMENT WHEN IT REACHES ONE-HALF HEIGHT OF FENCE OR FABRIC STARTS TO BALGE.
3. REMOVED SEDIMENT SHALL BE DEPOSITED TO AN AREA THAT WILL NOT CONTRIBUTE SEDIMENT OFF-SITE AND CAN BE PERMANENTLY STABILIZED.
4. TURN END OF SILT FENCE UP SLOPE TO PREVENT BYPASS FLOW AND ALLOW FOR PONDING.



BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00429557




NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS	01/08/2021	CDW



C350 PROJECT
NORWOOD C350 STATION
CIVIL DETAILS - 1
HAMILTON COUNTY, OHIO


REF. DWG(S) PNG-G-004-0001043

SHEET(S) 11 OF 68	DWG SCALE AS NOTED
DWG DATE 07/26/2019	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -C-004-0001279	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



BLANKETS/MATS INSTALLED VERTICALLY ON SEVERE OR LONGER SLOPES. SEE HORIZONTAL INSTALLATION FOR DETAILS.


VERTICAL INSTALLATION



HORIZONTAL INSTALLATION


NOTES:

- SLOPE SURFACE SHALL BE FREE OF ROCKS, CLODS, STICKS AND GRASS. MATS/BLANKETS SHALL HAVE GOOD SOIL CONTACT.
- APPLY PERMANENT SEEDING BEFORE PLACING BLANKETS.
- LAY BLANKETS LOOSELY AND STAKE OR STAPLE TO MAINTAIN DIRECT CONTACT WITH THE SOIL. DO NOT STRETCH.
- USE ON SIDE SLOPES EXCEEDING A 3:1 SLOPE AND DISTURBED STREAMBANKS.
- THE FOLLOWING BLANKET TYPES SHALL BE UTILIZED:
 - LONG-TERM BIODEGRADABLE DOUBLE-NET COCONUT BLANKET ON STREAMBANKS.
 - SHORT-TERM BIODEGRADABLE DOUBLE-NET STRAW BLANKET ON 3:1 SLOPES OR GREATER.
 - SHORT-TERM BIODEGRADABLE SINGLE-NET STRAW ON LESSER SLOPES, FLAT FLOODPLAIN, AND WORKSPACE AREAS.
- FOR STREAMBANK STABILIZATION:
 - TUCK/UNDERLAP BASE OF BLANKET TO PREVENT HIGH WATER FROM REMOVING BLANKET AND SEED.
 - STAPLE SPACING MAY NEED TO BE DECREASED.
 - PREPARE SUBGRADE PRIOR TO INSTALLING BLANKET BY REMOVING DISPLACED ROCKS AND WOODY DEBRIS.




STAPLES

DETAIL 1
SCALE: NTS
EROSION CONTROL BLANKET




PLAN VIEW
ELEVATION
SECTION

DETAIL 3
SCALE: NTS
CURB INLET PROTECTION



SECTION A


DETAIL 4
SCALE: NTS
NON-PAVED AREA INLET PROTECTION



ISOMETRIC VIEW
(ENTIRE FENCE NOT SHOWN FOR ILLUSTRATIVE PURPOSES)

NOTES:

- PREFABRICATED UNITS MAY BE USED WITH APPROVAL.
- STRUCTURE SHALL BE CONSTRUCTED SUCH THAT GEOTEXTILE MATERIAL SHALL BE FASTENED TO POSTS CREATING A SEAM-LESS JOINT.
- ENSURE THAT PONDING HEIGHT OF WATER DOES NOT CAUSE FLOODING ON ADJACENT ROADWAYS OR PRIVATE PROPERTY.




PLAN VIEW

SPACING TABLE	
SLOPE	MAXIMUM SPACING
1:1	10' - 0"
2:1	20' - 0"
3:1	30' - 0"
4:1	40' - 0"

* INSTALL FIRST ROW AT TOP OF BANK.
INSTALL LAST ROW 10' FROM TOE OF SLOPE.

TYPICAL SECTION




SECTION A


NOTES:

- INSTALL FIBER ROLLS ALONG CONTOURS DURING FINAL RESTORATION TO CHECK FLOW TO ALLOW ADEQUATE REVEGETATION.
- ABUT ADJACENT FIBER ROLLS TIGHTLY WHILE OVERLAPPING THE ENDS. STAGGER JOINTS WITH THE NEXT PARALLEL ROW.
- PILOT HOLES MAY BE DRIVEN THROUGH THE FIBER ROLLS AND INTO THE SOIL WHEN SOIL CONDITIONS REQUIRE.
- FIBER ROLLS SHALL BE INSPECTED REGULARLY, AND IMMEDIATELY AFTER A RAINFALL PRODUCES RUNOFF, TO ENSURE THEY REMAIN THOROUGHLY ENTRENCHED AND IN CONTACT WITH THE SOIL.
- A SINGLE ROW MAY BE INSTALLED ON FLAT SLOPES.

DETAIL 2
SCALE: NTS
FIBER ROLL



TYPICAL SECTION



ISOMETRIC VIEW

DETAIL 5
SCALE: NTS
PAVED AREA INLET PROTECTION

BURNS & DONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00421957

STATE OF OHIO
CHRISTOPHER
C. WILSON
Professional Engineer
No. 82271
01/08/2021
PROFESSIONAL ENGINEER/STAMP

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2125		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS		

REGIONAL
ENGINEER
MGR TECH
REC & STD
PRINCIPAL
ENGINEER



C350 PROJECT
NORWOOD C350 STATION
CIVIL DETAILS - 2
HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	12 OF 68
DWG SCALE	AS NOTED
DWG DATE	07/26/2019
SUPERSEDED	
DRAWING NUMBER	PNG -C-004-0001280
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	


NOTE: SEE PLAN DRAWING FOR SPECIFIC DIMENSIONS
LOCATION, SIZE OF AREA AND GATE LOCATIONS

CHAIN LINK FENCE SPECIFICATIONS

- 1) INSTALLATION OF FENCE ADDITION SHALL BE PLUMB AND TRUE TO LINE. CHAIN LINK FABRIC SHALL BE TAUT AND PROPERLY SECURED. CORNER BRACES AND DIAGONAL BRACES SHALL BE PROPERLY PLACED TO PREVENT SAGGING. THE COMPLETE INSTALLATION SHALL BE IN ACCORDANCE WITH GOOD CONSTRUCTION PRACTICE AND IN ACCORDANCE WITH ALL LOCAL APPLICABLE CODES.
- 2) MATERIAL SHALL BE HOT-DIP GALVANIZED FENCE CHAIN LINK FABRIC - THE CHAIN LINK FABRIC SHALL BE IN ACCORDANCE WITH ASTM A-392 SPECIFICATIONS AND SHALL BE HOT-DIP GALVANIZED AFTER WEAVING, HAVING A COATING WEIGHT OF 2.0 OUNCES OF ZINC PER SQUARE FOOT, MINIMUM, OF UNCOATED WIRE SURFACE (CLASS II). FABRIC SHALL BE NO. 9 GAUGE WIRE WOVEN IN A 2-INCH CHAIN LINK DIAMOND MESH. THE FABRIC SHALL BE FASTENED TO THE LINE POST BY MEANS OF NO. 6 GAUGE ALUMINUM WIRE CLIPS SPACED 12 INCHES ON CENTER. IT SHALL BE ATTACHED TO TOP RAIL WITH NO. 1 GAUGE ALUMINUM TIE WIRES SPACED 24 INCHES ON CENTER. FABRIC SHALL BE ATTACHED TO TERMINAL POST BY MEANS OF A 1/4" X 3/4" TENSION BAR WITH HEAVY GAUGE PRESSED STEEL BAND OR CLIPS SPACED APPROXIMATELY 14 INCHES ON CENTER.
- 3) BARRED WIRE SHALL BE OF 4 POINT PATTERN, COMPOSED OF TWO STRANDS OF NO. 11-1/2 GAUGE GALVANIZED WIRE WITH LARGE BARBS SPACED APPROXIMATELY 4 TO 5 INCHES ON CENTER. RAZOR WIRE SHALL BE USED WHEN LOCAL ORDINANCE REQUIRES OR AT PROJECT MANAGERS REQUEST.
- 4) BOTTOM TENSION WIRE - NO. 7 GAUGE GALVANIZED COIL SPRING TENSION WIRE WITH CLASS I COATING. WIRE TO BE FASTENED TO CHAIN LINK FABRIC WITH NO. 11 GAUGE HOG RINGS ON 18 INCH CENTERS.
- 5) POST AND OTHER APPURTENANCES - ALL POST AND OTHER APPURTENANCES SHALL BE HOT-DIP GALVANIZED WITH A MINIMUM ZINC COATING OF 2.0 OUNCES PER SQUARE FOOT OF SURFACE (CLASS II COATING ASTM A-392).
- 6) LINE POST SHALL BE 2-1/4" X 1/4" COLUMN WEIGHING 4.1 LBS. PER FOOT, MINIMUM CARBON CONTENT .35%, MINIMUM TENSILE STRENGTH 75,000 PSI OR 2-3/8" O.D. SCHEDULE 40 PIPE, OF SUFFICIENT LENGTH TO ALLOW FOR INSTALLATION TO A DEPTH OF 1'-0" BELOW GROUND LEVEL. THE POSTS SHALL BE SPACED IN THE LINE OF FENCE, NO FURTHER.
- 7) TERMINAL POST AND ALL END, CORNER AND PULL POSTS SHALL BE 2-1/2" X 1/2" X 18'-5" W.T. SQUARE TUBING OR 2-7/8" O.D. SCHEDULE 40 PIPE.
- 8) GATE POST SHALL BE OF THE FOLLOWING SIZE FOR SINGLE SWING GATES OR ONE LEAF OF DOUBLE GATE

POST	SIZE	NOM. WT.
UP TO 6' WIDE	2-1/2" SQ. OR 2-7/8" O.D.	9.11 LB/FT
OVER 6' TO 13'	4" O.D.	


- 9) EACH POST SHALL BE OF SUFFICIENT LENGTH TO ALLOW FOR INSTALLATION TO A DEPTH OF 3'-0" BELOW GROUND LEVEL.
- 10) LINE POST AND TERMINAL POST ANCHORAGE SHALL BE SET IN CYLINDRICAL CONCRETE FOUNDATIONS WITH TOP OF FINISH CONCRETE SURFACE 3 INCHES ABOVE FINISH GRADE. EXCAVATION SHALL BE 3'-0" DEEP AND NOT LESS THAN TEN INCHES (10") IN DIAMETER FOR ALL LINE POSTS, AND NOT LESS THAN 3.5 TIMES THE DIAMETER FOR TERMINAL AND GATE POST. CONCRETE SHALL MEET AC-308 SPECIFICATION FOR 3000 PSI 28 DAY STRENGTH CONCRETE.
- 11) FENCE SHALL HAVE A CONTINUOUS TOP RAIL FOR ITS FULL LENGTH OF STANDARD GALVANIZED PIPE, 1-5/8" O.D. THE TOP RAIL SHALL PASS THROUGH OPENINGS PROVIDED FOR THAT PURPOSE IN THE POST TOPS AND EACH LENGTH SHALL BE COUPLED WITH A SLEEVE COUPLING, WITH EXPANSION COUPLINGS EVERY FIFTH JOINT.
- 12) TRUSS BRACES SHALL BE STANDARD GALVANIZED 1-5/8" O.D. PIPE 21 LB./FT., WITH A 3/8" O.D. TRUSS ROD AND TURNBUCKLE ATTACHMENT SHALL BE INSTALLED BETWEEN EACH END OR GATE POST AND THE ADJACENT LINE POST. TWO TRUSS BRACES SHALL BE FURNISHED ON CORNER OR PULL POSTS.
- 13) FITTINGS USED IN THE COMPLETE FENCE ASSEMBLY SHALL BE OF MALLEABLE, CAST IRON OR PRESSED STEEL AND SHALL BE HOT-DIP GALVANIZED AFTER FABRICATION.
- 14) EXTENSION ARM LINE POST SHALL BE EQUIPPED WITH EXTENSION ARMS TO WITHSTAND A MINIMUM PULL-DOWN WEIGHT OF 450 LBS. FROM END OF ARM. ARMS TO BE DESIGNED TO EXTEND AT A 45 DEGREE ANGLE WITH LOOKING DEVICE TO SECURELY FASTEN THREE STRANDS OF BARBED WIRE EQUALLY SPACED WITH THE TOP STRAND LOCATED 12 INCHES (12") ABOVE FABRIC AND 12 INCHES (12") OUT FROM THE FENCE LINE.
- 15) POST TOPS AND ALL END, CORNER, PULL AND GATE POST SHALL BE EQUIPPED WITH TOPS. TUBULAR POST TOPS TO BE SO DESIGNED AS TO EXCLUDE MOISTURE FROM THE POST. ALL LINE POST TOPS DESIGNED TO HOLD THE TOP RAIL AND THE EXTENSION ARM FOR THREE STRANDS OF BARBED WIRE.
- 16) GATE FRAMES SHALL BE MADE OF 2" X 2" X 1/4" W.T. SQUARE STEEL TUBING OR 1.9 INCH O.D. SCHEDULE 40, 2.72 LB./FT. STANDARD WEIGHT PIPE, HOT-DIP GALVANIZED. FRAMES TO BE JOINED AT CORNERS TO FORM A RIGID PANEL AND SHALL BE FILLED WITH CHAIN LINK FABRIC OF SAME GAUGE AS USED ON THE FENCE. FABRIC SHALL BE FASTENED IN THE FRAME ON ALL FOUR SIDES BY MEANS OF TENSION BARS AND CLIPS. THREE STRANDS OF BARBED WIRE SHALL BE FASTENED TO THE EXTENDED FRAMES OF GATE. EACH FRAME TO BE EQUIPPED WITH 3/4" DIAMETER ADJUSTABLE TRUSS ROD, HINGES, POSITIVE TYPE LATCHING DEVICE WITH PROVISIONS FOR PADLOCKING. ALL DRIVE GATES TO BE PROVIDED WITH CENTER PLUNGER ROD, CATCH AND SEMI-AUTOMATIC OUTER CATCHES TO SECURE GATES IN OPEN POSITION.
- 17) FENCE SECTION
COMPANY TYPE - A-8
FABRIC HEIGHT - 36"
TOTAL FENCE HEIGHT - 10'-0"
- 18) SPECIFICATIONS SHOWN CAN BE CHANGED WITH ENGINEERING APPROVAL.
- 19) FOOTING WIDTH TO BE (4X) POST WIDTH, VERIFY FOOTING DEPTH AND WIDTH WITH LOCAL CODES AND SITE CONDITIONS.
- 20) ALL COMPONENTS OF THE TUFF GUARD WILL BE COATED BLACK, EXCEPT FOR THE HANDLE WITH ELECTRONIC LOCK, PANIC BAR, AND CLOSER.
- 21) OUTSIDE LOOKING IN, GATE WILL LATCH ON LEFT AND OPEN OUTSIDE OF FENCE LINE.




ELEVATION VIEW
SCALE: NTS

TUFF GUARD GATE
ELEV. OUTSIDE LOOKING IN
SCALE: NTS


TUFF GUARD GATE
ELEV. INSIDE
SCALE: NTS




TOP POST FITTING DETAILS
SCALE: NTS




GATE FITTING DETAILS
SCALE: NTS



WIRE TIES TOP OR BRACE RAIL DETAIL
SCALE: NTS




END OR GATE POST DETAIL
SCALE: NTS




TYPICAL FENCE GROUND
SCALE: NTS


TYPICAL GATE GROUND
SCALE: NTS



TYPICAL GROUND ROD TEST WELL
SCALE: NTS



EXTENSION ARM RAZOR WIRE DETAIL
SCALE: NTS



TUFF GUARD GATE
SCALE: NTS

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00421957








NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPROV	DESCRIPTION	DATE	INITIALS	APPROVALS	REGIONAL ENGINEER
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE				
						ACCOUNT NUMBER	AW2128			
						PROJECT NUMBER	1880115			
						DRAWING BY	JTG			
						STATION ID	S06801			
						CHECKER INITIALS	CNS			
								01/08/2021	INITIALS	CDW
										MGR TECH REC & STD
										PRINCIPAL ENGINEER




C350 PROJECT
NORWOOD C350 STATION
CIVIL DETAILS - 3
HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S) 13 OF 68	DWG SCALE AS NOTED
DWG DATE 07/26/2019	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -C-004-0001281	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



DETAIL 1
SCALE: NTS
SLIDE GATE




PLAN
NO SCALE

SURFACE COURSE MATERIAL NOTES:
1. GEOGRID SHALL BE TENSAR FG30 OR ENGINEER-APPROVED EQUAL.

DETAIL 2
SCALE: NTS
SURFACE COURSE MATERIAL

ACCESS ROAD SURFACE COURSE

NOTES:
1. CANTILEVERED SLIDE GATES SHALL CONFORM TO ASTM F1184.
2. GATE FRAMES SHALL BE EITHER ZINC-COATED STEEL.
3. ROLLERS SHALL BE EITHER INTERNAL OR EXTERNAL.
4. DETAILS SHOWN ARE TO CLARIFY REQUIREMENTS AND ARE NOT INTENDED TO LIMIT OTHER TYPES OF GATE SECTIONS AND METHODS OF INSTALLATION.
5. GATE SHALL BE GROUNDED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS.



DETAIL 3
SCALE: NTS
TRENCH DRAIN

NOTES:
1. TRENCH DRAIN SYSTEM SHALL BE ONE OF THE FOLLOWING OR AN APPROVED EQUAL:
KLASSIKDRAIN K3300
ACO POLYMER PRODUCTS
2. TRENCH GRATE AND CHANNEL SHALL BE HS-20 RATED.

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00421957


STATE OF OHIO
CHRISTOPHER D. WILSON
Professional Engineer
No. 8221
01/08/2021
PROFESSIONAL ENGINEER STAMP

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS	01/08/2021	CDW



C350 PROJECT
NORWOOD C350 STATION
CIVIL DETAILS - 4
HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	14 OF 68
DWG SCALE	AS NOTED
DWG DATE	07/26/2019
SUPERSEDED	
DRAWING NUMBER	PNG -C-004-0001282
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	




NOTES:

- KEYED JOINT: WHERE PRECAST CIRCULAR MANHOLE SECTIONS ARE TO BE LOCATED ON TOP OF SADDLE, A CIRCULAR KEYED JOINT WILL BE REQUIRED. JOINT SHALL BE DESIGNATED TO MATCH WITH RISER SECTIONS AND SHALL PROVIDE BEARING SURFACE AREA EQUAL TO THAT OF RISER JOINT. KEYED JOINT MAY BE PROTRUDED OR RECESSED SO LONG AS THE 6" MIN. CLEARANCE IS RETAINED.
- SADDLE PORTION OF STRUCTURE MAY BE:
 - PRECAST OR BUILT-IN PLACE ONTO PIPE SECTION AS SHOWN.
 - PRECAST SEPARATELY AND ATTACHED TO PIPE WITH EPOXY. EXPOSED REINFORCEMENT FROM PIPE WILL BE CUT OFF AT OPENING IF THIS METHOD IS USED.



REINFORCEMENT NOTES:

- VERTICAL AND HORIZONTAL REINFORCEMENT WILL CONSIST OF A CAGE OF 2/2 6X6 WELDED WIRE FABRIC OR NO. 4 BARS SPACE 12" (MAX.) ON CENTER, MEETING THE DIMENSIONS AND CLEARANCES SHOWN.
- TRANSVERSE, LONGITUDINAL, AND DIAGONAL REINFORCEMENT WILL BE NO. 4 BARS.
- ALL REINFORCEMENT EXTENDING FROM PIPE WILL BE TIED TO TRANSVERSE AND LONGITUDINAL REINFORCEMENT AT ALL POINTS OF TANGENCY.
- C-1 REINFORCEMENT: FOUR NO. 3 RINGS IN THROAT OF TEE, 2.5" CENTER TO CENTER REINFORCEMENT FROM PIPE EXTENDED UP AND BENT AROUND THESE RINGS ALL AROUND.
- C-2 REINFORCEMENT: SAME REINFORCEMENT AS REQUIRED FOR PRECAST MANHOLE RISER SECTIONS (ASTM C-478) PROVIDING A MINIMUM OF TWO LINES FOR CIRCUMFERENTIAL REINFORCEMENT WITH A MINIMUM OF ONE LINE OF CIRCUMFERENTIAL REINFORCEMENT IN KEYED JOINT. C-2 REINFORCEMENT MAY BE OMITTED WHERE CIRCULAR RISERS WILL NOT BE REQUIRED ON SADDLE.



NOTES:

- BROOM FINISH SHALL BE APPLIED NORMAL TO DIRECTION OF TRAFFIC.



BURNS & MCDONNELL
 ENGINEERING COMPANY, INC.
 STATE LICENSE # 00421957

STATE OF OHIO
 CHRISTOPHER
 C. W. SOKAL
 PROFESSIONAL ENGINEER
 01/08/2021
 PROFESSIONAL ENGINEER'S STAMP

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS	01/08/2021	CDW




C350 PROJECT
NORWOOD C350 STATION
CIVIL DETAILS - 5
 HAMILTON COUNTY, OHIO


REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	15 OF 68
DWG SCALE	AS NOTED
DWG DATE	07/26/2019
SUPERSEDED	
DRAWING NUMBER	
REVISION	
PNG -C-004-0001283	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

INVERT ABOVE BASE OF CHAMBER			
PART TYPE	ITEM OR LAYOUT	DESCRIPTION	INVERT
REF ABUTMENT END CAP	A	24" BOTTOM CORDED END CAP WITH ALL 12" TOP CONNECTIONS AND ISOLATOR ROWS	2.06'
REF ABUTMENT END CAP	B	24" BOTTOM CORDED END CAP WITH ALL 12" TOP CONNECTIONS	2.06'
REF ABUTMENT END CAP	C	24" BOTTOM CORDED END CAP WITH ALL 12" TOP CONNECTIONS	2.06'
MANHOLE	D	24" TOP OF MANHOLE	2.06'
PIPE CONNECTION	E	12" TOP OF CONNECTION	2.06'
WELDED JOINT (W/ 80% ROW)	F	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	G	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	H	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	I	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	J	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	K	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	L	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	M	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	N	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	O	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	P	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	Q	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	R	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	S	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	T	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	U	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	V	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	W	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	X	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	Y	24" TOP OF WELDED JOINT	2.06'
WELDED JOINT (W/ 80% ROW)	Z	24" TOP OF WELDED JOINT	2.06'

PROPOSED LAYOUT		PROPOSED ELEVATIONS	
25	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
26	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
27	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
28	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
29	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
30	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
31	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
32	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
33	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
34	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
35	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
36	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
37	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
38	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
39	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
40	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
41	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
42	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
43	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
44	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
45	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
46	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
47	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
48	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
49	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
50	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
51	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
52	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
53	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
54	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
55	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
56	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
57	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
58	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
59	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
60	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
61	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
62	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
63	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
64	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
65	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
66	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
67	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
68	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
69	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
70	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
71	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
72	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
73	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
74	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
75	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
76	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
77	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
78	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
79	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
80	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
81	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
82	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
83	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
84	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
85	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
86	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
87	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
88	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
89	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
90	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
91	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
92	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
93	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
94	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
95	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
96	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
97	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
98	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
99	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3
100	STATIONING MC-3500 CHAMBER	MINIMUM ALLOWABLE GRADE TOP OF PAVEMENT SURFACE	559.3



- NOTES**
- MANHOLE SIZE TO BE DETERMINED BY SITE DESIGN ENGINEER. SEE TECH SHEET #7 FOR MANHOLE SIZING GUIDANCE.
 - CHAMBER COVER REQUIREMENTS ARE MET FOR ALL LOADS AND ARE TO BE SPECIFIC TO SITE AND DESIGN CONSTRAINTS. IT MAY BE NECESSARY TO CUT AND COVER.
 - ADDITIONAL PIPE TO STANDARD MANHOLE COMPONENTS IN THE FIELD.
 - THE SITE DESIGN ENGINEER MUST REVIEW ELEVATIONS AND IF NECESSARY ADJUST GRADING TO ENSURE THE CHAMBER COVER REQUIREMENTS ARE MET.
 - THIS CHAMBER SYSTEM HAS BEEN DESIGNED WITHOUT SITE SPECIFIC INFORMATION ON SOIL CONDITIONS OR BEARING CAPACITY. THE SITE DESIGN ENGINEER IS RESPONSIBLE FOR DETERMINING THE SUITABILITY OF THE SOIL AND PROVIDING THE BEARING CAPACITY OF THE SOIL TO THE BASE STONE DEPTH.
 - MAY BE INCREASED OR DECREASED ONCE THIS INFORMATION IS PROVIDED.
 - NOT FOR CONSTRUCTION.




DETAIL 1
SCALE: NTS
UNDERGROUND DETENTION VAULT

ACCEPTABLE FILL MATERIALS: STORMTECH MC-3500 CHAMBER SYSTEMS

MATERIAL LOCATION	DESCRIPTION	AASHTO MATERIAL CLASSIFICATIONS	COMPACTION / DENSITY REQUIREMENT
D	FINAL FILL: FILL MATERIAL FOR LAYER 'D' STARTS FROM THE TOP OF THE 'C' LAYER TO THE BOTTOM OF FILLING. PAVEMENT OR UNPAVED FINISHED GRADE ABOVE NOTE THAT PAVEMENT SUBGRADE MAY BE PART OF THE 'D' LAYER.	NA	PREPARE PER SITE DESIGN ENGINEER'S PLANS. PAVED INSTALLATIONS MAY HAVE STRINGENT MATERIAL AND PREPARATION REQUIREMENTS.
C	INITIAL FILL: FILL MATERIAL FOR LAYER 'C' STARTS FROM THE TOP OF THE 'B' LAYER TO THE BOTTOM OF FILLING. PAVEMENT OR UNPAVED FINISHED GRADE ABOVE NOTE THAT PAVEMENT SUBGRADE MAY BE PART OF THE 'C' LAYER.	AASHTO M47 A-1, A-2, A-3 OR AASHTO M47 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 10	BEGIN COMPACTIONS AFTER 2\"/>

- PLEASE NOTE:**
- THE LISTED AASHTO DESIGNATIONS ARE FOR GRADES ONLY. THE STONE MUST ALSO BE CLEAN, CRUSHED, ANGULAR. FOR EXAMPLE, A SPECIFICATION FOR A4 STONE WOULD STATE: "CLEAN, CRUSHED, ANGULAR NO. 4 (AASHTO M45) STONE".
 - STORMTECH COMPACTOR REQUIREMENTS ARE MET FOR ALL LOADS AND ARE TO BE SPECIFIC TO SITE AND DESIGN CONSTRAINTS. IT MAY BE NECESSARY TO CUT AND COVER.
 - WHERE INFILTRATION SURFACES MAY BE COMPROMISED BY COMPACTION, FOR STANDARD DESIGN LOAD CONDITIONS, A FLAT SURFACE MAY BE ACHIEVED BY RAKING OR DRAGGING WITHOUT COMPACTION EQUIPMENT. FOR SPECIAL LOAD DESIGNS, CONTACT STORMTECH FOR COMPACTION REQUIREMENTS.
 - ONCE LAYER 'C' IS PLACED, ANY SOLID MATERIAL CAN BE PLACED IN LAYER 'D' UP TO THE FINISHED GRADE. MOST PAVEMENT SUBGRADE SOLS CAN BE USED TO REPLACE THE MATERIAL REQUIREMENTS OF LAYER 'C' OR 'D' AT THE SITE DESIGN ENGINEER'S DISCRETION.



NOTES:


- CHAMBERS SHALL MEET THE REQUIREMENTS OF ASTM F2418-16a, "STANDARD SPECIFICATION FOR POLYPROPYLENE (PP) CORRUGATED WALL STORMWATER COLLECTION CHAMBERS" CHAMBER CLASSIFICATION 48/VE DESIGNATION SS.
- MC-3500 CHAMBERS SHALL BE DESIGNED IN ACCORDANCE WITH ASTM F2717 "STANDARD PRACTICE FOR STRUCTURAL DESIGN OF THERMOPLASTIC CORRUGATED WALL STORMWATER COLLECTION CHAMBERS".
- THE SITE DESIGN ENGINEER IS RESPONSIBLE FOR ASSESSING THE BEARING RESISTANCE (ALLOWABLE BEARING CAPACITY) OF THE SUBGRADE SOLS AND THE DEPTH OF FOUNDATION STONE WITH CONSIDERATION FOR THE RANGE OF EXPECTED SOIL MOISTURE CONDITIONS.
- PERIMETER STONE MUST BE EXTENDED HORIZONTALLY TO THE EXCAVATION WALL FOR BOTH VERTICAL AND SLOPED EXCAVATION WALLS.
- REQUIREMENTS FOR HANDLING AND INSTALLATION:
 - TO MAINTAIN THE WIDTH OF CHAMBERS DURING SHIPPING AND HANDLING, THE CHAMBERS SHALL HAVE INTEGRAL, INTERLOCKING STACKING LUGS.
 - TO ENSURE A SECURE JOINT DURING INSTALLATION AND BACKFILL, THE HEIGHT OF THE CHAMBER JOINT SHALL NOT BE LESS THAN 3".
 - TO ENSURE THE INTEGRITY OF THE ARCH SHAPE DURING INSTALLATION, THE ARCH STIFFNESS CONSTANT AS DEFINED IN SECTION 4.2.2 OF ASTM F2418 SHALL BE GREATER THAN OR EQUAL TO 550 LBS/INCH AND TO RESIST CHAMBER DEFORMATION DURING INSTALLATION AT ELEVATED TEMPERATURES (AVERAGE 77°F / 25°C), CHAMBERS SHALL BE PROVIDED FROM REFLECTIVE GOLD OR YELLOW COLOR.

INSPECTION & MAINTENANCE

- STEP 1: INSPECT ISOLATOR ROW FOR SEDIMENT**
- INSPECTION PORTS IF PRESENT.
 - REMOVE COVER ON ISOLATOR INLINE DRAIN.
 - REMOVE AND CLEAN ISOLATOR FILTER IF INSTALLED.
 - USING A FLASHLIGHT AND STADA ROD, MEASURE DEPTH OF SEDIMENT AND RECORD ON MAINTENANCE LOG.
 - LOWER A CAMERA INTO ISOLATOR ROW FOR VISUAL INSPECTION OF SEDIMENT LEVELS (OPTIONAL).
 - IF SEDIMENT IS AT OR ABOVE 3" (80 mm) PROCEED TO STEP 1. IF NOT, PROCEED TO STEP 3.
- STEP 2: CLEAN OUT ISOLATOR ROW USING THE JETVAC PROCESS**
- A FIXED CURLETT CLEANING NOZZLE WITH REAR FACING SPREAD OF 40" (1.1 m) OR MORE IS PREFERRED.
 - APPLY MAXIMUM PRESSURE JETVAC WITH MAXIMUM WATER FLOW.
 - VACUUM STRUCTURE PUMP AS REQUIRED.
- STEP 3: REPLACE ALL COVERS, GRATES, FILTERS, AND LOGS. RECORD OBSERVATIONS AND ACTIONS.**
- STEP 4: INSPECT AND CLEAN BASINS AND MANHOLES UPSTREAM OF THE STORMTECH SYSTEM.**

NOTES

- INSPECT EVERY 6 MONTHS DURING THE FIRST YEAR OF OPERATION. ADJUST THE INSPECTION INTERVAL BASED ON PREVIOUS OBSERVATIONS OF SEDIMENT ACCUMULATION AND HIGH WATER ELEVATIONS.
- CONDUCT JETTING AND VACUUMING ANNUALLY OR WHEN INSPECTION SHOWS THAT MAINTENANCE IS NECESSARY.



TYPE 6

JOINTED Expansion joints shall extend up to the top of the curb and shall be constructed in the curb and gutter section in such a manner that the joint seal will extend the full width of the gutter and into the curb face a sufficient distance to seal the joint to an elevation of at least 2" above the flow line of the gutter. Sealant shall be used in the curb and gutter section of expansion joints and to the surface of the pavement.

Transverse expansion joint material shall meet the requirements of Item 705.03.

GUTTER PLATE THICKNESS Thickness of gutter plate "T" shall be 9" unless otherwise shown on the plans.

TOLERANCES Dimensional Tolerances are as follows:
Curb: 1/8" to 1/4"
Gutter: 0 to 1/8"

LEGEND

- Expansion joint material and joint sealer are not required for the portion of the curb that is adjacent to a flexible pavement type. Both materials are required, as detailed, for the full height of rigid pavement and concrete bases.

DETAIL 2
SCALE: NTS
ODOT STANDARD CONCRETE CURB TYPE 6 (BP-5.1)

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 16 OF 68 DWG SCALE AS NOTED

DWG DATE 07/26/2019 SUPERSEDED

DRAWING NUMBER PNG -C-004-0001284

REVISION 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

NO. DATE REVISION DESCRIPTION

0 01/08/2021 ISSUED FOR CONSTRUCTION

BY CHK APPR DESCRIPTION

JTG CNS CDW AREA CODE

ACCOUNT NUMBER AW2128

PROJECT NUMBER 1880115

DRAWING BY JTG

STATION ID S06801

CHECKER INITIALS CNS

DATE INITIALS

DATE INITIALS

DATE INITIALS

DATE INITIALS

DATE INITIALS

DATE INITIALS

DATE INITIALS

APPROVALS

APPROVALS

APPROVALS

APPROVALS

APPROVALS

APPROVALS

APPROVALS

REGIONAL ENGINEER

MGR TECH REC & STD

PRINCIPAL ENGINEER

PRINCIPAL ENGINEER

PRINCIPAL ENGINEER

PRINCIPAL ENGINEER

PRINCIPAL ENGINEER



C350 PROJECT
NORWOOD C350 STATION
CIVIL DETAILS - 6
HAMILTON COUNTY, OHIO

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 16 OF 68 DWG SCALE AS NOTED

DWG DATE 07/26/2019 SUPERSEDED

DRAWING NUMBER PNG -C-004-0001284

REVISION 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00420557

01/08/2021

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP



PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP


PROFESSIONAL ENGINEER'S STAMP

PROFESSIONAL ENGINEER'S STAMP



NOTCHED BLOCKOUTS
FOR STEEL POSTS

SEE BLOCKOUTS NOTE ON SHEET 1




ALTERNATE METHODS OF PLACING THE BLOCKOUTS ON ROUND POSTS MAY
BE SUBMITTED FOR CONSIDERATION AND APPROVED BY THE ENGINEER.

DETAIL 1

SCALE: NTS

OOD STANDARD MIDWEST GUARDRAIL SYSTEM (MGS 2.1)



BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00429557



STATE OF OHIO
ENGINEER
CHRISTOPHER J. WILSON
LICENSED PROFESSIONAL ENGINEER
01/08/2021
PROFESSIONAL ENGINEER STAMP

NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS		
								01/08/2021	CDW





C350 PROJECT
NORWOOD C350 STATION
CIVIL DETAILS - 8
HAMILTON COUNTY, OHIO



REF. DWG(S)	PNG-G-004-0001043
SHEET(S) 18 OF 68	DWG SCALE AS NOTED
DWG DATE 07/26/2019	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -C-004-0001287	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	





ELEVATION
W-BEAM FLARED END SECTION




ELEVATION
W-BEAM TERMINAL CONNECTOR



ELEVATION
THREE-BEAM TERMINAL CONNECTOR



ELEVATION
ROUNDED W-BEAM END SECTION



NOTES

GENERAL: COMPONENTS SHOWN ON THIS DRAWING ARE USED IN A VARIETY OF GUARDRAIL SYSTEMS. SEE INDIVIDUAL GUARDRAIL DRAWING FOR SPECIFIC APPLICATIONS.


SEE CHS 600 FOR GUARDRAIL SPECIFICATIONS NOT COVERED ON THESE DRAWINGS.

REFER TO AASHTO M 180-12 FOR DIMENSIONAL DETAILS OF W-BEAM AND THREE-BEAM RAIL ELEMENTS, RELATED BUFFER AND END SECTIONS, BEAM SPLICES, POST AND SPLICE BOLTS, NUTS, AND TYPE I W-BEAM TO THREE-BEAM TRANSITION SECTIONS. BEAM WASHERS ARE NOT TO BE USED. BOLTS GRADE SHALL BE ASTM A507.



RAIL ELEMENTS: UNLESS OTHERWISE SPECIFIED, W-BEAM RAIL IS 12 GAUGE STEEL WITH AN EFFECTIVE LENGTH OF 12'-0" OR 25'-0", WITH 7/8" X 1/4" SPLICE BOLT SLOTS, AND 3/4" X 2 1/2" POST BOLT SLOTS ON 3'-10" CENTERS REGARDLESS OF POST SPACING. FIELD PUNCH OR DRILL BOLT HOLES OR SLOTS FOR IRREGULARLY SPACED POSTS AS SPECIFIED IN CHS 600.04.

SUBSTITUTING ONE 10 GAUGE STEEL BEAM ELEMENT WHERE TWO NESTED 12 GAUGE STEEL BEAMS ARE SPECIFIED IS PERMITTED (BOTH W-BEAM AND THREE-BEAM).

RAIL SPLICES: LAP SPLICES BETWEEN TWO RAIL ELEMENTS OR BETWEEN A RAIL AND TERMINAL CONNECTOR IN THE DIRECTION OF TRAFFIC. LAP THE FLARED END SECTIONS IN THE DIRECTION OF TRAFFIC.



ASYMMETRIC TRANSITION SECTION



25'-0" W-BEAM SECTION
DETAIL 1
SCALE: NTS

OODOT STANDARD MIDWEST GUARDRAIL SYSTEM (MGS 1.1)

GUARDRAIL BOLT (For Post and Splice Bolts)		
L	T MIN.	BOLT USE
22" (STANDARD RAIL)	4"	TYPE MGS: WP/WB, PB
36" (BARRIER RAIL)		
16"	4"	TYPE MGS: SP/WB, PB
18"	4"	SPLICE BOLT

WP = WOOD POST
WB = WOOD BLOCKOUT
SP = STEEL POST
PB = PLASTIC BLOCKOUT
LOWER BOLT MAY BE NEEDED FOR ROUND WOOD POST LARGER THAN 8" DIA.

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # CDA21957

STATE OF OHIO
CHRISTOPHER WILSON
REGISTERED PROFESSIONAL ENGINEER
01/08/2021
PROFESSIONAL ENGINEER STAMP


NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S068801		
						CHECKER INITIALS	CNS	01/08/2021	CDW




C350 PROJECT
NORWOOD C350 STATION
CIVIL DETAILS - 9
HAMILTON COUNTY, OHIO

REF. DWG(S) PNG-G-004-0001043


SHEET(S) 19 OF 68	DWG SCALE AS NOTED
DWG DATE 07/26/2019	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -C-004-0001288	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



TYPE 1 BREAKAWAY CRT POST



TYPE 2 BREAKAWAY BCT TIMBER POST



FRONT

SIDE

STEEL BEAM POSTS				
SIZE	BEAM DEPTH	FLANGE WIDTH	FLANGE THICKNESS	WEB THICKNESS
ROLLED W6x8.5	5.8"	3.94"	0.193"	0.170"
ROLLED W6x9	5.9"	3.94"	0.205"	0.170"
WELDED 6x8.5	6.0"	3.94"	0.193"	0.170"
WELDED 6x9	6.0"	3.94"	0.205"	0.170"

NOTES

GUARDRAIL HEIGHT: FOR INITIAL INSTALLATION CONSTRUCT THE GUARDRAIL WITHIN 1" OF THE STANDARD 36" HEIGHT TO THE TOP OF W-BEAM RAIL. WHEN SUBSEQUENT PROJECTS, SUCH AS RESURFACING, AFFECT THE HEIGHT OF EXISTING GUARDRAIL, ADJUSTMENT IS NOT REQUIRED IF THE FINISHED HEIGHT IS WITHIN 3" OF THE STANDARD HEIGHT.

POSTS: THE STANDARD POST LENGTH IS 6'-0" (+3", -0" TOLERANCE). WOOD POSTS ARE PERMITTED INSTEAD OF STANDARD STEEL POSTS PER CHS 710.11.


POST EMBEDMENT DEPTH: STANDARD EMBEDMENT DEPTH IS 3'-4" MINIMUM. EMBEDMENT DEPTH SHALL BE 31" WHEN USING THE ROUND WOODEN POST OPTION. DO NOT DRIVE POSTS LOCATED OVER A CULVERT WITH LESS THAN 4'-3" OF COVER. INSTEAD SET IN DRILLED OR BAY HOLES. WHEN SITE CONSTRAINTS PROHIBIT THE POST FROM BEING PLACED AT LEAST ONE FOOT IN FRONT OF THE SLOPE BREAK POINT, USE LONGER POSTS AS SHOWN IN THE GUARDRAIL POST LENGTH AND POSITION DETAIL. THE FACE OF THE RAIL MAY NOT BE BEYOND THE SLOPE BREAK POINT.

SPECIAL POST MOUNTINGS: INSTALL POSTS LOCATED OVER A DRAINAGE INLET OR STRUCTURE WITH A COVER OF LESS THAN 3'-4" AS SHOWN IN THE FOOTING ANCHOR DETAIL.


ANCHORS: HOLES SHALL COMPLY WITH CHS 510. USE NON-SHRINK, NONMETALLIC GROUT PER CHS 705.20.

PROTECTIVE COATING: IN LIEU OF THE COMPLYING WITH CHS 710.06, COAT EXPANSION SHEET, ANCHORS AND CONCRETE INSERT ANCHOR ASSEMBLIES EMBEDDED IN CONCRETE IN ACCORDANCE WITH ASTM A 153 OR B6 OF STAINLESS STEEL. ANY BOLTS SCREWED INTO THESE DEVICES SHALL MEET CHS 710.06.

PAYMENT: PAYMENT FOR STANDARD GUARDRAIL IS MEASURED IN FEET AS ITEM 600 - GUARDRAIL, TYPE MGS. RAIL WITH LONGER POSTS SHOULD BE PAID AS ITEM 600 - GUARDRAIL, TYPE MGS WITH LONG POSTS, ALSO MEASURED IN FEET. ALL COSTS ASSOCIATED WITH SPECIAL POST MOUNTINGS ARE INCLUDED IN THE UNIT PRICE BID OF ITEM 600 GUARDRAIL OF THE TYPE SPECIFIED IN THE PLANS.




MEASURING GUARDRAIL HEIGHT



GUARDRAIL POST LENGTH AND POSITION




ODOT STANDARD MIDWEST GUARDRAIL SYSTEM (MGS 1.1)



ASTM A 36 PLATE 3/8" THICK WITH SLOTTED BOLT HOLES AND WASHERS

ASTM A 36 PLATE 7/8" THICK WITH 1" ROUND BOLT HOLES



FOOTING ANCHOR DETAIL

8.5" LONG 3/4" DIA. HAS ALL-THREADED RODS WITH WASHER AND NUT. 6" MIN. EMBEDMENT

AS6 PLATE (TWO OPTIONS SHOWN ABOVE)

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 20 OF 68 DWG SCALE AS NOTED

DWG DATE 07/26/2019 SUPERSEDED

DRAWING NUMBER PNG -C-004-0001289 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS		

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS		

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS		


NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS		

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS		




C350 PROJECT
NORWOOD C350 STATION
CIVIL DETAILS - 10
HAMILTON COUNTY, OHIO








STANDARD SWAGED FITTING AND STUD
CABLE ANCHOR




ANCHOR BRACKET




ANCHOR BRACKET ASSEMBLY DETAILS




END PLATE



STRUT




BEARING PLATE



CHANEL LEGS SHOWN DOWN. FOR OPPOSITE HAND, INSTALL CHANNEL LEGS UP.
STRUT AND YOKE ASSEMBLY


DETAIL 1
SCALE: NTS

OOD STANDARD MIDWEST GUARDRAIL SYSTEM (MGS 1.1)



YOKE
TWO REQUIRED IN ASSEMBLY

REF. DWG(S)	PNG-G-004-0001043
SHEET(S) 21 OF 68	DWG SCALE AS NOTED
DWG DATE 07/26/2019	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -C-004-0001290	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01/08/2021	ISSUED FOR CONSTRUCTION	JTG	CNS	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	JTG		
						STATION ID	S06801		
						CHECKER INITIALS	CNS	01/08/2021	CDW



C350 PROJECT
NORWOOD C350 STATION
CIVIL DETAILS - 11
HAMILTON COUNTY, OHIO

GENERAL NOTES:

- THESE NOTES AND OTHER DRAWING NOTES CONTAINED WITHIN ARE PROVIDED TO MEET SPECIFIC REQUIREMENTS AND TO SUPPLEMENT THE CONTRACT SPECIFICATIONS. THESE NOTES NEITHER REPLACE NOR OVERRIDE THE PROVISIONS AND REQUIREMENTS OF THE CONTRACT SPECIFICATIONS.
- CONTRACTOR SHALL COORDINATE ALL STRUCTURAL WORK WITH WORK SHOWN ON ALL OTHER DRAWINGS.
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS OF EXISTING CONSTRUCTION AND REPORT ANY DISCREPANCIES FROM THE CONTRACT DRAWINGS TO THE ENGINEER PRIOR TO COMMENCING WORK. SCALING OF WORKING DIMENSIONS FROM THE STRUCTURAL DRAWINGS IS PROHIBITED.
- CONTRACTOR TO FIELD VERIFY ALL FOUNDATION TOPS OF CONCRETE, REVEALS, AND DIMENSIONS PRIOR TO CONSTRUCTION. CONTRACT DRAWINGS AND SPECIFICATIONS REPRESENT THE FINISHED STRUCTURE. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL MEANS AND METHODS OF CONSTRUCTION INCLUDING, BUT NOT LIMITED TO, SHORING AND TEMPORARY BRACING.
- CONTRACTOR SHALL UNDERTAKE ALL NECESSARY MEASURES TO ENSURE SAFETY OF ALL PERSONS AND STRUCTURES AT THE SITE AND ADJACENT TO THE SITE. VISITS TO THE SITE BY THE COMPANY OR ENGINEER SHALL NOT RELIEVE THE CONTRACTOR OF SUCH RESPONSIBILITY.
- IF CERTAIN FEATURES ARE NOT FULLY SHOWN OR CALLED FOR ON THE CONTRACT DRAWINGS OR SPECIFICATIONS, THEIR CONSTRUCTION SHALL BE OF THE SAME CHARACTER AS FOR SIMILAR CONDITIONS THAT ARE SHOWN OR CALLED FOR WITH THE APPROVAL OF THE ENGINEER. WHERE SECTIONS VARY, CONTRACTOR SHALL PROVIDE FOR SMOOTH TRANSITIONS BETWEEN THEM, UNLESS NOTED OTHERWISE.
- ALL PRODUCTS SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURERS' WRITTEN INSTRUCTIONS AND RECOMMENDATIONS, UNLESS NOTED OTHERWISE.
- ITEMS WHICH ARE TO BE FURNISHED AND INSTALLED BY SEPARATE CONTRACTS ARE IDENTIFIED AND LABELED FOR EACH CONTRACT.
- FOR ADDITIONAL INFORMATION, SUBMITTAL REQUIREMENTS, AND CODES AND STANDARDS, SEE THE CONTRACT SPECIFICATIONS.

DESIGN STANDARDS:

- PRINCIPAL CODE OF RECORD: INTERNATIONAL BUILDING CODE 2018.
- AMERICAN CONCRETE INSTITUTE: (ACI)
 - ACI 318-14, BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE
- AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC)
 - AISC 360-10, SPECIFICATION FOR STRUCTURAL STEEL BUILDINGS, 14TH EDITION
- AMERICAN SOCIETY OF CIVIL ENGINEERS: (ASCE)
 - ASCE 7-10, MINIMUM DESIGN LOADS FOR BUILDINGS AND OTHER STRUCTURES
- AMERICAN WELDING SOCIETY: (AWS)
 - AWS D1.1, STRUCTURAL WELDING CODE, 2011
- PROCESS INDUSTRY PRACTICES: (PIP)
 - ST01016, STRUCTURAL DESIGN CRITERIA
 - STE06121, ASCE ANCHORAGE DESIGN FOR PETROCHEMICAL FACILITIES
 - STF05121, ANCHOR FABRICATION AND INSTALLATION INTO CONCRETE
 - STS03001, PLAN AND REINFORCED CONCRETE SPECIFICATION
 - STS03000, NONSHRINK CEMENTITIOUS GROUT SPECIFICATION
 - STS03001, EPOXY GROUT SPECIFICATION
 - STS06120, STRUCTURAL MISCELLANEOUS STEEL FABRICATION SPECIFICATION
 - STS05130, STRUCTURAL AND MISCELLANEOUS STEEL ERECTION SPECIFICATION
- DUKE ENERGY STANDARDS

STATEMENT OF SPECIAL INSPECTIONS

- REQUIRED AND PREPARED IN ACCORDANCE WITH IBC 2018 SECTIONS 1704 AND 1705.
- THE OWNER OR REGISTERED DESIGN PROFESSIONAL IN RESPONSIBLE CHARGE SHALL EMPLOY ONE OR MORE APPROVED AGENCIES/SPECIAL INSPECTORS TO PROVIDE "SPECIAL INSPECTIONS" DURING CONSTRUCTION.
- THE SPECIAL INSPECTOR(S) SHALL BE QUALIFIED PER IBC 2018 SECTION 1704.2.1.
- THE SPECIAL INSPECTOR(S) SHALL SUBMIT REPORTS PER IBC 2018 SECTION 1704.2.4.
- THE SPECIAL INSPECTOR(S) SHALL USE THE LATEST ISSUE OF THE STRUCTURAL DRAWINGS FOR THE INSPECTIONS. SHOP FABRICATION DRAWINGS SHALL NOT BE USED FOR INSPECTION PURPOSES.
- SPECIAL INSPECTIONS:
 - STEEL CONSTRUCTION PER IBC 2018 SECTION 1705.2.
 - CONCRETE CONSTRUCTION PER IBC 2018 SECTION 1705.3 AND TABLE 1705.3.
 - SOILS PER IBC 2018 SECTION 1705.6 AND TABLE 1705.6.
 - DRILLED PIERS PER IBC 2018 SECTION 1705.7 AND TABLE 1705.7.

DESIGN LOADS:

- RISK CATEGORY: 3 PER ASCE 7
- DEAD LOAD:
 - EQUIPMENT LOADS ARE ACTUAL WEIGHTS OF EQUIPMENT (EMPTY, OPERATING, AND/OR TESTING WEIGHTS AS PROVIDED BY EQUIPMENT SUPPLIER)
 - FOUNDATIONS ARE DESIGN FOR EQUIPMENT, WHICH SATISFIES THE CONTRACT SPECIFICATIONS.
- LIVE LOADS PER ASCE 7:
 - PLATFORMS AND WALKWAYS: 60 PSF
 - STAIRS AND EXITWAYS: 100 PSF
 - LIGHT STORAGE: 125 PSF
- SNOW LOADS PER ASCE 7:
 - GROUND SNOW LOAD: 20 PSF
 - EXPOSURE FACTOR: 0.9
 - THERMAL FACTOR: 1.2
 - IMPORTANCE FACTOR: 1.2
- ICE LOADS PER ASCE 7:
 - NOMINAL ICE THICKNESS: 0.75 INCH
 - CONCURRENT WIND SPEED: 30 MPH
 - IMPORTANCE FACTOR: MULTIPLIER ONCE THICKNESS IS 1.25 - MULTIPLIER ON CONCURRENT WIND PRESSURE: 1.0
- WIND LOAD PER ASCE 7:
 - BASIC WIND SPEED: 120 MPH 3-SECOND GUST - ULTIMATE
 - BASIC WIND SPEED: 90 MPH 3-SECOND GUST - SERVICE LEVEL
 - EXPOSURE CATEGORY: C
- SEISMIC LOAD PER ASCE 7:
 - MAXIMUM CONSIDERED EARTHQUAKE SPECTRAL RESPONSE ACCELERATIONS: - S_s COEFFICIENT: 0.143g - S₁ COEFFICIENT: 0.077g
 - DESIGN EARTHQUAKE SPECTRAL RESPONSE ACCELERATIONS: - S_s COEFFICIENT: 0.115g - S₁ COEFFICIENT: 0.087g
 - IMPORTANCE FACTOR: 1.5
 - SITE CLASS: D
 - SEISMIC DESIGN CATEGORY: D
 - FROST DEPTH: 30" (PER 2018 OHIO BUILDING CODE)

SOILS AND FOUNDATIONS:

- USE SPECIAL CARE DURING EXCAVATION NOT TO DAMAGE EXISTING STRUCTURES. PROVIDE SHEETING OR SHORING WHERE NECESSARY.
- FOUNDATION CONSTRUCTION SHALL BE OBSERVED BY THE GEOTECHNICAL ENGINEER OF RECORD.
- SITE PREPARATION PER TERRACON GEOTECHNICAL ENGINEERING REPORT DATED 04/13/2017 AND C350 CENTRAL CORRIDOR PIPELINE EXPANSION GEOTECHNICAL ENGINEERING REPORT DATED 07/06/2020:
 - GEOTECHNICAL ENGINEER OF RECORD SHALL OBSERVE SUBGRADE PRIOR TO CONCRETE PLACEMENT.
 - EXCAVATION, FILL, AND BACKFILL SHALL BE IN ACCORDANCE WITH THE CONTRACT AND SPECIFICATIONS. CONTRACTOR SHALL NOTIFY THE ENGINEER WHEN LOOSE OR SOFT SOILS ARE EXPOSED WHERE SLABS, MATS, OR FOOTINGS ARE TO BE PLACED SO A DETERMINATION MAY BE MADE REGARDING IMPROVEMENT OF THIS POTENTIALLY UNDESIRABLE CONDITION.
 - EXISTING UNDERGROUND UTILITIES AND FOUNDATIONS SHALL BE LOCATED BY CAREFUL EXCAVATION BEFORE STARTING FOUNDATION OR HYDRO EXCAVATION AS REQUIRED. SUPPORT AND PROTECTION OF THESE UTILITIES AND FOUNDATIONS SHALL BE PROVIDED DURING EARTHWORK OPERATIONS.
 - SHALLOW FOUNDATION GROUND IMPROVEMENTS:
 - SUBGRADE PREP (ALL FOUNDATIONS EXCEPT BUILDING SLAB): OVEREXCAVATE AND RE-COMPACT UNCONSOLIDATED NATIVE SITE SOIL 36 INCHES BELOW BEARING ELEVATION, UNLESS OTHERWISE NOTED, 36 INCHES OUTSIDE FOOTING PERIMETER.
 - SUBGRADE PREP (BUILDING SLAB): OVEREXCAVATE AND RE-COMPACT UNCONSOLIDATED NATIVE SITE SOIL 18 INCHES BELOW BEARING ELEVATION, 18 INCHES OUTSIDE SLAB PERIMETER.
 - BACKFILL: STRUCTURAL FILL IS USED BELOW OR WITHIN 10 FEET OF STRUCTURES OR PAVEMENTS. GENERAL FILL IS USED TO ACHIEVE GRADE OUTSIDE OF THESE AREAS. EARTHEN MATERIALS USED FOR STRUCTURAL FILL INCLUDING COHESIVE SOILS, SHALE, AND SMALL PIECES OF LIMESTONE CAN BE INCLUDED IN THE BACKFILL. CONTROLLED LOW STRENGTH MATERIAL MAY ALSO BE USED UNDER FOUNDATIONS WITHOUT GEGRID LAYERS.
 - COMPACTION: 8 INCH LAYERS, 95% ASTM D 1557
 - ALL SOIL BACKFILL SHOULD BE MOISTURE-CONDITIONED TO WITHIN ±3% OF THEIR OPTIMUM MOISTURE CONTENT, PLACED IN THIN HORIZONTAL LIFTS (8" OR LESS WHEN USING HEAVY COMPACTION EQUIPMENT AND 4" WHEN USING HAND COMPACTION EQUIPMENT), AND COMPACTED TO A MINIMUM 95% IN LAWN, NON-STRUCTURAL AREAS AND 98% TO 100% STANDARD PROCTOR MAXIMUM DRY DENSITY (ASTM D 698) IN PAVEMENT AND OTHER STRUCTURAL AREAS.
- FILL AND BACKFILL MATERIALS:
 - STRUCTURAL FILL: ODOT #304

RECOMMENDED GRADED MATERIALS	
ODOT #304 AGGREGATE BASE	
SIEVE	PERCENT FINER
1"	100
3/4"	90-100
3/8"	20-55
#4	0-10
#8	0-5

- CONTROLLED LOW-STRENGTH MATERIAL: ODOT ITEM #13 SPECIFICATION
 - FLOWABLE FILL SHALL BE REMOVABLE WITH A COMPRESSIVE STRENGTH LOWER THAN 150PSI AND SHALL GENERALLY CONFORM TO THE ODOT TYPE 2 MIX.
- DESIGN PARAMETERS:
 - MINIMUM STABILITY FACTORS OF SAFETY:
 - OVERTURNING: 1.5
 - UPLIFT: 1.5
 - SLIDING: 1.0
 - NET ALLOWABLE BEARING PRESSURE: 2000 PSF
 - COEFFICIENT OF FRICTION: 0.4

MATERIALS:

- SEE THE CONTRACT SPECIFICATIONS FOR COMPLETE REQUIREMENTS AND COMPLY WITH ALL APPLICABLE OSHA REGULATIONS.
- REINFORCED CONCRETE:
 - REINFORCED CONCRETE SHALL BE PREPARED AND PLACED IN ACCORDANCE WITH ACI, PIP STS03001, PROJECT SPECIFICATIONS, AND OWNER STANDARD.
- CONCRETE:
 - ALL CONCRETE CONSTRUCTION SHALL COMPLY WITH THE LATEST ADOPTED EDITION OF THE FOLLOWING ACI CODES: ACI 318, ACI 315, AND ACI 301.
 - ALL CEMENT SHALL BE TYPE I CEMENT AND CONFORM TO ASTM C150, UNLESS OTHERWISE SPECIFIED OR REQUIRED AND HAVE MINIMUM 28-DAY COMPRESSIVE STRENGTH OF 4,500 PSI.
 - MAXIMUM WATER/CEMENT RATIO SHALL BE 0.45.
 - SUMP OF CONCRETE SHALL BE BETWEEN 3 AND 4 INCHES AS TESTED IN ACCORDANCE WITH ASTM C143. IF CONTRACTOR WISHES TO USE A MIX WITH SLUMP OUTSIDE THE RANGE LISTED ABOVE, WRITTEN APPROVAL FROM ENGINEER OF RECORD IS REQUIRED PRIOR TO MIX DESIGN SUBMITTAL.
 - MIXING WATER SHALL BE POTABLE WATER AND CONFORM TO ASTM C1602.
 - AGGREGATES FOR NORMAL WEIGHT CONCRETE SHALL CONFORM TO ASTM C33 "SPECIFICATION FOR CONCRETE AGGREGATES". THE NOMINAL MAXIMUM SIZE OF THE AGGREGATE SHALL NOT BE MORE THAN 1-1/2".
 - FOR NEW COARSE-AGGREGATE SOURCE, WHEN 3 YEARS' APPROVED SERVICE RECORDS ARE NOT AVAILABLE OR WHEN SERVICE RECORDS ARE UNACCEPTABLE, AGGREGATE SHALL BE EVALUATED FOR POTENTIAL REACTIVITY. AGGREGATE MUST BE CONSIDERED INNOCUOUS IN ACCORDANCE WITH ASTM 1260. IF EVALUATION ABOVE INDICATES REACTIVE AGGREGATES AND ALTERNATE AGGREGATE SOURCES ARE NOT AVAILABLE, REQUEST RE-EVALUATION OF AGGREGATE USING ASTM C1567. COARSE AGGREGATES CONSIDERED DELETERIOUS OR POTENTIALLY DELETERIOUS SHALL NOT BE USED WITHOUT APPROVAL.
 - ADDMIXTURES SHALL NOT BE USED WITHOUT THE APPROVAL OF THE ENGINEER'S CONSTRUCTION FIELD REPRESENTATIVE. SHOULD ADMIXTURES BE APPROVED, ALL MATERIALS SHALL BE TESTED IN ACCORDANCE WITH THE LATEST EDITION OF ASTM C260 "STANDARD SPECIFICATION FOR AIR-ENTRAINING ADMIXTURES FOR CONCRETE."
 - CONCRETE FOR ALL PARTS OF THE WORK SHALL BE OF THE SPECIFIED QUALITY, CAPABLE OF BEING PLACED WITHOUT EXCESSIVE SEGREGATION, AND WHEN HARDENED, OF DEVELOPING ALL CHARACTERISTICS REQUIRED BY THESE SPECIFICATIONS AND THE CONTRACT DOCUMENTS. BEFORE CONCRETE WORK BEGINS, THE PROPOSED CONCRETE MIX DESIGN ALONG WITH COLLABORATING DATA SHOWING COMPLIANCE WITH THE SPECIFICATIONS SHALL BE SUBMITTED TO ENGINEER FOR APPROVAL.
 - ALL REINFORCING STEEL, WIRE MESH, ANCHOR BOLTS, HOLD-DOWN ANCHORS, AND OTHER INSERTS SHALL BE SECURED IN POSITION PRIOR TO PLACING OF CONCRETE.
 - EXPOSED HORIZONTAL CONCRETE SURFACES SHALL BE WOOD FLOATED TO DEPRESS COARSE AGGREGATE AND STEEL TROWELED TO A SMOOTH SURFACE.
 - ALL WALKING SURFACES SHALL HAVE A LIGHT BROOM FINISH.
 - CONCRETE SURFACES SHALL BE PROTECTED DURING CURING AGAINST EARLY EVAPORATION OF WATER, ACTION BY SUN, RAIN, WATER, FROST, AND CRACKING.

FORMWORK:

- CONTRACTOR SHALL BE RESPONSIBLE FOR DESIGN, ENGINEERING, STRUCTURAL ADEQUACY, AND CONSTRUCTION OF ALL CONCRETE FORMWORK IN ACCORDANCE WITH THE CONTRACT SPECIFICATIONS.
- COORDINATE ALL CONCRETE WORK WITH THE PLACEMENT OF PIPING, INSERTS, FLOOR DRAINS, AND OTHER EMBEDDED ITEMS INDICATED ON THE CONTRACT DRAWINGS OR IN THE CONTRACT SPECIFICATIONS.
- ALL NEW OR EXISTING PIPING OR UTILITIES PASSING THROUGH NEW CONCRETE SHALL BE SLEEVED 1/2" CLEAR ALL AROUND UNLESS NOTED OTHERWISE. (SEE OTHER DISCIPLINE DRAWINGS FOR SLEEVE DETAILS. CONTRACTOR SHALL PROVIDE MEASURES TO ENSURE THAT SLEEVES REMAIN FREE OF DEBRIS AND WATER DURING CONSTRUCTION).
- PROVIDE 1" 45° CHAMFER ON ALL EDGES OF EXPOSED CONCRETE UNLESS CONCRETE NOT EXPOSED TO WEATHER OR IN CONTACT WITH THE GROUND.

REINFORCING STEEL:

- BAR: ASTM A615 GRADE 60
- ALL CONCRETE SHALL BE REINFORCED UNLESS SPECIFICALLY MARKED "NOT REINFORCED" OR "UNREINFORCED".
- CONTRACTOR SHALL DETAIL AND PLACE ALL REINFORCEMENT IN ACCORDANCE WITH ACI SP-06, ACI 301, ACI 318, AND CRSI MANUAL OF STANDARD PRACTICE.
- MINIMUM CONCRETE CLEAR COVER OVER REINFORCEMENT SHALL BE AS FOLLOWS, UNLESS NOTED OTHERWISE:
 - CONCRETE CAST AGAINST AND PERMANENTLY EXPOSED TO EARTH: 3"
 - CONCRETE EXPOSED TO EARTH OR WEATHER:
 - #6 THROUGH #18 BARS - 2"
 - #5 AND SMALLER BARS AND WELDED WIRE FABRIC - 1 1/2"
 - CONCRETE NOT EXPOSED TO WEATHER OR IN CONTACT WITH THE GROUND:
 - SLABS AND WALLS - #14 AND #18 BARS - 1 1/2"
 - #11 AND SMALLER BARS - 3/4"
 - BEAMS AND COLUMNS, PRIMARY REINFORCEMENT, TIES, STIRRUPS, SPIRALS - 1 1/2"
- EMBEDMENT AND LAP SPICE LENGTHS FOR ALL REINFORCING STEEL BARS SHALL CONFORM TO THE FOLLOWING PROVISIONS, UNLESS NOTED OTHERWISE. LAP SPICES SHALL NOT BE PLACED WITHIN 5FT OF THE LONG END OF THE FOUNDATION.

MINIMUM STRAIGHT EMBEDMENT LENGTHS:

#3 - 15"	#6 - 20"	#9 - 54"
#4 - 19"	#7 - 42"	#10 - 61"
#5 - 24"	#8 - 48"	#11 - 67"

MINIMUM LAP SPICE LENGTHS:

#3 - 19"	#6 - 37"	#9 - 70"
#4 - 25"	#7 - 54"	#10 - 79"
#5 - 31"	#8 - 62"	#11 - 87"

MINIMUM HOOK EMBEDMENT LENGTHS:

#3 - 8"	#6 - 15"	#9 - 22"
#4 - 10"	#7 - 17"	#10 - 25"
#5 - 12"	#8 - 17"	#11 - 27"

- THE MINIMUM LENGTHS SHOWN ABOVE ARE BASED ON THE FOLLOWING CONCRETE COVERAGE AND REINFORCING C/C SPACING:
 - BEAMS AND COLUMNS: COVER = 1.0db (BAR DIAMETER)
CENTER TO CENTER (C/C) SPACING = 2.0db
 - ALL OTHERS: COVER = 1.0db (BAR DIAMETER)
CENTER TO CENTER (C/C) SPACING = 3.0db
- THE DEVELOPMENT AND SPICE LENGTHS SHOWN SHALL NOT APPLY IF ANY OF THE FOLLOWING CONDITIONS OCCUR:
 - $f_c < 4,000$ PSI
 - $f_y > 80,000$ PSI
- THE COVER OR C/C BAR SPACING IS NOT AS LISTED ABOVE.
 - THE REINFORCING STEEL IS EPOXY COATED.
 - LIGHT WEIGHT CONCRETE IS USED.
- HORIZONTAL BARS HAVING MORE THAN 12" OF CONCRETE PLACED BELOW THEM SHALL BE CONSIDERED TOP REINFORCEMENT AND SHALL HAVE MINIMUM STRAIGHT EMBEDMENT AND LAP SPICE LENGTHS INCREASED BY NOT LESS THAN 30% OVER THOSE GIVEN ABOVE.
- HOOK EMBEDMENT IS THE MINIMUM STRAIGHT LINE DISTANCE FROM THE CRITICAL SECTION OF THE BAR TO THE FARTHEST EDGE OF THE HOOK.

JOINTS:

- LOCATE ALL CONSTRUCTION, CONTRACTION, ISOLATION, EXPANSION, AND OTHER JOINTS AS INDICATED OR SPECIFIED, OR OTHERWISE APPROVED BY THE ENGINEER.
- SURFACES OF ALL HORIZONTAL AND VERTICAL CONSTRUCTION JOINTS SHALL BE CLEANED OF LAITANCE AND SHALL EXPOSE CLEAN COARSE AGGREGATE SOLIDLY EMBEDDED IN MORTAR MIX TO MINIMUM 1/4" AMPLITUDE. APPLY CONCRETE BONDING AGENT PRIOR TO DEPOSITING CONCRETE IN ACCORDANCE WITH MANUFACTURERS' INSTRUCTIONS.
- THESE PROVISIONS SHALL ALSO APPLY WHEN NEW CONCRETE IS PLACED AGAINST EXISTING CONCRETE.
- PROVIDE WATERSTOPS AT CONCRETE JOINTS WHERE INDICATED ON THE CONTRACT DRAWINGS. ALL WATERSTOPS SHALL BE FUEL RESISTANT TYPE, UNLESS NOTED OTHERWISE.

REF DWG(S) PNG-G-004-000104

SHEET(S) 22 OF 68 DWG SCALE NONE

DWG DATE 05/19/2020 SUPERSEDED

DRAWING NUMBER

PNG -S-004-0001009

REVISION

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

C350 PROJECT
NORWOOD C350 STATION
STRUCTURAL NOTES (1 OF 2)
HAMILTON COUNTY, OHIO



NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPROV	DESCRIPTION	DATE	INITIALS	REGIONAL ENGINEER
0	01-08-2021	ISSUED FOR CONSTRUCTION	DJS	EAB	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	DJS		
						STATION ID	S068801		
						CHECKER INITIALS	EAB		
						DATE	01/08/2021		
						INITIALS	CDW		
						PRINCIPAL ENGINEER			

6. STRUCTURAL AND MISCELLANEOUS STEEL:

- a. STRUCTURAL AND MISCELLANEOUS STEEL SHALL BE FABRICATED AND ERECTED IN ACCORDANCE WITH AISC STEEL CONSTRUCTION MANUAL, 14TH EDITION, PIP STS05120 AND PIP STS05130, AND ALL APPLICABLE OWNER STANDARDS.
- b. TEMPORARY ERECTION BRACING SHALL BE DESIGNED AND PROVIDED BY THE CONTRACTOR AS REQUIRED AND SHALL NOT BE REMOVED UNTIL ALL PERMANENT LATERAL-LOAD-RESISTING ELEMENTS AND CONNECTIONS ARE COMPLETELY INSTALLED.
- c. ALL STEEL SHALL BE HOT-DIP GALVANIZED UNLESS NOTED OTHERWISE ON PLANS.
- d. WIDE FLANGE SHAPES AND TEES: ASTM A992, $F_y = 50$ KSI OR ASTM A572, $F_y = 50$ KSI
- e. PLATES, ANGLES, AND CHANNELS: ASTM A36, $F_y = 36$ KSI, UNLESS NOTED OTHERWISE
- f. SQUARE AND RECTANGULAR HOLLOW STRUCTURAL SECTIONS: ASTM A500 GRADE B, $F_y = 46$ KSI
- g. ROUND HOLLOW STRUCTURAL SECTIONS: ASTM A500 GRADE B, $F_y = 42$ KSI
- h. PIPE: ASTM A53 GRADE B, $F_y = 35$ KSI
- i. ALL DOUBLE ANGLE MEMBERS SHALL HAVE SPACER PLATES CONFORMING TO AISC STEEL CONSTRUCTION MANUAL PARAGRAPH E9. SPACER PLATES SHALL BE THE SAME THICKNESS AS THE GUSSET PLATES.

7. BOLTS:

- a. 3/4" DIAMETER ASTM A3125 GRADE A325, UNLESS NOTED OTHERWISE.
- b. FRAMING CONNECTIONS: SNUG-TIGHTENED JOINTS WITH STANDARD HOLES, UNLESS NOTED OTHERWISE.
- c. BRACING CONNECTIONS: SNUG-TIGHTENED JOINTS WITH STANDARD HOLES, UNLESS NOTED OTHERWISE.
- d. ON ONE SIDE OF EACH DOUBLE CONNECTION OF BEAMS TO A COLUMN WEB OR A GIRDER WEB DIRECTLY OVER A COLUMN, PROVIDE A TEMPORARY SEAT ANGLE ATTACHED TO COLUMN OR GIRDER WEB AND TO BOTTOM FLANGE OF BEAM. MINIMUM SEAT CONNECTION SHALL BE 1x3x3/8 L/W WITH TWO 3/4" DIAMETER A307 OR A325-ST BOLTS EACH LEG. SINGLE AND DOUBLE STAGGERED CONNECTIONS ARE PROHIBITED WITHOUT THE EXPLICIT PRIOR APPROVAL IN WRITING OF THE STRUCTURAL ENGINEER OF RECORD.

8. WELDING:

- a. IN ACCORDANCE WITH AWS D1.1 USING E70 ELECTRODE
- b. MINIMUM STRUCTURAL WELD REQUIREMENTS ARE SHOWN ON DESIGN DRAWINGS. CLIENT REQUESTS WELDED CONNECTIONS TO BE FINISHED WITH MINIMUM SEAL WELDING ON REMAINDER OF JOINT AT ALL OTHER CREVICES. SEAL WELDING SHALL NOT PRODUCE AN UNSAFE CONDITION FOR HOT-DIP GALVANIZING.

9. ANCHOR BOLTS:

- a. ASTM F1554 GRADE 55 NOTED OTHERWISE ON DRAWINGS.
- b. ANCHOR BOLT HOLES IN BASE PLATES TO BE OVERSIZED TO ACCOUNT FOR CONSTRUCTION TOLERANCES IN ANCHOR BOLT PLACEMENT. HOLES CORRESPONDING TO APPROPRIATE ANCHOR BOLT SIZE SHALL BE NO LARGER THAN THE MAXIMUM RECOMMENDED SIZES IN THE AISC STEEL CONSTRUCTION MANUAL, 14TH EDITION TABLE 14-2
- c. PROVIDE PLATE WASHERS AT OVERSIZED ANCHOR BOLT HOLES.
- d. LOCATE ANCHOR BOLTS ACCURATELY, SET WITH TEMPLATE, AND SECURELY HOLD IN POSITION WHILE PLACING CONCRETE. PROTECT IN-PLACE ANCHOR BOLTS FROM CONSTRUCTION ACTIVITY.
- e. THE FOLLOWING ARE PROHIBITED WITHOUT THE EXPLICIT PRIOR APPROVAL IN WRITING OF THE ENGINEER:
- INSERTING ANCHOR BOLTS INTO FRESH OR PARTIALLY HARDENED CONCRETE.
 - SUBSTITUTING POST-INSTALLED ANCHORS WHERE EMBEDDED ANCHOR BOLTS ARE INDICATED.
 - REPAIRING, REPLACING, OR MODIFYING INSTALLED ANCHOR BOLTS.
- f. ANCHOR BOLT THREADS SHALL BE UNC-2A AND PROTECTED FROM DAMAGE DURING CONSTRUCTION.
- g. SLEEVES FOR STATIONARY EQUIPMENT AND STRUCTURAL BASE PLATES SHALL BE FILLED WITH GROUT WHEN BASE PLATE/EQUIPMENT IS GROUTED IN FINAL LOCATION.
- h. ANCHOR BOLTS, NUTS, AND WASHERS SHALL BE SHIPPED GALVANIZED.

10. POST-INSTALLED ANCHORS:

- a. INSTALL ANCHORS PER MANUFACTURER INSTRUCTIONS INCLUDED IN ANCHOR PACKAGING.
- b. CONTRACTOR SHALL ARRANGE AN ANCHOR MANUFACTURER'S REPRESENTATIVE TO PROVIDE ON-SITE INSTALLATION TRAINING FOR ALL OF THEIR ANCHORING PRODUCTS SPECIFIED. ENGINEER OF RECORD MUST RECEIVE DOCUMENTED CONFIRMATION THAT ALL OF CONTRACTOR'S PERSONNEL WHO INSTALL ANCHORS ARE TRAINED PRIOR TO COMMENCEMENT OF INSTALLING ANCHORS.
- c. ANCHOR CAPACITY IS DEPENDENT ON SPACING BETWEEN ADJACENT ANCHORS AND PROXIMITY OF ANCHORS TO EDGE OF CONCRETE. INSTALL ANCHORS IN ACCORDANCE WITH SPACING AND EDGE CLEARANCES INDICATED ON DRAWINGS.
- d. EXISTING REINFORCING BARS IN CONCRETE STRUCTURE MAY CONFLICT WITH SPECIFIC ANCHOR LOCATIONS. REINFORCING BARS SHALL NOT BE CUT UNLESS NOTED ON DRAWINGS THAT BARS CAN BE CUT. CONTRACTOR SHALL CONTACT ENGINEER OF RECORD WHEN INTERFERENCES OCCUR.
- e. PERMITTED POST-INSTALLED ANCHOR/EPOXY ARE LISTED AS FOLLOWS (ALTERNATE PRODUCTS MUST BE APPROVED IN WRITING BY ENGINEER OF RECORD PRIOR TO USE. SUBSTITUTIONS REQUIRE STAMPED CALCULATIONS)
- WEDGE TYPE - LIFE SAFETY APPLICATIONS:
 - SIMPSON STRONG TIE - STRONG BOLT 2
 - HILTI KWIK BOLT TZ
 - POWERS POWER STUD S02
 - WEDGE TYPE - NON-LIFE SAFETY APPLICATIONS:
 - SIMPSON STRONG TIE - WEDGE ALL
 - HILTI KWIK BOLT 3
 - POWER POWER STUD S01
 - UNDERCUT TYPE (USE ONLY WHERE SPECIFICALLY INDICATED ON DRAWINGS):
 - SIMPSON STRONG TIE - TORQUE CUT
 - HILTI HDA UNDERCUT ANCHOR
 - POWERS ATOMIC + UNDERCUT
 - EPOXY ANCHORS - LIFE SAFETY APPLICATIONS:
 - SIMPSON STRONG TIE - SET XP
 - HILTI HIT-RE500 V3
 - HILTI HIT-HY200
 - POWER PE1000
 - ADHESIVE ANCHORS - FOR NON-VIBRATING EQUIPMENT ANCHORAGE AND OTHER NON-LIFE SAFETY APPLICATIONS:
 - SIMPSON STRONG TIE - AT
 - HILTI HIT-HY200
 - POWER AC108+ GOLD
- f. CONCRETE ANCHORS:
- GALVANIZED OR ZINC-COATED CARBON STEEL MANUALLY EXPANDED WEDGE TYPE, UNLESS NOTED OTHERWISE.
- g. ADHESIVE ANCHORS:
- INSTALL ADHESIVE ANCHORS AS INDICATED ON DRAWINGS.
 - ALL PERSONNEL INSTALLING ADHESIVE ANCHORS SHALL BE ACI ADHESIVE ANCHOR CERTIFIED.
 - ADHESIVE ANCHORS SHALL BE INSTALLED IN CONCRETE HAVING A MINIMUM AGE OF 21 DAYS AT TIME OF ANCHOR INSTALLATION.

11. GROUT:

- a. NON-SHRINK GROUT IN ACCORDANCE W PIP STS03600.
- NON-METALLIC, HYDRAULIC-CEMENT GROUT IN ACCORDANCE WITH ASTM C1107.
 - MINIMUM COMPRESSIVE STRENGTH = 6,000 PSI @ 28 DAYS.
 - GROUT SHALL BE SUITED FOR OUTDOOR USE.
- b. EPOXY GROUT IN ACCORDANCE W PIP STS03601.
- PROVIDE EPOXY GROUT FOR ALL PUMP BASES

12. STEEL BAR GRATING:

- a. PER VENDOR INSTRUCTIONS

ABBREVIATIONS:

AB	ANCHOR BOLT	L	ANGLE
ABV	ABOVE	LG	POUND
ACI	AMERICAN CONCRETE INSTITUTE	LONG	LONG
AGGR	AGGREGATE	LL	LIVE LOAD
AISC	AMERICAN INSTITUTE OF STEEL CONSTRUCTION	LLBB	LONG LEG BACK TO BACK
ANSI	AMERICAN NATIONAL STANDARD INSTITUTE	LLH	LONG LEG HORIZONTAL
ASTM	AMERICAN SOCIETY FOR TESTING OF MATERIALS	LLV	LONG LEG VERTICAL
AWS	AMERICAN WELDING SOCIETY	LONG	LONGITUDINAL
BIP	BOTTOM OF BASE PLATE	LAP	LAP SPlice
BTW	BETWEEN	MATL	MATERIAL
BLDG	BUILDING	MAX	MAXIMUM
BM	BEAM	MECH	MECHANICAL
BOP	BOTTOM OF CONCRETE	MFR	MANUFACTURER
BOP	BOTTOM OF PIPE	MH	MANHOLE
BOS	BOTTOM OF STEEL	MIN	MINIMUM
BOT	BOTTOM	MISC	MISCELLANEOUS
CAP	CAPACITY	NA	NOT APPLICABLE
C/C	CENTER TO CENTER	NF	NEAR FACE
CL	CENTERLINE	NO	NUMBER
CIR	CIRCLE	NOM	NOMINAL
CJ	CONSTRUCTION JOINT	NS	NEAR SIDE
CLR	CLEAR	NTS	NOT TO SCALE
CLJ	CONTROL JOINT	OC	ON CENTER
COL	COLUMN	OD	OUTSIDE DIAMETER
CONC	CONCRETE	OF	OUTSIDE FACE
CONT	CONTINUOUS	OPP	OPPOSITE
COORD	COORDINATE	OSHA	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
CTR	CENTER	PE	PEDESTAL
db	BAR DIAMETER	PEN	PENETRATE, PENETRATION
DET	DETAIL	PERP	PERPENDICULAR
DA	DIAMETER	PL	PLATE
DIAG	DIAGONAL	PROJ	PROJECTION
DM	DIMENSION	PSF	POUNDS PER SQUARE FOOT
DL	DEAD LOAD	PSI	POUNDS PER SQUARE INCH
DN	DOWN	PVC	POLYVINYL CHLORIDE
DWG	DRAWING	RAD	RADIUS
DWL	DOWEL	REF	REFERENCE
EA	EACH	REINF	REINFORCE
EJ	EACH FACE	REQD	REQUIRED
EF	EXPANSION JOINT	REV	REVISION
EL	ELEVATION	SCHED	SCHEDULE
ELEC	ELECTRICAL	SECT	SECTION
ELEV	ELEVATION	SH	SHEET
EMBED	EMBEDMENT	SM	SIMILAR
EQ	EQUAL	SLP	SLOPE
EQUIP	EQUIPMENT	SPEC	SPECIFICATION
EQUIV	EQUIVALENT	SQ	SQUARE
EXIST	EXISTING	STD	STANDARD
EXP	EXPANSION	STIFF	STIFFENER
EW	EACH WAY	STRIP	STRIP
fc	SPECIFIED 28-DAY CONCRETE COMPRESSIVE STRENGTH (MINIMUM)	STL	STEEL
FDN	FOUNDATION	STR	STRAIGHT
FF	FAR FACE	STRUC	STRUCTURAL
FLG	FLANGE	STRUC	STRUCTURE
FS	FAR SIDE	SYMM	SYMMETRICAL
FT	FEET	T&B	TOP & BOTTOM
FTG	FOOTING	TOT	TOP OF BOLT
Fy, fy	YIELD STRESS	TOC	TOP OF CONCRETE
FV	FIELD VERIFY	TOG	TOP OF GRATING
GA	GAGE	TOS	TOP OF STEEL
GALV	GALVANIZE	TYP	TYPICAL
GR	GRADE	UNO	UNLESS NOTED OTHERWISE
GRG	GRATING	VAR	VARIABLE
H	HIGH	VERT	VERTICAL
HORIZ	HORIZONTAL	W	WIDE
HR	HANDRAIL	W	WITH
HS	HIGH STRENGTH	WO	WITHOUT
IBC	INTERNATIONAL BUILDING CODE	WD	WIDTH
ID	INSIDE DIAMETER	WF	WIDE FLANGE
IF	INSIDE FACE	WP	WORK POINT
IJ	ISOLATION JOINT	WT	WEIGHT/STRUCTURAL
INTR	INTERIOR	WWF	WELDED WIRE FABRIC
INVT	INVERT	@	AT
JT	JOINT	#	AND
KB	KNEE BRACE	#	POUNDS OR NUMBER
KSI	KIPS PER SQUARE INCH	%	PERCENT
		Ø	DIAMETER

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00021957



NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPROV	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	DJS	EAB	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	DJS		
						STATION ID	S068801		
						CHECKER INITIALS	EAB	01/08/2021	

C350 PROJECT
NORWOOD C350 STATION
STRUCTURAL NOTES (2 OF 2)
HAMILTON COUNTY, OHIO


REF. DWG(S)	PNG-G-004-000104
SHEET(S)	23 OF 68
DWG SCALE	AS NOTED
DWG DATE	05/19/2020
SUPERSEDED	---
DRAWING NUMBER	PNG -S-004-0001010
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



EQUIPMENT FOUNDATION TABLE

POINT #	NORTHING	EASTING	TOC	DESCRIPTION
1	435392.81	1414458.83	596.45	LIGHT POLE
2	435353.77	1414482.67	596.88	HEATER
3	435359.61	1414457.24	597.72	20" PIPE SUPPORT
4	435348.75	1414455.42	598.57	10" PIPE SUPPORT
5	435332.92	1414458.62	598.64	10" PIPE SUPPORT
6	435336.07	1414449.36	595.65	PIG RECEIVER
7	435236.34	1414503.07	596.82	REGULATOR BUILDING
8	435224.00	1414545.44	598.07	LIGHT POLE
9	435209.89	1414548.80	598.02	CONTROLS BUILDING
10	-	-	595.55	*SINGLE WIDE ACCESS PLATFORM
11	-	-	596.37	*DOUBLE WIDE ACCESS PLATFORM

*PLATFORM LOCATIONS TO BE SET AFTER EQUIPMENT FOUNDATIONS AND VALVES ARE LOCATED



NOTES:

1. ♦ DENOTES REFERENCE COORDINATE LOCATION.
2. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEER OF RECORD.
3. CONTRACTOR TO VERIFY ALL FOUNDATION LOCATIONS & HEIGHTS PRIOR TO CONSTRUCTION.
4. LOCATE PIPE SUPPORTS, REST & THRUST BLOCKS PER MECHANICAL DWGS.
5. SEE DETAIL 8, DWG S-004-0001015 FOR REST BLOCK DETAILS.
6. SEE DETAIL 9, DWG S-004-0001015 FOR THRUST BLOCK DETAILS.
7. SEE DETAIL 10, DWG S-004-0001015 FOR BOLLARD DETAILS.
8. CONTRACTOR TO INSTALL FRP PAD BETWEEN FOUNDATIONS WITH LESS THAN 6" CLEARANCE.
9. COORDINATES SHOWN ON THIS DRAWING ARE IN OHIO STATE PLANE SOUTH COORDINATES, ZONE 1402, NAD83 HORIZONTAL DATUM AND NAVD88 VERTICAL DATUM.
10. SEE DETAIL 18, DWG S-004-0001015 FOR DIAPHRAGM METER SUPPORT FOUNDATION.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 24 OF 68 DWG SCALE 1" = 10'

DWG DATE 07/23/2019 SUPERSEDED

DRAWING NUMBER PNG -S-004-0001011 REVISION 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER


BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00421957

NO.	DATE	REVISION/DESCRIPTION
0	01-08-2021	ISSUED FOR CONSTRUCTION


BY	CHK	APPD	DESCRIPTION
DJS	EAB	CDW	AREA CODE
			ACCOUNT NUMBER AW2128
			PROJECT NUMBER 1880115
			DRAWING BY DJS
			STATION ID S068801
			CHECKER INITIALS EAB

APPROVALS	
REGIONAL ENGINEER	
MGR. TECH. REC. & STD.	
PRINCIPAL ENGINEER	


C350 PROJECT
NORWOOD C350 STATION
FOUNDATION LOCATION
HAMILTON COUNTY, OHIO




DETAIL
PIG RECEIVER SKID
FOUNDATION PLAN
S-004-0001011
SCALE IN FEET
0 4 8




SECTION
N.T.S. A



SECTION
N.T.S. B



DETAIL
DOUBLE WIDE ACCESS
PLATFORM
FOUNDATION PLAN
S-004-0001011
SCALE IN FEET
0 4 8



SECTION
N.T.S. C

- NOTES:**
- CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 4500PSI AT 28 DAYS.
 - REINFORCING STEEL SHALL BE ASTM A-615 GRADE 60.
 - EXPOSED FOUNDATION EDGES SHALL HAVE 1" CHAMFER.
 - GRANULAR FILL SHALL CONSIST OF ODOT 304 COMPACTED TO A MINIMUM OF 98% MAXIMUM DRY DENSITY. STRUCTURAL FILL TO BE IN 6" MAXIMUM LIFTS WITH HAND-GUIDED COMPACTION EQUIPMENT OR HEAVY SELF-PROPELLED COMPACTION EQUIPMENT. APPROVED CONTROLLED LOW-STRENGTH MATERIAL CAN BE USED IN PLACE OF GRANULAR FILL. SEE DWG. PNG-S-004-0001009 FOR CLSM SPECIFICATIONS.
 - ◆ DENOTES REFERENCE COORDINATE LOCATION FROM FOUNDATION LOCATION PLAN.
 - GROUT AVERAGE THICKNESS ADOPTED 1" TO ASSURE PROPER LEVELING AT BOTTOM OF STEEL BETWEEN PIERS. GROUT MAY NOT BE REQUIRED BY OWNER'S DECISION FOR PIERS BUILT WITH THEIR TOP OF CONCRETE HAVING A MAXIMUM DEVIATION OF ± 1" STEEL ELEVATION, AND WITH A SURFACE PROPERLY FINISHED TO ALLOW THE SKID BEAMS TO REST ON ALL PIERS AFTER THE CLAMPS ARE INSTALLED.
 - CONTRACTOR TO VERIFY BASE PLATE SIZES AND BOLT HOLE SIZES & SPACING PRIOR TO CONSTRUCTING FOUNDATIONS.
 - ROUGHEN TO ± 1/4" AMPLITUDE, CLEAN EXPOSED AGGREGATE PRIOR TO PEDESTAL POUR.
 - INSTALL CROSS TIE BARS AT EVERY OTHER VERTICAL BAR SPACING TO COMPLETE CAGE. THESE TIES MAY BE INSTALLED AT THE TOP AND BOTTOM OF THE PEDESTAL.
 - OUTER SHEAR HOOPS SHALL BE NO GREATER THAN 30 FT LONG PER SIDE. SHEAR HOOPS SHALL OVERLAP IN THE MIDDLE OF THE PEDESTAL'S LENGTH.
 - "V"-TIES SHALL BE #4 BARS INSTALLED AT THE SHORT ENDS OF THE PEDESTALS. THESE TIES MAY BE INSTALLED AT THE TOP AND BOTTOM OF THE PEDESTAL.
 - LAP SPICES REQUIRED. SEE DWG. PNG-S-004-0001009 FOR REQUIRED LAP SPICE LENGTHS AND DETAILS.

REF DWG(S) PNG-G-004-000104

SHEET(S) 25 OF 68 DWG SCALE AS NOTED
DWG DATE 08/21/2018 SUPERSEDED
DRAWING NUMBER PNG -S-004-0001012 REVISION 0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER


BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00421957

STATE OF OHIO
CHRISTOPHER J. BURNS
Professional Engineer
01/08/2021
PROFESSIONAL ENGINEER STAMP


NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	DJS	EAB	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	DJS		
						STATION ID	S066801		
						CHECKER INITIALS	EAB		
								01/08/2021	




C350 PROJECT
NORWOOD C350 STATION
FOUNDATION DETAILS 1 OF 5
HAMILTON COUNTY, OHIO




DETAIL
HEATER SKID
FOUNDATION PLAN
S-004-0001011
SCALE IN FEET



DETAIL
CONTROLS BUILDING
FOUNDATION PLAN
S-004-0001011
SCALE IN FEET



SECTION
N.T.S.



DETAIL
SINGLE WIDE ACCESS PLATFORM
FOUNDATION PLAN
S-004-0001011
SCALE IN FEET

NOTES:

- CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 4500PSI AT 28 DAYS.
- REINFORCING STEEL SHALL BE ASTM A-615 GRADE 60.
- EXPOSED FOUNDATION EDGES SHALL HAVE 1" CHAMFER.
- GRANULAR FILL SHALL CONSIST OF ODOT 304 COMPACTED TO A MINIMUM OF 98% MAXIMUM DRY DENSITY. STRUCTURAL FILL TO BE COMPACTED IN 6" MAXIMUM LIFTS WITH HAND-GUIDED COMPACTION EQUIPMENT OR HEAVY, SELF-PROPELLED COMPACTION EQUIPMENT. APPROVED CONTROLLED LOW-STRENGTH MATERIAL CAN BE USED IN PLACE OF GRANULAR FILL. SEE DWG. PNG-S-004-0001009 FOR CLSM SPECIFICATIONS.
- ONE LAYER OF GEOGRID SHALL BE PLACED AT THE BASE OF THE UNDERCUT AND TWO ADDITIONAL LAYERS OF GEOGRID SHALL BE PLACED AT APPROXIMATE 1 FOOT VERTICAL SPACING BENEATH THE FOUNDATION. GEOGRID SHALL BE TENSAR TX160FG OR ENGINEER-APPROVED EQUAL.
- ◆ DENOTES REFERENCE COORDINATE LOCATION FROM FOUNDATION LOCATION PLAN.
- INSTALL CONTROLS BUILDING ANCHOR BOLTS AFTER ENCLOSURE IS PLACED ON THE FOUNDATION. LOCATIONS SHOWN ARE APPROXIMATE.

REF DWG(S) PNG-G-004-000104


SHEET(S) 26 OF 68 DWG SCALE VARIES
DWG DATE 08/21/2018 SUPERSEDED
DRAWING NUMBER PNG -S-004-0001013 REVISION 0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER

NO.	DATE	REVISION DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	DJS	EAB	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	DJS		
						STATION ID	S066801		
						CHECKER INITIALS	EAB		
							01/08/2021		




C350 PROJECT
NORWOOD C350 STATION
FOUNDATION DETAILS 2 OF 5
HAMILTON COUNTY, OHIO


STATE OF OHIO
CHRISTOPHER J. WILSON
REGISTERED PROFESSIONAL ENGINEER
01/08/2021
PROFESSIONAL ENGINEER STAMP




DETAIL
S-004-0001011
LIGHT POLE FOUNDATION
SCALE IN FEET




SECTION
SCALE IN FEET



SECTION
SCALE IN FEET




DETAIL
S-004-0001011
REST BLOCK FOUNDATION PLAN
SCALE IN FEET




SECTION
SCALE IN FEET

PIPE SIZE	A	B	C
20"	5'-6"	5'-6"	6"
24"	5'-6"	5'-6"	6"




DETAIL
S-004-0001011
THRUST BLOCK FOUNDATION PLAN
SCALE IN FEET




SECTION
SCALE IN FEET

PIPE SIZE	D	E	F
20"	6'-0"	6'-0"	1'-0"
24"	7'-0"	7'-0"	1'-0"



DETAIL
N.T.S.
S-004-0001011
BOLLARD



DETAIL
N.T.S.
S-004-0001011
DIAPHRAGM METER SUPPORT FOUNDATION

- NOTES:**
- CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 4500PSI AT 28 DAYS.
 - REINFORCING STEEL SHALL BE ASTM A-615 GRADE 60.
 - EXPOSED FOUNDATION EDGES SHALL HAVE 1" CHAMFER.
 - ALL BOLTS, NUTS, AND WASHERS SHALL BE HOT-DIP GALVANIZED PER ASTM A-153, UNLESS OTHERWISE NOTED.
 - GRANULAR FILL SHALL CONSIST OF 0D07 304 COMPACTED TO A MINIMUM OF 98% MAXIMUM DRY DENSITY. STRUCTURAL FILL TO BE COMPACTED IN 6" MAXIMUM LIFTS WITH HAND-GUIDED COMPACTION EQUIPMENT OR HEAVY, SELF-PROPELLED COMPACTION EQUIPMENT. APPROVED CONTROLLED LOW-STRENGTH MATERIAL CAN BE USED IN PLACE OF GRANULAR FILL. SEE DWG. PNG-S-004-0001009 FOR CLSM SPECIFICATIONS.
 - ◆ DENOTES REFERENCE COORDINATE LOCATION FROM FOUNDATION LOCATION PLAN.
 - DEVIATIONS FROM THE DESIGN DRAWINGS SHALL NOT BE PERMITTED WITHOUT PRIOR APPROVAL FROM ENGINEER.
 - ALL REINFORCING AND ANCHOR BOLTS SHALL BE RIGIDLY SECURED PRIOR TO THE PLACING OF CONCRETE.
 - ALL GROUT SHALL BE NON-SHRINK, 2500 PSI MINIMUM. GROUT SHALL ONLY BE INSTALLED UNDERNEATH THE BASE PLATE, EXTENDING AT A 45 DEGREE ANGLE IN ALL DIRECTIONS.
 - INSTALL AND SIZE PIPE WRAP SUCH THAT IT EXTENDS 2 INCHES PAST THE EDGE OF FOUNDATION.
 - REFER TO MECHANICAL DRAWINGS FOR PIPE DIAMETER.
 - LIGHT POLE ANCHORS DESIGNED AND PROVIDED BY VENDOR. CONTRACTOR TO VERIFY ANCHOR PLACEMENT PRIOR TO POURING FOUNDATION.
 - AFTER INSTALLATION PAINT BOLLARD WITH ALKYD GLOSS ENAMEL (40% SOLIDS BY VOLUME) "SAFETY" YELLOW AT 1.5 MILS DRY FILM THICKNESS.
 - INSTALL DIAPHRAGM METER AND SECURE WITH 3/4" STAINLESS STEEL BANDS WITH BUCKLE. REFER TO MECHANICAL DWG PNG-M-004-0001075.

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00421957






STATE OF OHIO
CHRISTOPHER
D. WILSON
Professional Engineer
No. 92217
01/08/2021
PROFESSIONAL ENGINEER'S STAMP

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	DJS	EAB	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	DJS		
						STATION ID	S068801		
						CHECKER INITIALS	EAB		
							01/08/2021		



C350 PROJECT
NORWOOD C350 STATION
FOUNDATION DETAILS 4 OF 5
HAMILTON COUNTY, OHIO

REF DWG(S)	PNG-G-004-0001040
SHEET(S) 28 OF 68	DWG SCALE VARIES
DWG DATE 08/21/2018	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -S-004-0001015	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



DETAIL	FOUNDATION	AB TYPE	DA	LENGTH	PROJ	EMBEDMENT	HD HOLE DIAMETER	"TH" SHIM PL	NOTES
1	PIG LAUNCHER	CAST-IN PLACE	1 1/2"	4'-6"	5"	4'-1"	1 5/8"	9/16"	F 1554 GR 105
2,5	DOUBLE AND SINGLE WIDE ACCESS PLATFORM	POST INSTALL	5/8"	0'-7"	4 1/2"	0'-2 1/2"	3/4"	-	HILTI KWIK BOLT 1 HDG
3	HEATER	POST INSTALL	1/2"	0'-7"	4 1/2"	0'-2 1/2"	5/8"	7/16"	HILTI KWIK BOLT 1 HDG
4	CONTROLS BUILDING	POST INSTALL	1/2"	0'-7"	3"	0'-4"	5/8"	7/16"	HILTI KWIK BOLT 1 HDG
6	REGULATOR BUILDING	CAST-IN PLACE	3/4"	7'-5"	3"	7'-1"	-	-	F 1554 GR 51
11	10" PIPE SUPPORT	CAST-IN PLACE	7/8"	1'-0"	4"	0'-8"	-	-	F 1554 GR 51
12	20" PIPE SUPPORT	CAST-IN PLACE	7/8"	1'-0"	4"	0'-8"	-	-	F 1554 GR 51

- NOTES:**
- CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 4500PSI AT 28 DAYS.
 - REINFORCING STEEL SHALL BE ASTM A-615 GRADE 60.
 - EXPOSED FOUNDATION EDGES SHALL HAVE 1" CHAMFER.
 - ALL BOLTS, NUTS, AND WASHERS SHALL BE HOT-DIP GALVANIZED PER ASTM A-153, UNLESS OTHERWISE NOTED.
 - GRANULAR FILL SHALL CONSIST OF 0DOT 304 COMPACTED TO A MINIMUM OF 98% MAXIMUM DRY DENSITY. STRUCTURAL FILL TO BE COMPACTED IN 6" MAXIMUM LIFTS WITH HAND-GUIDED COMPACTION EQUIPMENT OR HEAVY, SELF-PROPELLED COMPACTION EQUIPMENT. APPROVED CONTROLLED LOW-STRENGTH MATERIAL CAN BE USED IN PLACE OF GRANULAR FILL. SEE DWG. PNG-S-004-0001009 FOR CLSM SPECIFICATIONS.
 - ◆ DENOTES REFERENCE COORDINATE LOCATION FROM FOUNDATION LOCATION PLAN.
 - DEVIATIONS FROM THE DESIGN DRAWINGS SHALL NOT BE PERMITTED WITHOUT PRIOR APPROVAL FROM ENGINEER.
 - ALL REINFORCING AND ANCHOR BOLTS SHALL BE RIGIDLY SECURED PRIOR TO THE PLACING OF CONCRETE.
 - ALL GROUT SHALL BE NON-SHRINK, 2500 PSI MINIMUM. GROUT SHALL ONLY BE INSTALLED UNDERNEATH THE BASE PLATE, EXTENDING AT 45 DEGREE ANGLE IN ALL DIRECTIONS.
 - GROUT AVERAGE THICKNESS ADOPTED 1" TO ASSURE PROPER LEVELING AT BOTTOM OF STEEL BETWEEN PIERS. GROUT MAY NOT BE REQUIRED BY OWNER'S DECISION FOR PIERS BUILT WITH THEIR TOP OF CONCRETE HAVING MAXIMUM DEVIATION OF ± 1" STEEL ELEVATION, AND WITH SURFACE PROPERLY FINISHED TO ALLOW THE SKID BEAMS TO REST ON ALL PIERS AFTER THE CLAMPS ARE INSTALLED.
 - CONTRACTOR TO VERIFY BASE PLATE SIZES AND BOLT HOLE SIZES AND SPACING PRIOR TO CONSTRUCTING FOUNDATIONS.
 - ROUGHEN TO ± 1/4" AMPLITUDE, CLEAN EXPOSED AGGREGATE PRIOR TO PEDESTAL POUR.
 - FIELD TO ENSURE THAT A MINIMUM 1/8" RADIAL CLEARANCE GAP IS MAINTAINED BETWEEN THE PIPE AND THE GUIDE.
 - INSTALL AND SIZE PIPE WRAP SUCH THAT IT EXTENDS 2 INCHES PAST THE EDGE OF FOUNDATION.
 - REFER TO MECHANICAL DRAWINGS FOR PIPE DIAMETER.

STATE OF OHIO
PROFESSIONAL ENGINEER
CHRISTOPHER D. WILSON
 No. 9221
 01/08/2021
 PROFESSIONAL ENGINEER

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	DJS	EAB	CDW	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	DJS		
						STATION ID	S066801		
						CHECKER INITIALS	EAB		

DUKE ENERGY

C350 PROJECT
NORWOOD C350 STATION
FOUNDATION DETAILS 5 OF 5
 HAMILTON COUNTY, OHIO

REF DWG(S) PNG-G-004-0001040

SHEET(S) 29 OF 68 DWG SCALE VARIES

DWG DATE 08/21/2018 SUPERSEDED

DRAWING NUMBER PNG -S-004-0001016

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

SYMBOLS AND LEGEND

FLOW TAG	LINE SERVICE DESIGNATION	VALVES	ACTUATED VALVES	FITTINGS	MISCELLANEOUS
<div>001</div> <div>LINKED DRAWING NUMBER (EQUIPMENT DESCRIPTION)</div> <div>CORRESPONDING ARROW IDENTIFIER</div>	<div>A AIR</div> <div>BS PILOT GAS (BSD)</div> <div>CA COMBUSTION AIR</div> <div>CO CARBON DIOXIDE</div> <div>D DRAIN</div> <div>OW DIESEL FUEL</div> <div>EA DOMESTIC WATER</div> <div>S ENGINE AIR</div> <div>EX PILOT GAS (ESD)</div> <div>I EXHAUST</div> <div>J FREE AIR</div> <div>FC FUEL GAS</div> <div>F FIRE WATER</div> <div>FW FIRE WATER</div> <div>G PROCESS GAS</div> <div>GL CHLORO</div> <div>HC HYDROCARBON DRAIN</div> <div>HO HYDRAULIC OIL</div> <div>HW HEATED WATER</div> <div>I INSTRUMENT AIR</div> <div>L INSTRUMENT GAS</div> <div>L LIQUEFIED GAS</div> <div>M METHANOL</div> <div>OW HEAVY WATER</div> <div>PG POWER GAS</div> <div>PW POTABLE WATER</div> <div>RW RAW WATER</div> <div>SA STARTING GAS</div> <div>SP SECONDARY POWER GAS</div> <div>UA UTILITY AIR</div> <div>V VENT</div> <div>W WASTE WATER</div> <td><div>NOTE: THE DEFAULT CONFIGURATION FOR VALVE SYMBOLS SHOWN IS WELDED/THREADED/OPEN. FOR FLANGED VALVES OR CLOSED VALVES SEE THE EXAMPLES SHOWN.</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></td> <td><div></div><div>PILOT ACTUATED VALVE</div><div></div><div>PRESSURE REGULATOR (SELF-CONTAINED)</div><div></div><div>BACK PRESSURE REGULATOR (SELF-CONTAINED)</div><div></div><div>MOTOR ACTUATED VALVE</div><div></div><div>DOUBLE-ACTING PISTON ACTUATED VALVE (HIGH PRESSURE GAS)</div><div></div><div>PISTON ACTUATED VALVE DOUBLE ACTING</div><div></div><div>PISTON ACTUATED VALVE SINGLE ACTING (SPRING OPEN)</div><div></div><div>PISTON ACTUATED VALVE SINGLE ACTING (SPRING CLOSE)</div></td> <td><div></div><div>THREADED END OR WELDED CONNECTION</div><div></div><div>FLANGED CONNECTION</div><div></div><div>CHOKE NIPPLE</div><div></div><div>DIELECTRIC UNION</div><div></div><div>UNION</div></td> <td><div></div><div>OTHER_VENDOR</div><div>VENDOR SUPPLY LIMIT</div><div></div><div>CLIENT_CUSTOMER</div><div>CUSTOMER SUPPLY LIMIT</div><div></div><div>EXISTING_NEW</div><div>EXISTING SUPPLY LIMIT</div><div></div><div>SLOPE</div><div></div><div>DO NOT POCKET</div><div></div><div>CONE FLOW METER</div><div></div><div>PILOT TUBE (AVERAGE)</div><div></div><div>PILOT TUBE (SINGLE PORT)</div><div></div><div>POSITIVE DISPLACEMENT METER</div><div></div><div>STRAIGHTENING VANES</div><div></div><div>TURBINE METER</div><div></div><div>ULTRASONIC FLOWMETER</div><div></div><div>VENTURE METER</div><div></div><div>METER</div><div></div><div>WEDGE METER</div><div></div><div>GRADE PENETRATION</div><div></div><div>FLOW CONDITIONER</div><div></div><div>SPHERICAL TEE</div><div></div><div>TAPPING TEE</div></td>	<div>NOTE: THE DEFAULT CONFIGURATION FOR VALVE SYMBOLS SHOWN IS WELDED/THREADED/OPEN. FOR FLANGED VALVES OR CLOSED VALVES SEE THE EXAMPLES SHOWN.</div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	<div></div> <div>PILOT ACTUATED VALVE</div> <div></div> <div>PRESSURE REGULATOR (SELF-CONTAINED)</div> <div></div> <div>BACK PRESSURE REGULATOR (SELF-CONTAINED)</div> <div></div> <div>MOTOR ACTUATED VALVE</div> <div></div> <div>DOUBLE-ACTING PISTON ACTUATED VALVE (HIGH PRESSURE GAS)</div> <div></div> <div>PISTON ACTUATED VALVE DOUBLE ACTING</div> <div></div> <div>PISTON ACTUATED VALVE SINGLE ACTING (SPRING OPEN)</div> <div></div> <div>PISTON ACTUATED VALVE SINGLE ACTING (SPRING CLOSE)</div>	<div></div> <div>THREADED END OR WELDED CONNECTION</div> <div></div> <div>FLANGED CONNECTION</div> <div></div> <div>CHOKE NIPPLE</div> <div></div> <div>DIELECTRIC UNION</div> <div></div> <div>UNION</div>	<div></div> <div>OTHER_VENDOR</div> <div>VENDOR SUPPLY LIMIT</div> <div></div> <div>CLIENT_CUSTOMER</div> <div>CUSTOMER SUPPLY LIMIT</div> <div></div> <div>EXISTING_NEW</div> <div>EXISTING SUPPLY LIMIT</div> <div></div> <div>SLOPE</div> <div></div> <div>DO NOT POCKET</div> <div></div> <div>CONE FLOW METER</div> <div></div> <div>PILOT TUBE (AVERAGE)</div> <div></div> <div>PILOT TUBE (SINGLE PORT)</div> <div></div> <div>POSITIVE DISPLACEMENT METER</div> <div></div> <div>STRAIGHTENING VANES</div> <div></div> <div>TURBINE METER</div> <div></div> <div>ULTRASONIC FLOWMETER</div> <div></div> <div>VENTURE METER</div> <div></div> <div>METER</div> <div></div> <div>WEDGE METER</div> <div></div> <div>GRADE PENETRATION</div> <div></div> <div>FLOW CONDITIONER</div> <div></div> <div>SPHERICAL TEE</div> <div></div> <div>TAPPING TEE</div>
<div>VALVE IDENTIFICATION</div> <div></div>				<div>MISCELLANEOUS</div> <div></div> <div>INSULATION WITH THICKNESS (INCHES)</div> <div></div> <div>PERSONNEL PROTECTION</div> <div></div> <div>HEAT TRACED WITH INSULATION</div> <div></div> <div>RUPTURE DISC-PRESSURE RELIEF</div> <div></div> <div>RUPTURE DISC-VACUUM RELIEF</div> <div></div> <div>FLAME ARRESTOR</div> <div></div> <div>FLEXIBLE HOSE</div> <div></div> <div>OPEN DRAIN</div> <div></div> <div>CLOSURE</div> <div></div> <div>TEST OR BLEED RING (W/VENT VALVE)</div> <div></div> <div>TRAP VALVE</div> <div></div> <div>STARTER WITH START/STOP PUSHBUTTON SWITCH</div> <div></div> <div>MANUAL ACTUATOR OR RESET</div> <div></div> <div>NOZZLE TAG</div> <div></div> <div>TIE-POINT</div> <div></div> <div>BOTTLE</div> <div></div> <div>EXPANSION JOINTS</div> <div></div> <div>CONE-TYPE STRAINER</div> <div></div> <div>BASKET STRAINER (S)</div> <div></div> <div>TEE STRAINER</div> <div></div> <div>FILTER (F)</div> <div></div> <div>Y-TYPE STRAINER</div> <div></div> <div>FILTER OR MIST EXTRACTOR ELEMENT</div> <div></div> <div>SADDLE BRANCH REINFORCEMENT</div> <div></div> <div>FLOW ARROW</div> <div></div> <div>ITEM SUPPLIED BY EQUIPMENT VENDOR</div> <div></div> <div>SCRAPER BARRED TEE</div> <div></div> <div>PIPE BREAK</div> <div></div> <div>SPECIALTY ITEM TAG</div>	
<div>VALVE TYPE DESIGNATION</div> <div></div>	<div>ABBREVIATIONS</div> <div><div>ACP INST. AIR COMP. CONTROL PANEL</div><div>ADV AIR OPERATED VALVE</div><div>ADV AIR OPERATED SOLENOID</div><div>A/M AUTOMATIC/MANUAL 2 POSITION SWITCH</div><div>BSW BASIC SEDIMENT & WATER</div><div>CSC CAR SEAL CLOSED</div><div>CSD CAR SEAL OPEN</div><div>D DRAIN</div><div>DS DOWNSTREAM</div><div>ESD STATION EMERGENCY SHUTDOWN CONTROL PANEL</div><div>BSO BUILDING EMERGENCY SHUTDOWN CONTROL PANEL</div><div>E/H ELECTRO-HYDRAULIC ACTUATOR</div><div>EX EXHAUST</div><div>FC FAIL CLOSED</div><div>FLP FAIL IN LAST POSITION</div><div>FO FAIL OPEN</div><div>GOV GAS OPERATED VALVE</div><div>GOV GAS OPERATED SOLENOID</div><div>HGA HAND-OFF-AUTO STATION</div><div>IAS INSTRUMENT AIR SUPPLY</div><div>IS INSTRUMENT GAS SUPPLY</div><div>LC LOCK CLOSED</div><div>LDB LOCAL CONTROL BOARD</div><div>LHC LOCKING HANDLE VALVE CLOSED</div><div>LHO LOCKING HANDLE VALVE OPEN</div><div>LO LOCK OPEN</div><div>MCC MOTOR CONTROL CENTER</div><div>MOW MOTOR OPERATED VALVE</div><div>PD POSITIVE DISPLACEMENT</div><div>PLC PROGRAMMABLE LOGIC CONTROLLER</div><div>PP PERSONNEL PROTECTION</div><div>RA REVERSE ACTING</div><div>RCP REGULATOR STATION CONTROL PANEL</div><div>RF RAZED FACE</div><div>RTU REMOTE TERMINAL UNIT</div><div>SCP STATION CONTROL PANEL</div><div>SD SHUTDOWN</div><div>SE SCREWED END</div><div>SP SET POINT</div><div>T/C THERMOCOUPLE</div><div>TRM TIME DELAY RELAY</div><div>UCP COMPRESSOR CONTROL PANEL</div><div>US UPSTREAM</div><div>V VENT</div><div>WE WELD END</div><div>WV PRESSURE CONTROL VALVE</div><div>RO RESTRICTION ORIFICE</div></div> <div>C = "CLOSE"</div> <div>O = "OPEN"</div>	<div>ACTUATED VALVES</div> <div>NOTE: VALVE BODIES IN THIS SECTION ARE SHOWN AS SIMPLE GATE, ANGLE OR THREE-WAY VALVES. THE ACTUATOR CAN BE SHOWN ON ANY TYPE OF VALVE.</div> <div></div> <div>THREE WAY SOLENOID VALVE</div> <div></div> <div>THREE WAY SOLENOID VALVE WITH MANUAL RESET</div> <div></div> <div>PILOT/DIVERTER VALVE</div> <div></div> <div>PRESSURE/VACUUM RELIEF VALVE</div> <div></div> <div>ANGLE SOLENOID VALVE</div> <div></div> <div>ANGLE SOLENOID VALVE WITH MANUAL RESET</div> <div></div> <div>ANGLE VALVE WITH PILOT/DIVERTER</div> <div></div> <div>PILOT RELIEF VALVE</div> <div></div> <div>PRESSURE OR VACUUM RELIEF VALVE</div> <div></div> <div>PISTON ACTUATED VALVE</div> <div></div> <div>DIAPHRAGM ACTUATED VALVE WITH VALVE POSITIONER</div> <div></div> <div>PNEUMATIC RELAY VALVE</div>	<div>FITTINGS</div> <div></div> <div>PADDLE BLIND (OPEN)</div> <div></div> <div>PADDLE BLIND (CLOSED)</div> <div></div> <div>SPECTACLE BLIND (OPEN)</div> <div></div> <div>SPECTACLE BLIND (CLOSED)</div> <div></div> <div>ORIFICE PLATE IN QUICK CHANGE FITTING</div> <div></div> <div>ORIFICE FLANGE OR RESTRICTION ORIFICE TUBING ADAPTER</div> <div></div> <div>THREADED PIPE/T</div> <div></div> <div>COUPLING (LONG)</div> <div></div> <div>THERMOWELL (THREADED)</div> <div></div> <div>PLUG</div> <div></div> <div>SINGE</div> <div></div> <div>REDUCER</div> <div></div> <div>UNION ORIFICE</div> <div></div> <div>INSULATED COUPLING OR UNION (CONDUIT, PIPE OR TUBING)</div> <div></div> <div>INSULATING FLANGE</div> <div></div> <div>INSULATING JOINT (MONOLITHIC)</div> <div></div> <div>RAIN CAP</div> <div></div> <div>BUG SCREEN</div> <div></div> <div>HOSE CONNECTION</div> <div></div> <div>PIPE BREAK</div> <div></div> <div>PIPE CAP</div>		
<div>LINE SERVICE DESIGNATION</div> <div></div>					
<div>MATERIAL GRADE DESIGNATION</div> <div></div>					



REF. DWG(S)		PNG-G-004-0001043	
SHEET(S) 30 OF 68		DWG SCALE	NONE
DWG DATE 05/15/2018		SUPERSEDED	
DRAWING NUMBER			REVISION
PNG -D-004-0001021			0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER			

SYMBOLS AND LEGEND

PUMPS


EQUIPMENT

MISCELLANEOUS



EQUIPMENT IDENTIFICATION

AC GAS COOLER
C COMPRESSOR
E HEAT EXCHANGER
F FILTER
FE FLOW ELEMENT
G FUEL GAS SCRUBBER
H HEATER/REBOILER
L LIFT UNIT
L/R LAUNCHER/RECEIVER
M MOTOR
P PUMP
SL SILENCER
T CONTACTOR/ACCUMULATOR
TK TANK
V VESSEL
W WELL HEAD
SCP STATION CONTROL PANEL



REF. DWG(S) PNG-G-004-0001043

NO.	DATE	REVISION(S) DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCODE			REGIONAL ENGINEER
						ACCOUNT NUMBER	AW2128		MSR TECH REC & STD
						PROJECT NUMBER	1880115		PRINCIPAL ENGINEER
						DRAWING BY	MAS		
						STATION ID	S086801		
						CHECKER INITIALS	JBF	01/08/2021	CAB



C350 PROJECT
NORWOOD C350 STATION
P&ID SYMBOLS AND LEGEND - 2
HAMILTON COUNTY, OHIO

SHEET(S) 31 OF 68	DWG SCALE NONE
DWG DATE 05/15/2018	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -D-004-0001022	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	




NORWOOD C350 STATION

NORWOOD C350 STATION
 DESIGN FLOW: 9,500 MCFH
 INLET OPERATING PRESSURE RANGE: 210-500 PSIG
 MINIMUM FLOW: 500 MCFH
 OPERATING TEMPERATURE RANGE: 40-80° F
 MAOP: 500 PSIG
 DESIGN FACTOR: 0.2

PIG RECEIVER (PR-201)
 ANSI CLASS 600
 DESIGN PRESSURE: 500 PSIG
 DESIGN FACTOR: 0.2

HEATER (HTR-202)
 DESIGN FLOW: 9,500 MCFH
 INLET PRESSURE: 210-400 PSIG
 INLET TEMPERATURE: 40° F
 HEATER OUTLET TEMPERATURE: 57° F
 OPERATING BATH TEMPERATURE: 160° F
 PROCESS DUTY: 1.6 MMBTUHR

CONTROL VALVES (CV-203/204/205)
 INLET CONDITIONS:
 MIN / MAX PRESSURE: 210-500 PSIG
 MIN / MAX FLOW RATE: 500-9500 MCFH (EACH)
 1 DEDICATED SPARE RUN
 DESIGN PRESSURE: 500 PSIG
 DESIGN FACTOR: 0.2
 MAOP: 500 PSIG
 OUTLET CONDITIONS:
 SET PRESSURE: 170 PSIG
 DESIGN PRESSURE: 500 PSIG
 DESIGN FACTOR: 0.2
 MAOP: 175 PSIG



C350			
DESIGN INFORMATION			
500 PSIG	DESIGN PRESSURE		
500 PSIG	MAXIMUM ALLOWABLE OPERATING PRESSURE		
500 PSIG	MAXIMUM ACTUAL WORKING PRESSURE OF MAIN		
210 PSIG	MIN EXPECTED OPERATING PRESSURE OF MAIN		
175 PSIG	DOWNSTREAM MAOP		
170 PSIG	REQUIRED DELIVERY PRESSURE		
228 MMSCFD	ANTICIPATED LOAD		
-	RATE SCHEDULE		
METER	CFH CAPACITY @	PSIG INLET	
FIRST OUT REGULATOR			
18,200,000	CFH CAPACITY @	400	INLET 170 OUTLET
8,000,000	CFH CAPACITY @	210	INLET 170 OUTLET
MONITOR PILOT SET PRESSURE:			
AUTOMATIC SHUT-OFF SETTING:			
FIRST OUT RELIEF SET PRESSURE:			
RELIEF:	CFH CAPACITY @	PSIG INLET	
SECOND OUT REGULATOR			
	CFH CAPACITY @	INLET	OUTLET
	CFH CAPACITY @	INLET	OUTLET
AUTOMATIC SHUT-OFF SETTING:			
SECOND OUT RELIEF SET PRESSURE:			
RELIEF:	CFH CAPACITY @	PSIG INLET	

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	33 OF 68
DWG SCALE	NONE
DWG DATE	06/19/2019
SUPERSEDED	
DRAWING NUMBER	
REVISION	
PNG -D-004-0001024	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

ALFING & MCDONNELL
 ENGINEERING COMPANY INC.
 STATE LICENSE #00021952




PROFESSIONAL ENGINEER STAMP

NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPD	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCODE	
						ACCOUNT NUMBER	AW2128
						PROJECT NUMBER	1880115
						DRAWING BY	MAS
						STATION ID	S066801
						CHECKER INITIALS	JBF
						DATE	01/08/2021
						INITIALS	CAB
						REGIONAL ENGINEER	
						MSR TECH REC & STD	
						PRINCIPAL ENGINEER	



C350 PROJECT
NORWOOD C350 STATION
PROCESS FLOW DIAGRAM
 HAMILTON COUNTY, OHIO



- NOTES:**
1. REFER TO VENDOR EQUIPMENT DRAWINGS FOR ADDITIONAL DETAIL.
 2. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 34 OF 68	DWG SCALE NONE
DWG DATE 05/14/2018	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -D-004-0001025	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPR	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCODE	
						ACCOUNT NUMBER AW2128	
						PROJECT NUMBER 1880115	
						DRAWING BY MAS	
						STATION ID S086801	
						CHECKER INITIALS JBF	
						DATE 01/08/2021	
						CAB	




C350 PROJECT
NORWOOD C350 STATION
MAINLINE VALVE P&ID
 HAMILTON COUNTY, OHIO



KLING & MACDONELL
 ENGINEERING COMPANY INC.
 STATE LICENSE #00021952

PIG RECEIVER (PR-201)
ANSI CLASS 600
DESIGN PRESSURE: 500 PSIG
DESIGN FACTOR: 0.2



- NOTES:
1. REFER TO VENDOR EQUIPMENT DRAWINGS FOR ADDITIONAL DETAILS.
 2. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 35 OF 68	DWG SCALE NONE
DWG DATE 05/14/2018	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -D-004-0001026	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	


NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPR	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCDE	
						ACCOUNT NUMBER	AW2128
						PROJECT NUMBER	1880115
						DRAWING BY	MAS
						STATION ID	S066801
						CHECKER INITIALS	JBF
						DATE	01/08/2021
						INITIALS	CAB



C350 PROJECT
NORWOOD C350 STATION
PIPELINE RECEIVER P&ID
HAMILTON COUNTY, OHIO



HEATER (HTR-202)
 DESIGN FLOW: 9,500 MCFH
 INLET PRESSURE: 210-400 PSIG
 MINIMUM INLET TEMPERATURE: 40° F
 HEATER OUTLET TEMPERATURE: 57° F
 OPERATING BATH TEMPERATURE: 160° F
 PROCESS DUTY: 1.6 MMBTUHR



- NOTES:**
1. REFER TO VENDOR EQUIPMENT DRAWINGS FOR ADDITIONAL DETAILS REGARDING THE HEATER PIPING, INSTRUMENTATION AND CONTROLS.
 2. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 36 OF 68 DWG SCALE NONE

DWG DATE 05/14/2018 SUPERSEDED

DRAWING NUMBER REVISION

PNG -D-004-0001027 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

NO.	DATE	REVISION(S) DESCRIPTION	BY	CHK	APPR	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MAS		
						STATION ID	S086801		
						CHECKER INITIALS	JBF	01/08/2021	CAB



C350 PROJECT
 NORWOOD C350 STATION
 HEATER P&ID
 HAMILTON COUNTY, OHIO


PLUMBING & MACHINERY
 ENGINEERING COMPANY, INC.
 STATE LICENSE #000219527



CONTROL VALVES (CV-203/204)

INLET CONDITIONS:
 MIN / MAX PRESSURE: 210-500 PSIG
 MIN / MAX FLOW RATE: 500-6500 MCFH (EACH)
 1 DEDICATED SPARE RUN
 DESIGN PRESSURE: 500 PSIG
 DESIGN FACTOR: 0.2
 MAOP: 500 PSIG

OUTLET CONDITIONS:
 SET PRESSURE: 170 PSIG
 DESIGN PRESSURE: 500 PSIG
 DESIGN FACTOR: 0.2
 MAOP: 175 PSIG



INSIDE REGULATOR BUILDING,
 PROVIDED BY BUILDING
 VENDOR.

- NOTES:**
1. REFER TO VENDOR EQUIPMENT DRAWINGS FOR ADDITIONAL DETAIL.
 2. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	37 OF 68
DWG SCALE	NONE
DWG DATE	05/14/2018
SUPERSEDED	
DRAWING NUMBER	PNG -D-004-0001028
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

C350 PROJECT
NORWOOD C350 STATION
PRESSURE CONTROL P&ID - 1
 HAMILTON COUNTY, OHIO



NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCDE			
		ACCOUNT NUMBER				AW2128			
		PROJECT NUMBER				1880115			
		DRAWING BY				MAS			
		STATION ID				S068801			
		CHECKER INITIALS				JBF	01/08/2021	CAB	





004
PNG-G-004-0001028
FROM PRESSURE CONTROL-1

24" C-150-3555(0-014)

CONTROL VALVE (CV-205)
INLET CONDITIONS:
 MIN / MAX PRESSURE: 210-500 PSIG
 MIN / MAX FLOWRATE: 500-9500 MCFH
 1 DEDICATED SPARE RUN
 DESIGN PRESSURE: 500 PSIG
 DESIGN FACTOR: 0.2
 MAOP: 500 PSIG
OUTLET CONDITIONS:
 SET PRESSURE: 170 PSIG
 DESIGN PRESSURE: 500 PSIG
 DESIGN FACTOR: 0.2
 MAOP: 175 PSIG

005
PNG-G-004-0001028
TO PRESSURE CONTROL-1

006
TO DISTRIBUTION LINE V



- NOTES:**
1. REFER TO VENDOR EQUIPMENT DRAWINGS FOR ADDITIONAL DETAIL.
 2. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.

HAUNG & MACDONELL
 ENGINEERING COMPANY INC.
 STATE LICENSE #000219527



NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPR	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCDE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MAS		
						STATION ID	S086801		
						CHECKER INITIALS	JBF	01/08/2021	CAB



C350 PROJECT
NORWOOD C350 STATION
PRESSURE CONTROL P&ID - 2
 HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	38 OF 68
DWG SCALE	NONE
DWG DATE	05/14/2018
SUPERSEDED	
DRAWING NUMBER	PNG -D-004-0001029
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

PIPE CLEANING:

1. THOROUGHLY CLEAN INTERIOR OF ALL PIPE, FITTINGS, AND JOINTS BEFORE INSTALLATION. EXCLUDE ENTRANCE OF FOREIGN MATTER DURING DISCONTINUANCE OF INSTALLATION BY CAPPING OR PLUGGING TO A WATERTIGHT CONDITION AT THE END OF EACH WORK DAY. PRIOR TO FINAL FITTING OF THE SYSTEM, VISUALLY INSPECT ALL LINES AND JOINTS. REMOVE ALL STRUTS, SWEEP AND/OR FLUSH CLEAN TO THE SATISFACTION OF DUKE ENERGY. NOTIFY DUKE ENERGY AT LEAST 24 HOURS IN ADVANCE OF INTENDED CLOSING UP OF A SYSTEM.
2. CONTRACTOR IS RESPONSIBLE FOR PROPERLY CLEANING NEW PIPE TO BE INSTALLED BEFORE RELEASING IT FOR SERVICE. CONTRACTOR SHALL PROVIDE PROCEDURES FOR CLEANING PIPE FOR APPROVAL BY DUKE ENERGY.

PRESSURE AND LEAK TESTING:

1. ALL PIPE SHALL BE PRESSURE TESTED IN ACCORDANCE WITH ASME B31.8 AND CFR 192 AT A PRESSURE DESIGNATED ON THE DRAWINGS. CONTRACTOR SHALL PROVIDE ALL EQUIPMENT AND MATERIALS ASSOCIATED WITH PRESSURE TESTING. SHOULD SURFACE LEAKS BECOME APPARENT, THE LEAKS SHALL BE LOCATED AND REPAIRED, AND THE LINE RE-TESTED UNTIL IT FULFILLS THE ABOVE REQUIREMENTS. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL COSTS ASSOCIATED WITH REPAIRS AND RE-TESTING. CONTRACTOR SHALL PROVIDE NOTIFICATIONS TO DUKE ENERGY 48 HOURS PRIOR TO TESTING FOR WITNESS.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ALL MATERIALS, TOOLS, EQUIPMENT, AND PERSONNEL NECESSARY TO CONDUCT THE PRESSURE TEST INCLUDING BUT NOT LIMITED TO AIR COMPRESSOR, TEST MANIFOLDS, DEAD WEIGHT, AND CERTIFIED GAUGES.
3. THE CONTRACTOR IS RESPONSIBLE TO PERFORM INITIAL SERVICE LEAK TESTS IN ACCORDANCE WITH THE REQUIREMENTS OF ASME B31.8
4. A SEALED CERTIFIED TEST RECORD SHALL BE PROVIDED TO DUKE ENERGY WITHIN 30 DAYS OF COMPLETION OF THE TEST. TEST RECORDS SHALL INCLUDE ALL EQUIPMENT CERTIFICATIONS AND PRESSURE AND TEMPERATURE RECORDING CHARTS. DRAFT COPY OF TEST RECORDS SHALL BE PROVIDED TO DUKE ENERGY THE DAY OF THE TEST.
5. CONTRACTOR SHALL ALLOW THE TEST PRESSURE TO REACH EQUILIBRIUM WITH TEMPERATURE, PRIOR TO STARTING THE TEST.
6. CONTRACTOR SHALL BE RESPONSIBLE FOR DE-PRESSURIZATION OF THE TEST MEDIUM TO THE ENVIRONMENT IN A SAFE AND REASONABLE MANNER.
7. TEST PRESSURES SHALL BE 1.5 TIMES DESIGN PRESSURE.
8. ALL PIPING SHALL BE TESTED FOR 8.5 HOURS MINIMUM.

MATERIAL NOTES:

1. MATERIAL LIST SHALL BE CONSIDERED AN ESTIMATE. DUKE ENERGY WILL PROVIDE THE MATERIALS IN THE MATERIALS LIST. CONTRACTOR TO PROVIDE ANY REMAINING MATERIALS NECESSARY TO COMPLETE THE PROJECT.

STEEL PIPE, FITTING, AND VALVE NOTES:

1. ALL STEEL PIPE, FITTINGS, VALVES, AND EQUIPMENT SHALL BE INSTALLED ACCORDING TO ASME B31.8 LATEST EDITION, MANUFACTURER'S RECOMMENDATIONS, AND CONSTRUCTION DRAWINGS.

STEEL PIPE, FITTING, AND VALVE NOTES (CONTINUED):

2. CONTRACTOR TO PROVIDE EXTRA HARDWARE, BEYOND WHAT IS SPECIFIED IN THE BILL OF MATERIALS, AS NECESSARY TO COMPLETE THE CONSTRUCTION AND TESTING OF THE FACILITIES INCLUDING GASKETS, NUTS, AND BOLTS. ONLY NEW GASKETS AND BOLTS SHALL BE USED WHEN CONNECTING FLANGES.
3. FIELD VERIFY ALL DIMENSIONS.

WELDING AND NON-DESTRUCTIVE EXAMINATION:

1. THE CONTRACTOR SHALL FURNISH ALL LABOR, MATERIAL, TOOLS AND EQUIPMENT REQUIRED FOR SURFACE PREPARATION AND WELDING.
2. WELDING PROCEDURES SPECIFIC TO PROJECT SHALL BE PROVIDED TO ENGINEER AND DUKE ENERGY BY THE CONTRACTOR FOR APPROVAL. WELDING PROCEDURE TO BE QUALIFIED PER API 1104.
3. ALL CONTRACTOR WELDERS MUST HAVE THE APPROPRIATE QUALIFICATION RECORDS TO BE SUBMITTED TO DUKE ENERGY FOR REVIEW PRIOR TO WELDING. DUKE ENERGY INSPECTOR RESERVES THE RIGHT TO WITNESS ANY NEW WELDER QUALIFICATIONS.
4. CONTRACTOR IS RESPONSIBLE FOR COST FOR TESTING AND QUALIFICATION OF WELDERS INCLUDING MATERIALS AND NDE.
5. DUKE ENERGY SHALL HIRE A 3RD PARTY X-RAY COMPANY TO XRAY 100% OF ALL THE BUTT WELDS. CONTRACTOR TO COORDINATE SCHEDULING WITH X-RAY COMPANY.
6. ALL WELDS SHALL BE EXAMINED PER API 1104.

PAINTING NOTES:

1. THE CONTRACTOR SHALL FURNISH ALL LABOR, MATERIAL, PAINTS, TOOLS AND EQUIPMENT REQUIRED FOR PAINTING.
2. ALL STEEL SHALL BE THOROUGHLY WIPED DOWN TO REMOVE ALL TRACES OF GRIT OR OTHER CONTAMINANTS. REMOVE ALL WELD SPATTER AND GRIND SMOOTH THE BURRS ON ANY CUT EDGES AND ROUGH WELDS. SURFACES TO BE PAINTED SHALL BE PRIMED BEFORE ANY RUSTING CAN OCCUR AND, IN ANY CASE, WITHIN 8 HOURS OF COMPLETION OF SURFACE PREPARATION AND UNDER CONTROLLED TEMPERATURE AND HUMIDITY. IF IT CANNOT BE PRIMED WITHIN THE 8-HOUR PERIOD, THEN ANY RUST BLOOM SHALL BE REMOVED BEFORE PAINT APPLICATION BY SUITABLE HAND OR POWER TOOL.
3. THE PIPING AND PIPING COMPONENT PAINTING SHALL BE INSPECTED AND REPAIRED ACCORDINGLY AFTER INSTALLATION.
4. THE FOLLOWING THREE-COAT PAINT SYSTEM SHALL BE USED. ALL COATS SHALL BE APPLIED ACCORDING TO MANUFACTURER'S RECOMMENDATION. ABRASIVE BLAST TO SSPC SP-10 WITH A NOMINAL PROFILE OF 2 MILS. FINAL COAT APPLIED WITHIN 30 DAYS OF PRIMER COAT IF EXPOSED TO SUNLIGHT.
 - a. COAT NO. 1 - SHERWIN WILLIAMS FAST CLAD HS REINFORCED ZINC 2-PART EPOXY PRIMER-MINIMUM 5 MILS
 - b. COAT NO. 2 - SHERWIN WILLIAM MACROPOXY 6462-PART MARINE EPOXY-5MILS
 - c. COAT NO. 3 - SHERWIN WILLIAMS ACROLON ULTRA HIGH PERFORMANCE MARINE POLYURETHANE UV ADDITIVE-5MILS

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 39 OF 68 DWG SCALE NONE
DWG DATE 08/28/2018 SUPERSEDED
DRAWING NUMBER PNG -M-004-0001070 REVISION 0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER


BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00429557



NO.	DATE	REVISION(S) DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCODE			REGIONAL ENGINEER
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MAS		MSR TECH REC & STD
						STATION ID	S08801		
						CHECKER INITIALS	JBF	01/08/2021	CAB



C350 PROJECT
NORWOOD C350 STATION
MECHANICAL NOTES
HAMILTON COUNTY, OHIO



REF. DWG(S) PNG-G-004-0001043



NO.	DATE	REVISIONS DESCRIPTION
0	01-08-2021	ISSUED FOR CONSTRUCTION

BY	CHK	APPD	DESCRIPTION	DATE	INITIALS
RDC	JBF	CAB	AREA CCDE		
			ACCOUNT NUMBER	AW2128	
			PROJECT NUMBER	1880115	
			DRAWING BY	MAS	
			STATION ID	S08801	
			CHECKER INITIALS	JBF	
				01/08/2021	CAB

APPROVALS
REGIONAL ENGINEER
MSR TECH REC & STD
PRINCIPAL ENGINEER





C350 PROJECT
NORWOOD C350 STATION
MECHANICAL PLOT PLAN
HAMILTON COUNTY, OHIO

SHEET(S) 40 OF 68	DWG SCALE 1" = 15'
DWG DATE 08/28/2018	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -M-004-0001071	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



VALVE #	C350-0007	SIZE	20"
MANUFACTURER	SER. #		
MODEL #	W.O.G.M.O.P.		
GATE	<input type="checkbox"/> PLUG	<input type="checkbox"/> OTHER	
URNS TO OPEN			
LOCATION:			
FT	IN	FT	IN
FT	IN	FT	IN
FT	IN	FT	IN
BOX	<input type="checkbox"/> PIT	<input type="checkbox"/> COVER AT MAIN	T IN
PRESSURE STEMS LOCATED	N S E W		
REMARKS			

VALVE #	C350-0008	SIZE	20"
MANUFACTURER	SER. #		
MODEL #	W.O.G.M.O.P.		
GATE	<input type="checkbox"/> PLUG	<input type="checkbox"/> OTHER	
URNS TO OPEN			
LOCATION:			
FT	IN	FT	IN
FT	IN	FT	IN
FT	IN	FT	IN
BOX	<input type="checkbox"/> PIT	<input type="checkbox"/> COVER AT MAIN	T IN
PRESSURE STEMS LOCATED	N S E W		
REMARKS			




DETAIL 1
SCALE: 1/4"=1'-0"
M-004-0001071


VALVE #	C350-0006	SIZE	20"
MANUFACTURER	SER. #		
MODEL #	W.O.G.M.O.P.		
GATE	<input type="checkbox"/> PLUG	<input type="checkbox"/> OTHER	
URNS TO OPEN			
LOCATION:			
FT	IN	FT	IN
FT	IN	FT	IN
FT	IN	FT	IN
BOX	<input type="checkbox"/> PIT	<input type="checkbox"/> COVER AT MAIN	T IN
PRESSURE STEMS LOCATED	N S E W		
REMARKS			

VALVE #	C350-0006A	SIZE	8"
MANUFACTURER	SER. #		
MODEL #	W.O.G.M.O.P.		
GATE	<input type="checkbox"/> PLUG	<input type="checkbox"/> OTHER	
URNS TO OPEN			
LOCATION:			
FT	IN	FT	IN
FT	IN	FT	IN
FT	IN	FT	IN
BOX	<input type="checkbox"/> PIT	<input type="checkbox"/> COVER AT MAIN	T IN
PRESSURE STEMS LOCATED	N S E W		
REMARKS			

VALVE #	C350-0006B	SIZE	8"
MANUFACTURER	SER. #		
MODEL #	W.O.G.M.O.P.		
GATE	<input type="checkbox"/> PLUG	<input type="checkbox"/> OTHER	
URNS TO OPEN			
LOCATION:			
FT	IN	FT	IN
FT	IN	FT	IN
FT	IN	FT	IN
BOX	<input type="checkbox"/> PIT	<input type="checkbox"/> COVER AT MAIN	T IN
PRESSURE STEMS LOCATED	N S E W		
REMARKS			



SECTION A
SCALE: 1/4"=1'-0"



SECTION B
SCALE: 1/4"=1'-0"

- NOTES:
1. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.
 2. REFER TO VENDOR EQUIPMENT DRAWINGS FOR ADDITIONAL DETAILS.
 3. CONTRACTOR SHALL APPLY TRENTON MC OUTERWRAP (OR APPROVED EQUAL) TO ALL BELOWGROUND TO ABOVEGROUND PIPE TRANSITIONS. WAX TAPE SHALL BE APPLIED TO ALL ABOVEGROUND FLANGED CONNECTIONS. SEE DUKE CONSTRUCTION MANUAL FOR ADDITIONAL INSTRUCTIONS.
 4. CONTRACTOR TO FIELD VERIFY GRADE ELEVATION AND CUT VERTICAL PIPE TRANSITIONS TO LENGTH AS NECESSARY TO MAINTAIN 4'-0" MINIMUM DEPTH OF COVER.

⚡ INDICATES ELECTRICALLY ISOLATED.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 41 OF 68 DWG SCALE 1/4"=1'-0"

DWG DATE 08/28/2018 SUPERSEDED

DRAWING NUMBER REVISION

PNG -M-004-0001072 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

NO. DATE REVISION(S) DESCRIPTION

0 01-08-2021 ISSUED FOR CONSTRUCTION

BY CHK APPR DESCRIPTION

RDC JBF CAB

AREA CODE DESCRIPTION

ACCOUNT NUMBER AW2128

PROJECT NUMBER 1880115

DRAWING BY MAS

STATION ID S088801

CHECKER INITIALS JBF

DATE INITIALS APPROVALS

01/08/2021 CAB

REGIONAL ENGINEER

MSR TECH REC & STD

DATE INITIALS

01/08/2021 CAB


PRINCIPAL ENGINEER




C350 PROJECT
NORWOOD C350 STATION
PIPELINE RECEIVER PR-201
HAMILTON COUNTY, OHIO




C350 PROJECT
NORWOOD C350 STATION
HEATER HTR-202 PIPING DETAILS
HAMILTON COUNTY, OHIO



DETAIL 1
SCALE: 1/4"=1'-0"
M-004-0001071



SECTION A
SCALE: 1/4"=1'-0"



SECTION B
SCALE: 1/4"=1'-0"

- NOTES:
1. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.
 2. REFER TO VENDOR EQUIPMENT DRAWINGS FOR ADDITIONAL DETAILS.
 3. CONTRACTOR SHALL APPLY TRENTON MC OUTERWRAP (OR APPROVED EQUAL) TO ALL BELOWGROUND TO ABOVE GROUND PIPE TRANSITIONS. WAX TAPE SHALL BE APPLIED TO ALL ABOVEGROUND FLANGED CONNECTIONS. SEE DUKE CONSTRUCTION MANUAL FOR ADDITIONAL INSTRUCTIONS.
 4. CONTRACTOR TO FIELD VERIFY GRADE ELEVATION AND CUT VERTICAL PIPE TRANSITIONS TO LENGTH AS NECESSARY TO MAINTAIN 4'-0" MINIMUM DEPTH OF COVER.

⚡ INDICATES ELECTRICALLY ISOLATED.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 43 OF 68 DWG SCALE 1/4"=1'-0"
DWG DATE 08/28/2018 SUPERSEDED
DRAWING NUMBER PNG -M-004-0001074
REVISION 0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER






BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00029557



NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MAS		
						STATION ID	S088001		
						CHECKER INITIALS	JBF	01/08/2021	CAB



C350 PROJECT
NORWOOD C350 STATION
CONTROL VALVE INLET HEADER
HAMILTON COUNTY, OHIO



- NOTES:**
1. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.
 2. REFER TO VENDOR EQUIPMENT DRAWINGS FOR ADDITIONAL DETAILS.
 3. CONTRACTOR SHALL APPLY TRENTON MC OUTERWRAP (OR APPROVED EQUAL) TO ALL BELOWGROUND TO ABOVE GROUND PIPE TRANSITIONS. WAX TAPE SHALL BE APPLIED TO ALL ABOVEGROUND FLANGED CONNECTIONS. SEE DUKE CONSTRUCTION MANUAL FOR ADDITIONAL INSTRUCTIONS.
 4. CONTRACTOR TO FIELD ROUTE ALL 1/4\"/>
 5. CONTRACTOR TO FIELD VERIFY GRADE ELEVATION AND CUT VERTICAL PIPE TRANSITIONS TO LENGTH AS NECESSARY TO MAINTAIN 4'-0\"/>
- INDICATES ELECTRICALLY ISOLATED.

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00020557




NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB				
						AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MAS		
						STATION ID	S08801		
						CHECKER INITIALS	JBF	01/08/2021	CAB




C350 PROJECT
NORWOOD C350 STATION
CONTROL VALVE OUTLET HEADER
HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	44 OF 68
DWG DATE	08/28/2018
DRAWING NUMBER	PNG -M-004-0001075
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	


AS NOTED
SUPERSEDED
REVISION
0



DETAIL 1
SCALE: 1/4"=1'-0"



SECTION A
SCALE: 1/4"=1'-0"



SECTION B
SCALE: 1/4"=1'-0"

VALVE # V000-0038 SIZE 20"
MANUFACTURER SER. #
MODEL # W.O.G.M.O.P.
GATE ☐ PLUG ☐ OTHER
TURNS TO OPEN
LOCATION:
FT IN
FT IN
BOX ☐ HIT ☐ COVER AT MAIN T N
PRESSURE STEMS LOCATED N S E W
REMARKS

VALVE # V000-0038A SIZE 6"
MANUFACTURER SER. #
MODEL # W.O.G.M.O.P.
GATE ☐ PLUG ☐ OTHER
TURNS TO OPEN
LOCATION:
FT IN
FT IN
BOX ☐ HIT ☐ COVER AT MAIN T N
PRESSURE STEMS LOCATED N S E W
REMARKS

VALVE # V000-0038B SIZE 6"
MANUFACTURER SER. #
MODEL # W.O.G.M.O.P.
GATE ☐ PLUG ☐ OTHER
TURNS TO OPEN
LOCATION:
FT IN
FT IN
BOX ☐ HIT ☐ COVER AT MAIN T N
PRESSURE STEMS LOCATED N S E W
REMARKS

VALVE # V000-0039 SIZE 20"
MANUFACTURER SER. #
MODEL # W.O.G.M.O.P.
GATE ☐ PLUG ☐ OTHER
TURNS TO OPEN
LOCATION:
FT IN
FT IN
BOX ☐ HIT ☐ COVER AT MAIN T N
PRESSURE STEMS LOCATED N S E W
REMARKS

- NOTES:
1. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.
 2. REFER TO VENDOR EQUIPMENT DRAWINGS FOR ADDITIONAL DETAILS.
 3. CONTRACTOR SHALL APPLY TRENTON MC OUTERWRAP (OR APPROVED EQUAL) TO ALL BELOWGROUND TO ABOVE GROUND PIPE TRANSITIONS. WAX TAPE SHALL BE APPLIED TO ALL ABOVEGROUND FLANGED CONNECTIONS. SEE DUKE CONSTRUCTION MANUAL FOR ADDITIONAL INSTRUCTIONS.
 4. CONTRACTOR TO FIELD VERIFY GRADE ELEVATION AND CUT VERTICAL PIPE TRANSITIONS TO LENGTH AS NECESSARY TO MAINTAIN 4'-0" MINIMUM DEPTH OF COVER.
 5. CONTRACTOR TO USE A CUTOFF OF EXISTING PIPE APPROXIMATELY 2' IN LENGTH TO CREATE A TRANSITION PIECE. REFER TO ASME B31.8 FIG I-5 (d) TO BEVEL AND BACK WELD THE EXISTING SECTION TO THE NEW PIPING AND THEN LOWER AND WELD THE EXISTING PIPE BACK INTO THE EXISTING PIPELINE.

⚡ INDICATES ELECTRICALLY ISOLATED.

REF. DWG(S)	PNG-G-004-0001043
SHEET(S)	45 OF 68
DWG SCALE	1/4"=1'-0"
DWG DATE	08/28/2018
SUPERSEDED	
DRAWING NUMBER	PNG -M-004-0001076
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00042957


STATE OF OHIO
CNSO A
BACON
PE 85638
REGISTERED PROFESSIONAL ENGINEER
1/8/2021
PROFESSIONAL ENGINEER STAMP

NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCDE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MAS		
						STATION ID	S088801		
						CHECKER INITIALS	JBF	01/08/2021	CAB




C350 PROJECT
NORWOOD C350 STATION
DOWNSTREAM ISOLATION AND TIE-IN
HAMILTON COUNTY, OHIO


1" THREDOLET BRANCH TABLE		
HEADER SIZE	BOM #	CATALOG #
6"-10"	62	1588194
16"-20"-24"	63	1588198




DETAIL 2
SCALE: 3/4"=1'-0"
TYPICAL 1" TAP VALVE
(TYP OF 11)



DETAIL 3
SCALE: 1/4"=1'-0"
TYPICAL 2" DRAIN
(TYP OF 2)



SECTION A
SCALE: 1/2"=1'-0"
TYPICAL 2" DRAIN
(TYP OF 2)



SECTION B
SCALE: 1/2"=1'-0"
TYPICAL 2" DRAIN
(TYP OF 2)

- NOTES:**
1. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.
 2. REFER TO VENDOR EQUIPMENT DRAWINGS FOR ADDITIONAL DETAILS.
 3. CONTRACTOR SHALL APPLY TRENTON MC OUTERWRAP (OR APPROVED EQUAL) TO ALL BELOWGROUND TO ABOVE GROUND PIPE TRANSITIONS. WAX TAPE SHALL BE APPLIED TO ALL ABOVEGROUND FLANGED CONNECTIONS. SEE DUKE CONSTRUCTION MANUAL FOR ADDITIONAL INSTRUCTIONS.
 4. CONTRACTOR TO FIELD VERIFY GRADE ELEVATION AND CUT VERTICAL PIPE TRANSITIONS TO LENGTH AS NECESSARY TO MAINTAIN 4'-0" MINIMUM DEPTH OF COVER.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 46 OF 68	DWG SCALE AS NOTED
DWG DATE 08/28/2018	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -M-004-0001077	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00021557



PROFESSIONAL ENGINEER STAMP

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CODE	
		ACCOUNT NUMBER				AIW2128	
		PROJECT NUMBER				1880115	
		DRAWING BY				MAS	
		STATION ID				S088801	
		CHECKER INITIALS				JBF	
						01/08/2021	CAB



C350 PROJECT
NORWOOD C350 STATION
MECHANICAL PIPING DETAILS
HAMILTON COUNTY, OHIO

MARK	LEGACY NUMBER	MAXIMO PART #	DATA SHEET?	SOURCE SYSTEM	QTY	RETIRED?	DESCRIPTION	ORDERING INSTRUCTIONS	ORDERING SPECIFICATIONS	MANUF	MODEL	MANUF PART #
1	17110	1551329		PNG	187+53 FT		PIPE, 24" NPS X 0.300 W.T., DBL RANDOM LG, BEVELED ENDS, LONGITUDINAL SUBMERGED ARC WELDED, FBE, STL, API 5L PSL-2, GR X65, NO JOINTERS			UNKNOWN		1551329
2	1601560	1601560		S STATE	40+40 FT		PIPE, 20" NPS, DBL RANDOM LG, BEVELED ENDS, ELECTRIC RESISTANCE WELD, 0.30" WALL THK, STL, API 5L PSL-2, GR X65, NO JOINTERS, BARE			IPSCO		1601560
3	1601561	1601561		S STATE	140+60 FT		PIPE, 20" NPS, DBL RANDOM LG, BEVELED ENDS, ELECTRIC RESISTANCE WELD, 0.30" WALL THK, STL, API 5L PSL-2, GR X65, NO JOINTERS, W/ FUSION BONDED EPOXY COATING			IPSCO		1601561
4	16062	1552348		PNG	116+44 FT		PIPE, 16" NPS X 0.375 W.T., DBL RANDOM LG, BEVELED ENDS, ELECTRIC RESISTANCE WELD, BARE, STL, API 5L PSL-2, GR X65, NO JOINTERS			UNKNOWN		1552348
5	16382	1551571		PNG	34+6 FT		PIPE, 10" NPS X 0.360 W.T., DBL RANDOM LG, BEVELED ENDS, ELECTRIC RESISTANCE WELD, BARE, STL, API 5L PSL-2, GR X62, NO JOINTERS			UNKNOWN		1551571
6	1598649	1598649		S STATE	1		VALVE, CHECK, SWING, 20", ANSI 600, FLG, STL BODY, API 6D, DM-ST-2080, SYNTHETIC RBR SEATS, W/ INTEGRAL SEAT, ASTM A126 GR WCB			TOMWHEATLEY		V20-P6-E2-M1-S1-X1111
7	16348	1552392		PNG	50+20 FT		PIPE, 2" NPS X 0.218 W.T., DBL RANDOM LG, BEVELED ENDS, ELECTRIC RESISTANCE WELD, BARE, STL, API 5L PSL-1, GR X62, NO JOINTERS			UNKNOWN		1552392
8	16403	1552396		PNG	48+32 FT		PIPE, 2" NPS X 0.218 W.T., DBL RANDOM LG, BEVELED ENDS, ELECTRIC RESISTANCE WELD, FBE, STL, API 5L PSL-1, GR X62, NO JOINTERS			UNKNOWN		1552396
9	10415	1550783		PNG	55+25 FT		PIPE, 3/4" NPS X 0.154 W.T., DBL RANDOM LG, SQ ENDS, SEAMLESS, BARE, STL, ASTM A106, GR B			UNKNOWN		1550783
10	16988	1555544		PNG	3		VALVE, BALL, TRUNNION, 20" NPS, ANSI 600, FULL PORT, RF, HANDWHEEL GEAR OPERATED, STL BODY, BOLTED BODY, API 6D, DM-ST-2080, ABOVE GROUND APPLICATION, IF OPERATOR EXTENSION IS ORDERED, BODY DRAIN AND SEALANT PORTS TO BE FACTORY PIPED UP TO THE OPERATOR WITH WELDED AND COATED CS PIPE WITH GANT BUTTON HEAD GREASE FITTINGS, PER DM-ST-2085.	SPECIFY IF AN OPERATOR EXTENSION IS REQUIRED AND THE EXTENSION LENGTH	NO EXTENSION REQUIRED	DELTA GROVE		FIG 55-20
11	1601596	1601596		S STATE	1		VALVE, BALL, TRUNNION, 20" NPS, CLASS 600, FULL PORT, WELD X WELD, HANDWHEEL NORM GEAR OPERATED, CS BODY, STD TRIM, API 6D, W/ OPERATOR EXTENSION, BODY DRAIN & SEALANT PORTS TO BE FACTORY PIPED UP TO THE OPERATOR, MUST SPECIFY WALL THK & MATERIAL YIELD STRENGTH OF MATING PIPE, WHETHER PIPE PUPS ARE REQUIRED & OPERATOR EXTENSION LG	SPECIFY WALL THK & MATERIAL YIELD STRENGTH OF MATING PIPE, WHETHER PIPE PUPS ARE REQUIRED & OPERATOR EXTENSION LG	FOR CONNECTION TO 20" NPS, 0.500" W.T. API 5L PSL2 GRADE X65 PIPE, INCLUDE PIPE PUPS OF 1.5' OOD, INCLUDE OPERATOR STEM EXTENSION OF 8.5 FT AS MEASURED FROM PIPE CENTERLINE TO HANDWHEEL	CAMERON	T-31	20"NPS 80002-2A-1
12	14241	1556209		PNG	1		VALVE, BALL, FLOATING, 3/4", 2-WAY, 2000 PSIG, REDUCED PORT, FPT, LOCKING LEVER OPERATED, CS BODY, 316 SS BALL & STEM, ASME B16.34 OR MSS SP-110, API 607, F/ NATURAL GAS USE			APOLLO		73A-144-24-27A
13	13256	1556573		PNG	1		VALVE, PLUG, 10" NPS, ANSI 600, FLG, HANDWHEEL, GEAR OPERATED, CS BODY, API 6D, DM-ST-2080, REGULAR PATTERN, PRESSURE BALANCED			SERCAUDCOVA		HRG 633
14	17028	1555581		PNG	3		VALVE, BALL, TRUNNION, 10" NPS, CLASS 600, FULL PORT, RF, HANDWHEEL GEAR OPERATED, STL BODY, BOLTED BODY, API 6D	SPECIFY IF AN OPERATOR EXTENSION IS REQUIRED AND THE EXTENSION LENGTH		DELTA GROVE		FIG 55-10
15	11611	1556595		PNG	2		VALVE, PLUG, 2" NPS, ANSI 600, FLG, CS BODY, API 6D, DM-ST-2080, LEVER, REGULAR PATTERN, PRESSURE BALANCED			SERCAUDCOVA		HRW 633
16	NOT USED	#N/A	#N/A	#N/A	NOT USED	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
17	1570839	1570839		PNG	17		VALVE, BALL, FLOATING, 1", 2-WAY, 2000 PSIG, REDUCED PORT, FPT, LOCKING LEVER OPERATED, CS BODY, 316 SS BALL & STEM, ASME B16.34 OR MSS SP-110, API 607, F/ NATURAL GAS USE			CONBRACONDU	APOLLO	73A-145-24-27A
18	1600438	1600438		CHKY	4		ELBOW PIPE, 20", BW, 45 DEG, 1.50 RADIUS, 0.5" WALL, CS, MSS SP-75, GR X65, FULLY SEGMENTABLE, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIGURE I-4			HACKNEY LADS		20-45-1.5D- 500
19	17162	1551450		PNG	10		FLANGE, PIPE, WN, RF, 20" NPS, CLASS 600, FORGED STL, MSS SP-44, ASTM A694 GR F65, 125 - 250 MICRO INCHES AARH	FOR CONNECTION TO 20" NPS, 0.500" W.T. API 5L PSL2 GRADE X65 PIPE		UNKNOWN		1551450
20	12658	1551736		PNG	24		FLANGE, PIPE, WN, RF, 16" NPS, CLASS 600, FORGED STL, MSS SP-44, ASTM A694 GR F65, ASME B16.5, 125 - 250 MICRO INCHES AARH			HACKNEY LADS		1551736
21	17249	1551493		PNG	5		FLANGE, PIPE, WN, RF, 10" NPS, CLASS 600, FORGED STL, ASTM A694, ASME B16.5, GR F52, MSS SP-44, 125-250 MICRO INCHES AARH			UNKNOWN		1551493
22	17245	1551917		PNG	4		FLANGE, PIPE, WN, RF, 2" NPS, CLASS 600, ASTM A694, GR F52, XS 0.218" WALL THK, MSS SP-44, 1.539" BORE, NO INTERNAL TAPER, 125-250 MICRO INCHES AARH			HACKNEY LADS		2-RPWV-Y52-600
23	14416	1551980		PNG	2		FLANGE, PIPE, BLND, RF, 10" NPS, CLASS 600, FORGED STL, MSS SP-44, ASTM A106, ASME B16.5, 125 - 250 MICRO INCHES AARH			GALPERT,		1551980
24	16118	1557023		PNG	9+2		GASKET, SPIRAL WOUND, 20" NPS, CLASS 600, 1/8" THK, 304 SS RIBBON WITH GRAPHITE FILLER, SS INNER RING, CS OUTER RING, ASME B16.20, TYPE E, MSS SP-44			FLEXITALLCO,		1557023
25	15525	1555795		PNG	2		GASKET, INSULATING KIT, 20" NPS, G10, CLASS 600, THICK, ASME B16.21, 1/8" THICK, GASKET, RUB-A-N SEALING ELEMENTS WITH G10 RETAINER OR NEOPRENE FACED PHENOLIC, SLEEVES: MYLAR, DOUBLE WASHERS: G10, TYPE E (FULL FACE), GASKET: NITRILE FACED WITH G10 CORE, SLEEVE: G10, WASHER: G10			GPT INDUSTRIE,		1555795
26	1598031	1598031		S STATE	254+48		STUD, ALL-THREAD, 1-5/8" DIA, 8 UNC, 11-1/2" LG, HEAT TREATED CS, ASTM A193, GR B7, TEFLON COATED, W/ (2) HEX NUTS			HIGHLANDTHRE		24721099
27	1602340	1602340		S STATE	48		STUD, ALL-THREAD, 1-5/8" DIA, 8 UNC, 12-1/2" LG, HEAT TREATED CS, ASTM A193, GR B7, TEFLON COATED, W/ (2) HEX NUTS			HIGHLANDTHRE		1602340
28	NOT USED	#N/A	#N/A	#N/A	NOT USED	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
29	10086	1557033		PNG	16+3		GASKET, SPIRAL WOUND, 16" NPS, CLASS 600, 1/8" THK, 304 SS RIBBON WITH GRAPHITE FILLER, SS INNER RING, CS OUTER RING, ASME B16.20, TYPE E, MSS SP-44			FLEXITALLCO,		1557033
30	1598649	1598649		0	320+60		STUD, ALL-THREAD, 1-1/2" DIA, 8 UNC, 10-1/2" LG, HEAT TREATED CS, ASTM A193, GR B7, TEFLON COATED, W/ (2) HEX NUTS			HIGHLANDTHRE		2472-0905
31	NOT USED	#N/A	#N/A	#N/A	NOT USED	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
32	14993	1557059		PNG	8+2		GASKET, SPIRAL WOUND, 10" NPS, CLASS 600, 1/8" THK, 304 SS RIBBON WITH GRAPHITE FILLER, SS INNER RING, CS OUTER RING, ASME B16.20, TYPE E, TO SUIT MSS SP-44			FLEXITALLCO,		1557059
33	1600113	1600113		S STATE	128+32		STUD, ALL-THREAD, 1-1/4" DIA, 7 THD, 9-3/4" LG, HEAT TREATED CS, ASTM A193, GR B7, TEFLON COATED, W/ (2) HEX NUTS			HIGHLANDTHRE		1600113
34	NOT USED	#N/A	#N/A	#N/A	NOT USED	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
35	14991	1557067		PNG	4+2		GASKET, SPIRAL WOUND, 2" NPS, CLASS 600, 1/8" THK, 304 SS RIBBON W/ GRAPHITE FILLER, FLEXITALLCO G10, SS INNER RING, CS OUTER RING, ASME B16.20, TYPE F, TO SUIT MSS SP-44 FLG			FLEXITALLCO,		2"-600-CG1-SS-CS-ASMEB16.20

NOTES:
1. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.
2. CONTRACTOR SHALL SUPPLY ALL NECESSARY CONSUMABLE ITEMS FOR SITE CONSTRUCTION.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 47 OF 68	DWG SCALE	AS NOTED
DWG DATE 06/10/2020	SUPERSEDED	---
DRAWING NUMBER	REVISION	
PNG -M-004-0001078	0	
DISCIPLINE / RESOURCE CENTER / LINE NUMBER		

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00421957



NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPROV	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CCODE - PROJECT NUMBER 1880115 DRAWING BY RDC STATION ID S068601 CHECKER INITIALS JBF	DATE 01/08/2021 INITIALS CAB



C350 PROJECT
NORWOOD C350 STATION
MECHANICAL BILL OF MATERIALS - 1
HAMILTON COUNTY, OHIO

REGIONAL ENGINEER	MSR TECH REC & STD
PRINCIPAL ENGINEER	

MARK	LEGACY NUMBER	MAXIMO PART #	DATA SHEET?	SOURCE SYSTEM	QTY	RETIRED?	DESCRIPTION	ORDERING INSTRUCTIONS	ORDERING SPECIFICATIONS	MANUF	MODEL	MANUF PART #
36	1600709	1600709		S STATE	32-16		STUD, ALL-THREAD, 5/8" DIA, 11 UNC, 4-1/2" LG, HEAT TREATED CS, ASTM A193, GR B7, TEFLOON COATED, W/ (2) HEX			HIGHLANDTHRE		2472-0163
37	NOT USED	#N/A	#N/A	#N/A	NOT USED	#N/A	#N/A	#N/A		#N/A	#N/A	#N/A
38	17383	1553267		PNG	2		ELBOW PIPE, 24" NPS X 0.5 W.T., BW, 90 DEG, 1.50 RADIUS, STL, MSS SP-75, GR Y65, FULLY SEGMENTABLE, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4			HACKNEYLADIS, KNOWN		24-940, 1553267
39	17385	1553024		PNG	1		ELBOW PIPE, 24" NPS X 0.5 W.T., BW, 45 DEG, 30 RADIUS, STL, MSS SP-75, GR Y65, FULLY SEGMENTABLE, BARE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4			UNKNOWN		1553024
40	NON-STOCK	#N/A	#N/A	#N/A	1	#N/A	GENE GP2 MEMBRANE PROBE 7", 1" NPT HOUSING, 316 SS WITH 1/8" FNPT OUTLET, NEOPRENE AND PERFLUOROELASTOMER O-RINGS AND BTU MEMBRANE, MODEL HPF2-256-SS-B-1	#N/A	TO BE SHIPPED LOOSE WITH CONTROL BUILDING	#N/A	#N/A	#N/A
41	1600439	1600439		CHKY	9		ELBOW PIPE, 20", BW, 90 DEG, 1.50 RADIUS, 0.5" WALL, CS, MSS SP-75, GR Y65, FULLY SEGMENTABLE, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIGURE 1.4			HACKNEYLADIS		20-90-1.50-500
42	1600437	1600437		CHKY	2		ELBOW PIPE, 20", BW, 45 DEG, 30 RADIUS, 0.5" WALL, CS, MSS SP-75, GR Y65, FULLY SEGMENTABLE, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIGURE 1.4			HACKNEYLADIS		20-30-45-500
43	15845	1575615		PNG	8		ELBOW PIPE, 16" NPS X 0.375 W.T., BW, 90 DEG, 1.50 RADIUS, STL, MSS SP-75, GR Y65, FULLY SEGMENTABLE, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4			UNKNOWN		1575615
44	15833	1552865		PNG	1		ELBOW PIPE, 10" NPS X 0.365 W.T., BW, 90 DEG, 1.50 RADIUS, STL, MSS SP-75, GR Y52, FULLY SEGMENTABLE, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4			HACKNEYLADIS		1552865
45	16269	1575614		PNG	4		ELBOW PIPE, 2" NPS X 0.219 W.T., BW, 90 DEG, 1.50 RADIUS, STL, MSS SP-75, GR Y52, FULLY SEGMENTABLE, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4			HACKNEYLADIS, TECTUBRACO		2-940-SEG, 2"-90-1.50-XS-Y52-SEG
46	NON-STOCK	#N/A	#N/A	#N/A	1	#N/A	MUSTANG P53, GAS SAMPLING CONDITIONING SYSTEM, WITH HEATED ENCLOSURE, 24VDC POWER SUPPLY, LIQUID MEMBRANE SEPARATOR, REGULATOR, PRESSURE GAUGE 0-60PSIG, RELIEF VALVE, DIAL THERMOMETER, 2" PIPE MOUNT BRACKETS.	#N/A	TO BE SHIPPED LOOSE WITH CONTROL BUILDING	#N/A	#N/A	#N/A
47	10922	1552345		PNG	6		ELBOW PIPE, 1" NPS X 0.179 W.T., FPT, 90 DEG, 10 RADIUS, CLASS 3000, FORGED STL, ASME B16.11, ASTM A105 GR WPB, NON SEGMENTABLE			BOTH-WELLSTE		1552345
48	1601596	1601596		S STATE	1		VALVE BALL, TRUNNION, 20" NPS, CLASS 600, FULL PORT, WELD Y WELD, HANDWHEEL, WORM GEAR OPERATED, CS BODY, STD TRIM API 6D, W/ OPERATOR EXTENSION, BODY DRAIN & SEALANT PORTS TO BE FACTORY PIPED UP TO THE OPERATOR, MUST SPECIFY WALL THK & MATERIAL YIELD STRENGTH OF MATING PIPE, WHETHER PIPE PUPS ARE REQUIRED & OPERATOR EXTENSION LG	SPECIFY WALL THK & MATERIAL YIELD STRENGTH OF MATING PIPE, WHETHER PIPE PUPS ARE REQUIRED & OPERATOR EXTENSION LG	FOR CONNECTION TO 20" NPS, 0.500" WT, API 5L PS22 GRADE X65 PIPE, INCLUDE PIPE PUPS OF 1.5' OOD, INCLUDE OPERATOR STEM EXTENSION OF 9.9 FT AS MEASURED FROM PIPE CENTERLINE TO HANDWHEEL	CAMERON	T-31	20"NPS 800002-2A-1
49	NOT USED	#N/A	#N/A	#N/A	NOT USED	#N/A	#N/A	#N/A		#N/A	#N/A	#N/A
50	1602689	1602689		S STATE	1		TEE PIPE, (20" X 20" X 20") NPS, WELD, 0.5" WALL THK, STL, MSS SP-75, GR Y65, BARRER BRANCH, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4			HACKNEYLADIS		20-TEE-Y65-BBT
51	17326	1570100		PNG	1		TEE PIPE, 24" NPS X 24" NPS X 24" NPS X 0.500" W.T., WELD, STL, MSS SP-75, GR Y65, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4			HACKNEYLADIS		1570100
52	17322	1570213		PNG	8		TEE PIPE REDUCING, 24" NPS X 24" NPS RUN, 16" NPS BRANCH, WELD, STL, MSS SP-75, GR Y65, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4		24" NPS SHOULD HAVE 0.500" WT, 16" NPS IS 0.375" WT	HACKNEYLADIS		1570213
53	1600059	1600059		S STATE	2		TEE PIPE, (20" X 20" X 20") NPS, WELD, 0.500" WALL THK, STL, MSS SP-75, GR Y65, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4			HACKNEYLADIS		1600059
54	13566	1570193		PNG	1		TEE PIPE REDUCING, 20" NPS X 20" NPS RUN, 10" NPS BRANCH, WELD, STL, MSS SP-75, GR Y65, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4		20" NPS SHOULD HAVE 0.500" WT, 10" NPS IS 0.365" WT	HACKNEYLADIS		1570193
55	15837	1570096		S STATE	2		TEE PIPE, 10" NPS X 10" NPS X 10" NPS X 0.360" W.T., WELD, STL, MSS SP-75, GR Y52, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4			TECTUBI		10-TEE-W-365-Y52
56	NON-STOCK	#N/A	#N/A	#N/A	1	#N/A	MUSTANG PONY HEATED PROBE ENCLOSURE, INSULATED ENCLOSURE, 120VAC BLOCK HEATER, HEAT TRACE TUBING SHRINK BOOT AND SHRINK SLEEVE, CLASS 1 DIV 1 TERMINATION ENCLOSURE WITH TERMINATION KIT, BOLTS, NUTS & WASHERS TO MOUNT PONY TO KIT NUT, KIT COLLAR	#N/A	TO BE SHIPPED LOOSE WITH CONTROL BUILDING	#N/A	#N/A	#N/A
57	1601562	1601562		S STATE	2		REDUCER PIPE, CONCENTRIC, 24" NPS X 0.500 W.T. X 20" NPS X 0.500 W.T., WELD, STL, MSS SP-75, GR Y65, PAINTED PREFERRED, BARE ACCEPTABLE, MACHINE BEVEL ENDS PER ASME B31.8 APPENDIX I, FIG 1.4			HACKNEYLADIS		1601562
58	NON-STOCK	#N/A	#N/A	#N/A	100 FT	#N/A	HEAT TRACE BUNDLE TUBING, 1/8" SS, 5 WATT 110VAC, CLASS 1 GROUP D	#N/A	TO BE PROVIDED AND INSTALLED BY TFO	#N/A	#N/A	#N/A
59	17350	1554620		PNG	2		NIPPLE PIPE, SWAGE, 2" NPS X 1" NPS X 0.219 W.T., BEVELED LARGE END X THD SMALL END, 6-1/2" LG, STL, MSS SP-65, ASTM A234 GR WPB, BARE, CONCENTRIC			UNKNOWN		1554620
60	NON-STOCK	#N/A	#N/A	#N/A	2	#N/A	MUSTANG, HEAT TRACE TERMINATION KIT, CLASS 1, DIV 1 RAT NO, EXPLOSION PROOF CONNECTION, INCLUDES ELECTRICAL CONNECTION KIT PIN HAK-J2, TERMINATION ENCLOSURE, PIN HAK-J62, HEAT SHRINK BOOT PIN TSI-SB2, MOUNTING BRACKET AND STRAP PIN LMB & PS-03	#N/A		#N/A	#N/A	#N/A
61	1588354	1588204		PNG	2		OUTLET PIPE, WELDOLET, 36-20" RUN, 2" BRANCH, CS, XS, ATSM A-694 FITTING DESIGNED TO BE WELDED ON API 5L X65 NPS 20 & 24 LINE PIPE, CMTR REQUIRED			Bonney Forge	WELDOLET	Q1500114-79
62	1588194	1588194		PNG	2		OUTLET PIPE, THREDOLET, 10-8" RUN, 1" BRANCH, THD, CS, 3000 LB, ATSM A-694 FITTING DESIGNED TO BE WELDED ON API 5L X65 NPS 8, 8 & 10 LINE PIPE, CMTR REQUIRED			Bonney Forge	THREDOLET	Q1500114-15
63	1588196	1588196		PNG	9		OUTLET PIPE, THREDOLET, 36-12" RUN, 1" BRANCH, THD, CS, 3000 LB, ATSM A-694 FITTING DESIGNED TO BE WELDED ON API 5L X65 NPS 16, 20 & 24 LINE PIPE, CMTR REQUIRED			Bonney Forge	THREDOLET	Q1500114-17
64	NON-STOCK	#N/A	#N/A	#N/A	BOFT	#N/A	PIPE, 4" IPS, SCH 40, POLYVINYL CHLORIDE (PVC)	#N/A		#N/A	#N/A	#N/A
65	16269	1551456		PNG	15		NIPPLE PIPE, 1" NPS X 0.179 W.T., THD BOTH END, 3" LG, STL, ASTM A733 A106 GR B, SMLS			UNKNOWN		1551456
66	16384	1551460		PNG	3		NIPPLE PIPE, 1" NPS X 0.179 W.T., THD BOTH END, 18" LG, STL, ASTM A733 A106 GR B, SMLS			UNKNOWN		1551460
67	15391	1552377		PNG	4		ELBOW PIPE, 4" IPS, 90 DEG, PVC, 5 X 5, SCH 40 4" DIAMETER POLYVINYL CHLORIDE (PVC) 90 DEGREE ELBOW SCHEDULE 40 SOCKET BY SOCKET			NBCONC.		1552377

NOTES:
1. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.
2. CONTRACTOR SHALL SUPPLY ALL NECESSARY CONSUMABLE ITEMS FOR SITE CONSTRUCTION.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 48 OF 68 DWG SCALE AS NOTED
DWG DATE 06/10/2020 SUPERSEDED
DRAWING NUMBER PNG -M-004-0001079 REVISION 0
DISCIPLINE / RESOURCE CENTER LINE NUMBER

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00021957



NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CODE	INITIALS
						ACCOUNT NUMBER	INITIALS
						PROJECT NUMBER	DATE
						DRAWING BY	INITIALS
						STATION ID	DATE
						CHECKER INITIALS	INITIALS



C350 PROJECT
NORWOOD C350 STATION
MECHANICAL BILL OF MATERIALS - 2
HAMILTON COUNTY, OHIO

REGIONAL
ENGINEER
MSR TECH
REC & STD
PRINCIPAL
ENGINEER

MARK	LEGACY NUMBER	MAXIMO PART #	DATA SHEET?	SOURCE SYSTEM	QTY	RETIRED?	DESCRIPTION	ORDERING INSTRUCTIONS	ORDERING SPECIFICATIONS	MANUF	MODEL	MANUF PART #
68	11112	50056901		S STATE	17		PLUG PIPE, 1" NPS, SQ HEAD, THD, CLASS 3000, FORGED STL, ASME B16.11, ASTM A105, GR 55			CAPTOLUM COO, PHOENIX FORGE, BONNEY FORGE		12203310, 5 151410
69	15367	1552043		PNG	4		COUPLING PIPE, 4" IPS, PVC, SCH 40 4" DIAMETER POLYVINYL CHLORIDE (PVC) COUPLING SCHEDULE 40 SOCKET BY SOCKET			NIBCONC,		1552043
70	1559486	1559486		S STATE	3		INSULATOR, MONOLITHIC, WELD, 20" NPS, FORGED STL, ASTM A105, CLASS 600, ASME B16.11, W STYLE, API 5L PSL-2, GR X65, PIPE WITH 0.500" W.T., BEVEL ENDS 30-35 DEG WITH 1/16" LANDING			SYPRISTECHOL		1559486
71	NON-STOCK	#N/A	#N/A	#N/A	2	#N/A	CAP PIPE, 4" IPS, PVC, SCH 40, POLYVINYL CHLORIDE (PVC), SOCKET BY SOCKET	#N/A		#N/A	#N/A	#N/A
72	12845	1557618		PNG	8		INSULATOR, MONOLITHIC, WELD, 10" NPS, FORGED STL, ASTM A105, CLASS 600, ASME B16.11, W STYLE, MACHINED TO MATCH API 5L PSL-2, GR X65, PIPE WITH 0.375" W.T., BEVEL ENDS 30-35 DEG WITH 1/16" LANDING			SYPRISTECHOL,		2000320943
73	15443	1575633		PNG	1		INDICATOR, PG SIGNAL ASSEMBLY, 3/4" NPS X 0.250-0.500 W.T., SS, FLAG AND MANUAL RESET NONEXTENDED SHAFT ASSEMBLY, 316 SS OMNIDIRECTIONAL PLUG ASSEMBLY, EXPLOSIVE DECOMPRESSION AND EXTRUSION RESISTANT VITON O-RING MATERIAL			TOWILLIAMSON,		04-9548-0000-51
74	17410	1553800		PNG	3		CAP PIPE, 24" NPS X 0.500 W.T., WELD, GR X65, BARE			UNKNOWN,		1553800
75	14151	1553338		PNG	2		FITTING, THREAD-O-RING, 2" X 30-48" NPS WE, STL, ASTM A333 GR. 6 ASME B31.8, BARE, NIPPLE, ASTM A333, CAP, ASTM A105, PLUG, ASTM B-16 YELLOW BRASS, VITON O-RING			TOWILLIAMSON,		TR-0000-0002-00
76	16006	1556900		PNG	2		TEE, SERVICE TEE, 1" NPS, WELD, FORGED STL, ASME B16.11, ASME B16.11, ASTM A105, NO-BLO SERVICE, BARE, CAP, ASTM A105, TAPPING TEE			MUELLERCO,		330H17501
77	17297	1557796		PNG	4+10FT		PIPE, 1" NPS X 0.179 W.T., SFL, RANDOM LG, BEVELED ENDS, SEAMLESS, FBE, STL, ASTM A106, GR B	Does not come in DRL		UNKNOWN,		1557796
78	17234	1557790		PNG/KY-OH	10+10FT		PIPE, 1" NPS X 0.179 W.T., 20' RANDOM LG, BEVELED ENDS, SEAMLESS, BARE, STL, ASTM A106, GR B			IPSCONC		5-179-20LG-ASTMA106-BARE
79	16440	1551853		PNG	3		NIPPLE PIPE, 3/4" NPS X 0.154 W.T., THD BOTH END, 3" LG, STL, ASTM A733 A106 GR B			UNKNOWN,		1551853
80	13472	1551432		PNG	1		NIPPLE PIPE, 3/4" NPS X 0.154 W.T., THD BOTH END, 6" LG, STL, ASTM A733 A106 GR B, SMLS			WESTBROCKELE,		1551432
81	10714	1554569		PNG	1		NIPPLE PIPE, SWAGE, 1" NPS X 3/4" NPS X 0.179 W.T., THD BOTH END, 3-1/2" LG, ZINC PLTD STL, MSS SP-95, ASTM A204 GR WPB, CONCENTRIC			WESTBROCKMAN,		1554569
82	11092	1552355		PNG	1		ELBOW PIPE, 3/4" NPS X 0.154 W.T., THD, 90 DEG, 10 RADIUS, CLASS 3000, FORGED STL, ASME B16.11, ASTM A105 GR WPB, NON SEGMENTABLE, STREET			BOTH-WELLSTE,		1552355
83	11441	1553235		PNG	1		ELBOW PIPE, REDUCING, 1-1/2" NPS X 1" NPS, THD, 90 DEG, 10 RADIUS, CLASS 150, BLACK MI, ASME B16.3, ASTM A197 GR WPB, NON SEGMENTABLE, 0.200 W.T.			BOTH-WELLSTE,		1553235
84	10404	1575673		PNG	2		TEE PIPE, 3/4" NPS X 3/4" NPS X 3/4" NPS, FNPT, CLASS 3000, FORGED STL, ASME B16.11, ASTM A105 GR B			ENLINTEELCO,		1557647
85	11322	1553333		PNG	1		UNION PIPE, 3/4" NPS, PPT, CLASS 3000, FORGED STL, MSS SP-43, ASTM A105, INSULATED UNION, O-RING TYPE, FLAT FACE			GEORGFISCHER,		10875751000
86	5205686	5056866		CHKT	1		PLUG PIPE, 3/4" NPS, SQ HEAD, THD, CLASS 3000, FORGED STL, ASME B16.11, ASTM A105			BONNEYFORGE,C,		39980
87	11329	4015103		PNG	1		CAP PIPE, 3/4" NPS, THD, CLASS 3000, FORGED STL, ASME B16.11, ASTM A105, NPT			UNKNOWN,		BY DESCRIPTION
88	17509	1554574		PNG	1		SUPPORT PIPE, 20" NPS, STL, SUPPORT PIPE 20" EZ LINE TYPE W5BC-01 ADJUSTABLE SUPPORT SHIM BLOCKS WITH CLAMP FOR 20" STEEL PIPE, 1/8" THICK PVC LINING INSIDE CLAMP AND TOP OF SHIM BLOCKS, SHIM BLOCKS AND CLAMP FABRICATED FROM ASTM A-572 GR. 50, STEEL BASE PLATE WITH 4 SLOTTED HOLES ADJUSTMENT SHIM BLOCKS AND CLAMP TO PREVENT BOTH LATERAL AND VERTICAL PIPE MOVEMENT, ENTIRE ASSEMBLY TO BE GALVANIZED COATED, 6-Z LINE PIPE SUPPORT CO PART #W5BC-01, PROVIDE ANCHOR BOLTS WITH NUTS AND WASHERS			EZLINEPIPE,SI,		1554574
89	17306	1554624		PNG	2		SUPPORT PIPE, 10" NPS, STL, SUPPORT PIPE 10" EZ LINE TYPE W5BC-01 ADJUSTABLE SUPPORT SHIM BLOCKS WITH CLAMP FOR 10" STEEL PIPE, 1/8" THICK PVC LINING INSIDE CLAMP AND TOP OF SHIM BLOCKS, SHIM BLOCKS AND CLAMP FABRICATED FROM ASTM A-572 GR. 50, STEEL BASE PLATE WITH 4 SLOTTED HOLES ADJUSTMENT SHIM BLOCKS AND CLAMP TO PREVENT BOTH LATERAL AND VERTICAL PIPE MOVEMENT, ENTIRE ASSEMBLY TO BE GALVANIZED COATED, 6-Z LINE PIPE SUPPORT CO PART #W5BC-01, PROVIDE ANCHOR BOLTS WITH NUTS AND WASHERS			EZLINEPIPE,SI,		1554624

NOTES:
1. ANY CHANGES REQUIRED DUE TO FIELD CONDITIONS MUST BE APPROVED BY THE ENGINEERING DEPARTMENT.
2. CONTRACTOR SHALL SUPPLY ALL NECESSARY CONSUMABLE ITEMS FOR SITE CONSTRUCTION.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 49 OF 68	DWG SCALE	AS NOTED
DWG DATE 06/10/2020	SUPERSEDED	---
DRAWING NUMBER	REVISION	
PNG -M-004-0001080	0	
DISCIPLINE / RESOURCE CENTER / LINE NUMBER		

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00421557








































































PROFESSIONAL ENGINEER'S STAMP

NO.	DATE	REVISION(S) DESCRIPTION	BY	CHK	APPR	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	RDC	JBF	CAB	AREA CODE	
						ACCOUNT NUMBER	AW2128
						PROJECT NUMBER	1880115
						DRAWING BY	RDC
						STATION ID	S068601
						CHECKER INITIALS	JBF
						DATE	01/08/2021
						INITIALS	CAB
						REGIONAL ENGINEER	
						MSR TECH REC & STD	
						PRINCIPAL ENGINEER	



C350 PROJECT
NORWOOD C350 STATION
MECHANICAL BILL OF MATERIALS - 3
HAMILTON COUNTY, OHIO

CONDUIT AND CABLE	EQUIPMENT	GENERAL NOTES	ABBREVIATIONS	ABBREVIATIONS CONT'D
 EXPOSED CONDUIT OR CABLE VISIBLE  UNDERGROUND OR CABLE HIDDEN  FLEXIBLE CONDUIT  CONDUIT OR CABLE CONTINUATION  CONDUIT OR CABLE TURNING DOWN  CONDUIT OR CABLE TURNING UP  CONDUIT WITH BUSHING  CONDUIT CAPPED FOR FUTURE USE  CONDUIT CONTINUATION FROM EXISTING CAPPED STUB  CONDUIT TURNED UP AND CAPPED (CAP AT ELEVATION NOTED)  CONDUIT DROPPING OUT BOTTOM OF EQUIPMENT  COMMUNICATIONS TEE  TEE IN HORIZONTAL CONDUIT RUN WITH THE BRANCH GOING HORIZONTAL  TEE IN HORIZONTAL CONDUIT RUN WITH THE BRANCH GOING UP (AND PIERCING THE PLANE OF PROJECTION)  TEE IN HORIZONTAL CONDUIT RUN WITH THE BRANCH GOING DOWN  TEE IN VERTICAL CONDUIT RUN WITH THE BRANCH GOING HORIZONTAL  NO CONNECTION  NEUTRAL CONNECTION  LOOP INDICATES SHIELDED CABLE (SIZE AS REQUIRED)  CABLE CHANNEL TURNS DOWN  CABLE CHANNEL TURNS UP CONDUIT NUMBER CALL OUT, SEE CABLE SCHEDULE 	 TWO WINDING TRANSFORMER  AUTO TRANSFORMER  POTENTIAL TRANSFORMER  LINE TRAP  CAPACITOR  TRANSFER SWITCH  AIR OR VACUUM CIRCUIT BREAKER  LIGHTNING OR SURGE ARRESTER  GROUND CONNECTION  BATTERY  EQUIPMENT AS NOTED ON PLANS  GAUGEBOARD  DISCONNECT SWITCH  ELECTRICAL DEVICE  THERMOSTAT  JUNCTION BOX  TERMINAL BOX CONTAINING TERMINAL BLOCKS WITH SUFFICIENT NUMBER OF POLES TO TERMINATE ALL CONDUCTORS ENTERING THE BOX  GENERATOR  SURGE SUPPRESSION DEVICE  INDICATING LIGHT (COLOR) A - AMBER BL - BLUE C - CLEAR G - GREEN R - RED W - WHITE Y - YELLOW  INDICATING LIGHT (FUNCTIONS) L - LINE POTENTIAL S - SYNCHRONIZING SO - SCOPE ON T - TRIP INDICATION T&S - TRIP & SUPER-VISING (TWO LIGHTS)  COIL DESIGNATIONS M - MOTOR STARTER TDR - TIME DELAY RELAY C - CONTACTOR CR - CONTROL RELAY MX - MOTOR STARTER AUX RELAY (USUALLY PICKS UP THE "M" COIL) F - FORWARD OR FAST R - REVERSE S - SLOW  CONTROL STATION X - TYPE/DESIGNATION: A - HAND/OFF/AUTO B - JOIA WITH START C - REMOTE STOP D - START/STOP E - AUTO/ON F - JOG/OFF/AUTO G - JOIA WITH START P - PHOTOCELL V - VIBRATION SWITCH  DCS INTERFACE SYMBOL W/ SCHEMATIC REFERENCE DRAWING NUMBER  INSTRUMENTATION WITH TAG NUMBER	1. NOT ALL SYMBOLS AND ABBREVIATIONS SHOWN ON THE DRAWING ARE USED FOR THIS PROJECT. <u>CABLE CONDUCTOR COLOR CODING</u> BK - BLACK RD - RED BL - BLUE OR - ORANGE YL - YELLOW BR - BROWN WH - WHITE GN - GREEN RDBK - RED/BLACK BLBK - BLUE/BLACK ORBK - ORANGE/BLACK YLBK - YELLOW/BLACK BRBK - BROWN/BLACK BKRD - BLACK/RED	A AMPERES AC ALTERNATING CURRENT AGA AMERICAN GAS ASSOCIATION AH ALARM HORN ALM ALARM ANN ANNUNCIATOR API AMERICAN PETROLEUM INSTITUTE A/R (OR) AR AS REQUIRED AS AMMETER SWITCH ATS AUTOMATIC TRANSFER SWITCH AUTO AUTOMATIC AUX AUXILIARY AWG AMERICAN WIRE GAUGE BAT BATTERY BKR BREAKER B.O.M. (OR) BOM BILL OF MATERIALS C CONDUIT CA CABLE CB CIRCUIT BREAKER CHGR CHARGER CKT CIRCUIT CTRL CONTROL CNVT CONVERTER CONTD CONTINUED ON DRAWING (OR) CONTINUED CP CONTROL PANEL CS CIRCUIT SWITCHER CT CURRENT TRANSFORMER DB DIRECT BURIED DC DIRECT CURRENT DET DETECTOR DI DIGITAL INPUT DIFF DIFFERENTIAL DISC DISCONNECT DN DOWN DO DIGITAL OUTPUT DP DISTRIBUTION PANEL DS DISTRIBUTION SWITCH (OR) DISCONNECT SWITCH DWG DRAWING EL ELEVATION ELEC ELECTRICAL EMER EMERGENCY EMT ELECTRICAL METALLIC TUBING EP EXPLOSION PROOF ES (OR) ESD EMERGENCY STOP (OR) EMERGENCY SHUTDOWN F (OR) FWD FORWARD FDR FEEDER FREQ FREQUENCY FU FUSE GEN GENERATOR GND GROUND GRC GALVANIZED RIGID CONDUIT HTR HEATER HV HIGH VOLTAGE HVS HIGH VOLTAGE SWITCHGEAR HZ HERTZ (FREQUENCY) INSTR INSTRUMENT INTLK INTERLOCK I/O INPUT/OUTPUT FOR CONTROLLER JB (OR) J-BOX JUNCTION BOX KV KILOVOLT KVA KILOVOLT AMPERES LP LIGHTING PANEL, SMALL POWER PANEL LTG LIGHTING LV LOW VOLTAGE M METER MAN MANUAL MISC MISCELLANEOUS MTR MOTOR NC NORMALLY CLOSED NEC NATIONAL ELECTRICAL CODE NEUT NEUTRAL NO NORMALLY OPEN NTS NOT TO SCALE Ω OHMMETER OH (OR) CH OVERHEAD OL OVERLOAD OP OPERATING P POLE PC PHOTOCELL P.F. (OR) PF POWER FACTOR PH (OR) Ø PHASE PNL PANEL POT POTENTIOMETER PP POWER PANEL PS PRESSURE SWITCH	PT POTENTIAL TRANSFORMER PVC POLYVINYL CHLORIDE PWR POWER R (OR) REV REVERSE RCT RECTIFIER RCPT RECEPTACLE REF REFERENCE REF DWG # REFERENCE DRAWING NUMBER (AS INDICATED) REQD REQUIRED RES RESISTOR RGS RIGID GALVANIZED STEEL RMC RIGID METALLIC CONDUIT RTD RESISTANCE TEMPERATURE DETECTOR SHLD SHIELDED SH (OR) SHT SHEET SP SPARE STA STATION STR STARTER SW SWITCH SWBD SWITCHBOARD SWGR SWITCHGEAR TB TERMINAL BLOCK TBD TERMINAL BOARD TBM TERMINAL BOX TDR TIME DELAY RELAY TEL TELEPHONE T.O.C. (OR) TOC TOP OF CONCRETE T.O.D. (OR) TOD TOP OF DUCT T.O.G. (OR) TOG TOP OF GRATING T.O.S. (OR) TOS TOP OF STEEL TSP TWISTED SHIELDED PAIR TYP TYPICAL UG (OR) UG UNDERGROUND UPS UNINTERRUPTIBLE POWER SUPPLY UV UNDERVOLTAGE V VOLTS (OR) VOLTAGE VFD VARIABLE FREQUENCY DRIVE VS VOLTMETER SWITCH W WATT or WIRE WP WEATHERPROOF WR WELDING RECEPTACLE XDRX TRANSDUCER XE MISC. ELECTRICAL EQUIPMENT XF POWER TRANSFORMER XFER TRANSFER XFMR TRANSFORMER XMTR TRANSMITTER
<u>GROUNDING</u>  GROUND CABLE BURIED  GROUND CABLE EXPOSED  GROUND ROD  TEST WELL IN ACCESSIBLE BOX WITH COVER  GROUND CONDUCTOR TURNING UP  GROUND CONDUCTOR TURNING DOWN  EXOTHERMIC CONNECTION  EQUIPMENT, DEVICE, STRUCTURAL, SUPPORT CONNECTION  GROUND CONDUCTOR PIGTAIL FOR ABOVE GRADE AND FINISHED CONCRETE CONNECTION TO EQUIPMENT AND FUTURE CONNECTION  AIR TERMINAL (LIGHTNING ROD) CONNECTED TO GROUND CABLE  GROUND CABLE CONTINUATION  GROUND BAR	 SURGE SUPPRESSION DEVICE  INDICATING LIGHT (COLOR) A - AMBER BL - BLUE C - CLEAR G - GREEN R - RED W - WHITE Y - YELLOW  INDICATING LIGHT (FUNCTIONS) L - LINE POTENTIAL S - SYNCHRONIZING SO - SCOPE ON T - TRIP INDICATION T&S - TRIP & SUPER-VISING (TWO LIGHTS)  COIL DESIGNATIONS M - MOTOR STARTER TDR - TIME DELAY RELAY C - CONTACTOR CR - CONTROL RELAY MX - MOTOR STARTER AUX RELAY (USUALLY PICKS UP THE "M" COIL) F - FORWARD OR FAST R - REVERSE S - SLOW  CONTROL STATION X - TYPE/DESIGNATION: A - HAND/OFF/AUTO B - JOIA WITH START C - REMOTE STOP D - START/STOP E - AUTO/ON F - JOG/OFF/AUTO G - JOIA WITH START P - PHOTOCELL V - VIBRATION SWITCH  DCS INTERFACE SYMBOL W/ SCHEMATIC REFERENCE DRAWING NUMBER  INSTRUMENTATION WITH TAG NUMBER			
<u>CATHODIC PROTECTION</u>  RECTIFIER AND RECTIFIER JUNCTION BOX FOR CATHODIC PROTECTION  RECTIFIER AND RECTIFIER JUNCTION BOX FOR CATHODIC PROTECTION  RECTIFIER AND RECTIFIER JUNCTION BOX FOR CATHODIC PROTECTION				

SHUPES & McDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE #00420557




NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	APPROVALS	REGIONAL ENGINEER
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	MCH	YBK	AREA CODE - ACCOUNT NUMBER AW2128 PROJECT NUMBER 1880115 DRAWING BY MCR STATION ID S066801 CHECKER INITIALS MCH	DATE 01/08/2021 INITIALS YBK	MGR TECH REC & STD PRINCIPAL ENGINEER



C350 PROJECT
NORWOOD C350 STATION
ELECTRICAL LEGEND
HAMILTON COUNTY, OHIO

REF. DWG(S)	PNG-G-004-0001043
SHEET(S) 52 OF 68	DWG SCALE NONE
DWG DATE 07/10/2019	SUPERSEDED
DRAWING NUMBER PNG -E-004-0001053	REVISION 0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



PANELBOARD NAME: PANELBOARD TYPE: PANEL LOCATION: SUPPLIED FROM:			LC-1 AC POWER PANEL MAIN CIRCUIT BREAKER SCADA BUILDING TRANSFER SWITCH / DISCONNECT			10,000 RMS SYMMETRICAL A.I.C. SURFACE MOUNTED, NEMA 12 ENCLOSURE 120/240 VOLTS, 1 PHASE, 3 WIRE, 60 Hz			100 AMP TRIP MAIN BREAKER 100 AMP MAINS			
CKT NO.	TRIP AMPS	NO. POLES	WIRE / GND / COND	LOAD SERVED	LOAD VA	Ø	LOAD VA	LOAD SERVED	WIRE / GND / COND	NO. POLES	TRIP AMPS	CKT NO.
1	20	1		SCADA BUILDING LIGHT 1 & 2 (LT-1, LT-2)	100	A	125	FLOOD LIGHT (EXTRIOR)		1	20	2
3	20	1		SCADA BUILDING OUTLET 1 & 2	480	B	1500	POWER SUPPLY (RESERVED)		1	20	4
5	20	1		SCADA BUILDING OUTLET 3	240	A	200	CP RECTIFIER		1	20	6
7	20	2		HVAC UNIT	1800	B	500	MUSTANG SAMPLE GAS HEAT TRACING POWER		1	20	8
					1800	A		SPARE		1	20	10
11	20	1		YARDLIGHT #1	448	B		SPARE		1	20	12
13	20	1		YARDLIGHT #2	448	A		SPARE		1	20	14
15	20	1		SPARE		B		SPARE		1	20	16
17	20	1		SPARE		A		SPARE		1	20	18
19	20	1		SPARE		B		SPARE		1	20	20
21		1		SPACE		A		SPACE		1		22
23		1		SPACE		B		SPACE		1		24
TOTAL CONNECTED LOAD = 7.6 KVA X 99% DEMAND FACTOR = 7.6 KVA ESTIMATED DEMAND LOAD PHASE BALANCE (KVA) - A: 2.9, B: 4.7 DESIGN LOAD = 32 AMPERES, TOTAL LOAD WITH EXPANSION = 48 AMPERES												

- NOTES:**
1. TRANSFORMER SIZING, DISCONNECT SWITCH RATING, CABLE SIZES, CONDUIT SIZE ARE BASED ON THE MAXIMUM ESTIMATE 25KVA LOAD REQUIREMENT.
 2. MINIMUM REQUIREMENT IS 120 AMP @ 120/240 VAC, SINGLE PHASE SERVICE.
 3. WATT-HOUR METER, DISCONNECT SWITCH, RISER AND WEATHER HEAD CONFIGURATION MAY VARY BASED ON UTILITY POWER COMPANY REQUIREMENT. CONTRACTOR TO CONFIRM WITH THE OWNER REPRESENTATIVE AND UTILITY PRIOR TO PURCHASE.
 4. CONTRACTOR TO RED-LINE UTILITY'S TRANSFORMER INFORMATION AS NEEDED.
 5. FIELD ELECTRICAL CONTRACTOR TO FURNISH AND INSTALL POWER CABLE, FUSED DISCONNECTED SWITCH, COMBINATION WATT-HOUR METER AND CIRCUIT PANEL. ELECTRICAL SUBCONTRACTOR TO SECURE AND PASS ALL PERMITS AND COORDINATE POWER INSTALLATION WITH UTILITY.
 6. FOR MORE INFORMATION, REFER TO ELECTRICAL PLOT PLAN PNG-E-004-0001058.

DUPUIS MADONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # COA010527



NO.	DATE	REVISION(S) DESCRIPTION	BY	CHK	APPR	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	MCH	YBK	AREA CODE ACCOUNT NUMBER PROJECT NUMBER DRAWING BY STATION ID CHECKER INITIALS	 AW2128 1880115 MCR S066801 MCH



C350 PROJECT
NORWOOD C350 STATION
ONE-LINE DIAGRAM & PANELBOARD SCHEDULE
HAMILTON COUNTY, OHIO

REF DWG(S)	PNG-G-004-0001043
SHEET(S)	53 OF 68
DWG SCALE	NONE
DWG DATE	07/10/2019
SUPERSEDED	---
DRAWING NUMBER	PNG -E-004-0001054
REVISION	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

NORWOOD CONDUIT SCHEDULE							
CONDUIT NUMBER	CONDUIT SIZE	CONDUIT TYPE	% FILL	CONTENT	FROM	TO	LENGTH (FT.)
C01	1.5"	RGS	21.42%	N01	UTILITY METER	SCADA BUILDING LC-1	125
C02	1"	RGS	3.13%	N02	SCADA BUILDING, RTU	HTR-202 BMS #1 AND BMS #2 POWER	175
C03	1"	RGS	13.15%	N03	SCADA BUILDING, LC-1	YARD LIGHT #1	40
C04	1"	RGS	13.15%	N04	SCADA BUILDING, LC-1	YARD LIGHT #2	200
C05	1.5"	RGS	15.29%	K05, K06, K07, K08	SCADA BUILDING, RTU	HTR-202 BMS #1	175
C06	1.5"	RGS	19.50%	K09, K10, K11, K12, K13, K14, K15, K16, K17, K18, K19, K20	SCADA BUILDING, RTU	PCV-203 JB	60
C07	1.5"	RGS	19.50%	K21, K22, K23, K24, K25, K26	SCADA BUILDING, RTU	PCV-204 JB	75
C08	1.5"	RGS	19.50%	K27, K28, K29, K30, K31, K32	SCADA BUILDING, RTU	PCV-205 JB	100
C09	1.5"	RGS	15.29%	K33, K34, K35, K36, K37, K38, K39	SCADA BUILDING, RTU	MLV-201, PIT-201A, PIT-201B	275
C10	1"	RGS	6.84%	K40	SCADA ROOM, RTU	LEL-203	30
C11	1"	RGS	13.15%	K41	SCADA BUILDING, LC-1	REGULATOR BUILDING AC JB	90
C12	1"	RGS	13.15%	K42	SCADA BUILDING, LC-1	CP RECTIFIER	250
C13	3/4"	RGS	5.06%	K43	PCV-204 JB	AIT-204	10
C14	4"	PVC	N/A	PRE-HEAT TRACED 1/4" TUBING FOR MUSTANG SAMPLE GAS	SCADA BUILDING eMEDOR SYSTEM	REGULATOR BUILDING AIT-204 MUSTANG SAMPLE SYSTEM	100

SIZES BASED ON DUKE'S TYPICAL PANELBOARD SCHEDULE (240/120 VAC, 100A, 1 PHASE, MAIN BREAKER)

NORWOOD CABLE SCHEDULE							
CABLE NUMBER	INSTRUMENT TAG	NUMBER OF CABLE	CONDUCTORS COPPER (600V INSULATION)	WORKING VOLTAGE	FROM	TO	LENGTH (FT.)
K01	N/A	1	3-1/C #2 AWG + #8 AWG GND, THWN-2	240/120 VAC	UTILITY METER	SCADA BUILDING LC-1	125
K02	N/A	1	2/C #14 AWG	24 VDC	SCADA BUILDING, RTU	HTR-202 BMS #1 AND BMS #2 POWER	175
K03	N/A	1	2-1/C #10 AWG + #12 AWG GND, THWN-2	120 VAC	SCADA BUILDING, LC-1	YARD LIGHT #1	40
K04	N/A	1	2-1/C #10 AWG + #12 AWG GND, THWN-2	120 VAC	SCADA BUILDING, LC-1	YARD LIGHT #2	200
K05	XI-202A	1	8PR #18 AWG TSP, THWN-2	24 VDC	SCADA BUILDING, RTU	HTR-202 BMS#1	175
K06	XS-202A			24 VDC	SCADA BUILDING, RTU	HTR-202 BMS#1	175
K07	XI-212A			24 VDC	SCADA BUILDING, RTU	HTR-202 BMS#2	175
K08	XS-212A			24 VDC	SCADA BUILDING, RTU	HTR-202 BMS#2	175
K09	PIT-203A	1	12PR #18 AWG TSP, THWN-2	24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K10	ZS-203B			24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K11	ZT-203B			24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K12	PY-203B			24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K13	PIT-203B	1	12PR #18 AWG TSP, THWN-2	24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K14	PIT-203C			24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K15	TIT-203A			24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K16	PCV-203B-PWR			24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K17	PIT-203A-SPARE	1	12PR #18 AWG TSP, THWN-2	24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K18	PCV-203B-SPARE			24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K19	PIT-203C-SPARE			24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K20	TIT-203A-SPARE			24 VDC	SCADA BUILDING, RTU	PCV-203 JB	60
K21	ZS-204B	1	12PR #18 AWG TSP, THWN-2	24 VDC	SCADA BUILDING, RTU	PCV-204 JB	75
K22	ZT-204B			24 VDC	SCADA BUILDING, RTU	PCV-204 JB	75
K23	PY-204B			24 VDC	SCADA BUILDING, RTU	PCV-204 JB	75
K24	PIT-204A			24 VDC	SCADA BUILDING, RTU	PCV-204 JB	75
K25	PCV-204B-PWR	1	12PR #18 AWG TSP, THWN-2	24 VDC	SCADA BUILDING, RTU	PCV-204 JB	75
K26	PCV-204A-SPARE			24 VDC	SCADA BUILDING, RTU	PCV-204 JB	75
K27	ZS-205B			24 VDC	SCADA BUILDING, RTU	PCV-205 JB	100
K28	ZT-205B			24 VDC	SCADA BUILDING, RTU	PCV-205 JB	100
K29	PY-205B	1	12PR #18 AWG TSP, THWN-2	24 VDC	SCADA BUILDING, RTU	PCV-205 JB	100
K30	PIT-205A			24 VDC	SCADA BUILDING, RTU	PCV-205 JB	100
K31	PCV-205B-PWR			24 VDC	SCADA BUILDING, RTU	PCV-205 JB	100
K32	PCV-205B-SPARE			24 VDC	SCADA BUILDING, RTU	PCV-205 JB	100
K33	ZIO-201	1	8PR #18 AWG TSP, THWN-2	24 VDC	SCADA BUILDING, RTU	MLV-201	275
K34	ZIC-201			24 VDC	SCADA BUILDING, RTU	MLV-201	275
K35	HI-201			24 VDC	SCADA BUILDING, RTU	MLV-201	275
K36	SYO-201			24 VDC	SCADA BUILDING, RTU	MLV-201	275
K37	SYC-201	1	1PR #18 AWG TSP, THWN-2	24 VDC	SCADA BUILDING, RTU	MLV-201	275
K38	PIT-201A			24 VDC	SCADA BUILDING, RTU	MLV-201, INLET PIT-201A	275
K39	PIT-201B			24 VDC	SCADA BUILDING, RTU	MLV-201, OUTLET PIT-201B	275
K40	LEL-203	1	1PR #18 AWG TSP, THWN-2	24 VDC	SCADA BUILDING, RTU	LEL-203	30
K41	N/A	1	2-1/C #10 AWG + #12 AWG GND, THWN-2	120 VAC	SCADA BUILDING, LC-1	REGULATOR BUILDING AC JB	90
K42	N/A	1	2-1/C #10 AWG + #12 AWG GND, THWN-2	120 VAC	SCADA BUILDING, LC-1	CP RECTIFIER	250
K43	AIT-204	1	2/C #14 AWG	24 VDC	SCADA BUILDING, RTU	PCV-204 JB	100

SIZES BASED ON DUKE'S TYPICAL PANELBOARD SCHEDULE (240/120 VAC, 100A, 1 PHASE, MAIN BREAKER)

NOTES:
1. FOR MORE INFORMATION, REFER TO ELECTRICAL PLOT PLAN PNG-E-004-0001058.

BURNS & MCDONNELL
ENGINEERING COMPANY INC.
STATE LICENSE #00421957



REVISIONS DESCRIPTION				APPROVALS			
NO.	DATE	DESCRIPTION	BY	CHK	APP'D	REGIONAL ENGINEER	REGIONAL ENGINEER
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCH	MCH	YBK		
		AREA CODE					
		ACCOUNT NUMBER					
		PROJECT NUMBER					
		DRAWING BY					
		STATION ID					
		CHECKER INITIALS					




C350 PROJECT
NORWOOD C350 STATION
CABLE AND CONDUIT SCHEDULE
HAMILTON COUNTY, OHIO

REF DWG(S) PNG-G-004-0001043	
SHEET(S) 54 OF 68	DWG SCALE NONE
DWG DATE 07/19/2019	SUPERSEDED
DRAWING NUMBER PNG -E-004-0001055	REVISION 0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



SEE BELOW FOR CONTINUATION



KEY PLAN



LEGEND:

- CLASS 1, DIVISION 1, GROUP D, T1
- CLASS 1, DIVISION 2, GROUP D, T1
- UNCLASSIFIED

NOTES:

- AREA CLASSIFICATION ARE PER THE LATEST EDITION OF AMERICAN GAS ASSOCIATION AGA-XL1001.
- ELECTRICAL WORK IN AREA CLASSIFICATION SHALL BE IN COMPLIANCE WITH THE LATEST EDITION OF NATIONAL ELECTRIC CODE, ARTICLE 500, 501 AND 504, AND PER STATE, LOCAL AND OSHA REGULATIONS.
- DUKE ENERGY HAVING AUTHORITY OF JURISDICTION HAS AUTHORIZED TO EXTEND THE ELECTRICAL HAZARDOUS AREA CLASSIFICATION PAST THE FENCE, DUKE ENERGY TO MEET THE NATURAL GAS SAFETY COMPLIANCE.

YARD LIGHT #2



AC-001 E-004-0001059

AC-011 E-004-0001059

AC-007 E-004-0001059

AC-003 E-004-0001059 (TYP.)

AC-001 E-004-0001059

AC-012 E-004-0001059

AC-003 E-004-0001059 (TYP.)

AC-016 E-004-0001059

AC-001 E-004-0001059

AC-007 E-004-0001059

AC-003 E-004-0001059 (TYP.)

AC-001 E-004-0001059

AC-016 E-004-0001059

AC-003 E-004-0001059 (TYP.)

AC-016 E-004-0001059

AC-001 E-004-0001059

AC-007 E-004-0001059

AC-003 E-004-0001059 (TYP.)

AC-001 E-004-0001059

AC-016 E-004-0001059

AC-003 E-004-0001059 (TYP.)

AC-016 E-004-0001059

AC-001 E-004-0001059

AC-007 E-004-0001059

AC-003 E-004-0001059 (TYP.)

AC-001 E-004-0001059

AC-016 E-004-0001059

AC-003 E-004-0001059 (TYP.)

SCADA BUILDING

YARD LIGHT #1

REGULATOR BUILDING

CONTROL VALVES CV-203

CV-204 CV-205

SEE ABOVE FOR CONTINUATION



REF DWG(S) PNG-G-004-0001043

SHEET(S) 55 OF 68 DWG SCALE 1" = 10'

DWG DATE 07/17/2019 SUPERSEDED

DRAWING NUMBER PNG -E-004-0001056

REVISION 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

BURNS & MCKENNA
ENGINEERING COMPANY, INC.
STATE LICENSE #00421957



NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPD	DESCRIPTION
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	MCH	YBK	

AREA CODE	DESCRIPTION	DATE	INITIALS	APPROVALS
ACCOUNT NUMBER	AW2128			
PROJECT NUMBER	1880115			
DRAWING BY	MCR			
STATION ID	S086801			
CHECKER INITIALS	MCH	01/08/2021	YBK	


REGIONAL ENGINEER	DATE	INITIALS

MGR. TECH. REC. & STD.	DATE	INITIALS

PRINCIPAL ENGINEER	DATE	INITIALS



C350 PROJECT
NORWOOD C350 STATION
HAZARDOUS AREA CLASSIFICATION PLAN
HAMILTON COUNTY, OHIO



- NOTES:**
1. GROUNDING INSTALLATION MUST COMPLY WITH OSHA AND NATIONAL ELECTRICAL CODE REQUIREMENTS, EXCEPT WHERE LOCAL CODE PREVAILS.
 2. A TEST MEASUREMENT OF THE RESISTANCE OF THE GROUNDING SYSTEM MUST BE TAKEN WHEN INSTALLED. IF THE RESISTANCE TO GROUND IS GREATER THAN 5 OHMS, ADDITIONAL GROUND RODS MUST BE INSTALLED UNTIL A COMBINED RESISTANCE OF 5 OHMS OR LESS IS OBTAINED.
 3. THE GROUNDING SYSTEM IS SHOWN DIAGRAMMATICALLY SO THAT APPROXIMATE ROUTING OF GROUNDING CONDUCTORS AND LOCATIONS OF TAPS, WELLS AND GROUND RODS CAN BE ACCOMPLISHED.
 4. FOR MORE INFORMATION ON SCADA BUILDING, SEE VENDOR DRAWING# 20-4211.

0 10 20
SCALE IN FEET

REF DWG(S) PNG-G-004-0001043

SHEET(S) 56 OF 68 DWG SCALE 1" = 15'

DWG DATE 06/11/2018 SUPERSEDED

DRAWING NUMBER PNG -E-004-0001057

REVISION 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

BLPNS & McDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE #00421057




NO.	DATE	REVISION DESCRIPTION
0	01-08-2021	ISSUED FOR CONSTRUCTION

BY	CHK	APPD	DESCRIPTION
MCR	MCH	YBK	AREA CODE
			ACCOUNT NUMBER AW2128
			PROJECT NUMBER 1880115
			DRAWING BY MCR
			STATION ID S066801
			CHECKER INITIALS MCH


DATE	INITIALS	APPROVALS
		REGIONAL ENGINEER
		MGR TECH REC & STD
		PRINCIPAL ENGINEER



C350 PROJECT
NORWOOD C350 STATION
ELECTRICAL GROUNDING PLAN
HAMILTON COUNTY, OHIO



KEY PLAN



- NOTES:
1. CONDUIT RUNS ARE SHOWN DIAGRAMMATICALLY IN NATURE. CONTRACTOR TO FIELD ROUTE CONDUITS IN ACCORDANCE WITH NEC REQUIREMENT AND AS DIRECTED BY OWNER'S REPRESENTATIVE.
 2. REFER TO CABLE SCHEDULE FOR CABLE AND CONDUIT INFORMATION.
 3. REFER TO INSTALLATION DETAILS ON DRAWING PNG-E-004-0001060, PNG-E-004-0001061.
 4. COMBINATION METER, DISCONNECT, CIRCUIT PANEL BY ELECTRICAL SUBCONTRACTOR. ELECTRICAL SUBCONTRACTOR TO SECURE AND PASS ALL PERMITS AND COORDINATE POWER INSTALLATION WITH UTILITY. 100 AMP @ 120/240 VAC, SINGLE PHASE SERVICE.
 5. SCADA BUILDING SHOWN BASED ON TYPICAL DUKE ENERGY STANDARDS LAYOUT. CONTRACTOR SHALL VERIFY EXACT DIMENSIONS, LAYOUT AND ORIENTATION WITH OWNER PRIOR TO COMMENCING WORK.
 6. FILED ROUTED ABOVE GROUND 1/4" GAS SAMPLE LINE SHALL BE INSTALLED INSIDE REGULATOR BUILDING AND TRANSITION INTO UNDERGROUND BETWEEN REGULATOR AND SCADA BUILDING. SAMPLE LINE SHALL BE PROTECTED BY RUNNING THROUGH 4" PVC CONDUIT WITH 4" RGS ON ALL SWEEP ELLS ON BOTH END THROUGH ABOVE GROUND. WHEN TRANSITIONING UNDERGROUND PVC CONDUIT TO ABOVE GROUND, THE LAST 2'-0" UNDERGROUND RISING TO GROUND LEVEL CONDUIT SECTION, AS WELL AS ALL ABOVE GROUND CONDUIT INSTALLATION SHALL BE PVC COATING RGS.
 7. FOR MORE INFORMATION ON SCADA BUILDING, SEE VENDOR DRAWING# 20.4213.

SCALE IN FEET
0 10' 20'

REF. DWG(S) PNG-G-004-0001043

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 000219557




PROFESSIONAL ENGINEER

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPROV	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	MCH	YBK	AREA CODE ACCOUNT NUMBER AW2128 PROJECT NUMBER 1880115 DRAWING BY MCR STATION ID S066801 CHECKER INITIALS MCH	01/08/2021	YBK	REGIONAL ENGINEER MGR TECH REC & STD PRINCIPAL ENGINEER




C350 PROJECT
NORWOOD C350 STATION
CONDUIT AND INSTRUMENT PLOT PLAN
HAMILTON COUNTY, OHIO

SHEET(S) 57 OF 68	DWG SCALE 1" = 10'
DWG DATE 07/17/2019	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -E-004-0001058	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	




DETAIL AC-001
SCALE: N.T.S.

(REF: AGA XL1001, FIG. 1)
VENT RELIEF VALVE OR BLOWDOWN IN
ADEQUATELY VENTILATED NON-ENCLOSED AREA




DETAIL AC-003
SCALE: N.T.S.

(REF: AGA XL1001, FIG. 3)
VALVES, FLANGES, SCREWED FITTINGS - ADEQUATELY
VENTILATED ENCLOSED AND NON-ENCLOSED AREA




DETAIL AC-006
SCALE: N.T.S.

(REF: AGA XL1001, FIG. 6)
CLASS 1 DIVISION 2 ENCLOSURE




DETAIL AC-011
SCALE: N.T.S.

(REF: AGA XL1001, FIG. 11)
FIRED EQUIPMENT - INDIRECT/DIRECT
FIRED HEATERS



DETAIL AC-012
SCALE: N.T.S.

(REF: AGA XL1001, FIG. 12)
PIG LAUNCHERS / RECEIVERS AND BLOW OFF



DETAIL AC-016
SCALE: N.T.S.

(REF: AGA XL1001, FIG. 16)
INSTRUMENT OR CONTROL DEVICE VENT IN
ADEQUATELY VENTILATED NON-ENCLOSED AREA

LEGEND:

- CLASS 1, DIVISION 1, GROUP D, T1
- CLASS 1, DIVISION 2, GROUP D, T1
- UNCLASSIFIED

NOTES:

- AREA CLASSIFICATIONS ARE PER THE LATEST EDITION OF AMERICAN GAS ASSOCIATION AGA-XL1001.
- ELECTRICAL WORK AND EQUIPMENT INSTALLED IN AREA CLASSIFICATION SHALL BE IN COMPLIANCE WITH THE LATEST EDITION OF NATIONAL ELECTRIC CODE, ARTICLE 500, 501, AND 504, PER INDUSTRY STANDARDS, AND PER STATE, LOCAL, AND OSHA REGULATIONS.
- HAZARDOUS AREA CLASSIFICATION BASED ON:
CLASS 1 - FLAMMABLE GASES OR VAPORS
DIVISION 1 - NORMALLY HAZARDOUS
DIVISION 2 - NOT NORMALLY HAZARDOUS OR EXTENSION OF DIVISION 1
GROUP D - NATURAL GAS (DEFINED BY NEC ARTICLE 100-5)
- ENSURE THAT ELECTRICAL EQUIPMENT ENCLOSURES INCLUDING JUNCTION BOXES, AND CONDUIT FITTINGS DO NOT HAVE CL 1 DIV. 1 INSTALLATION OR SHALL MEET HAZARDOUS AREA CLASSIFICATION AS INDICATED ON THE DRAWINGS.
- SOLENOIDS AND VALVES SHALL BE HAZARDOUS RATED AND STAMPED CL 1 DIV. 2 GROUP D, T1. VENTS OFF OF BLOWDOWN VALVES SHALL BE PIPED AT LEAST 5 FT. ABOVE ANY ELECTRICAL COMPONENTS OF THE VALVES.

REF DWG(S) PNG-G-004-0001043

SHEET(S) 58 OF 68 DWG SCALE AS NOTED

DWG DATE 07/11/2019 SUPERSEDED

DRAWING NUMBER REVISION

PNG -E-004-0001059 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

C350 PROJECT
NORWOOD C350 STATION
HAZARDOUS AREA CLASSIFICATION DETAILS
HAMILTON COUNTY, OHIO



NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	MCH	YBK	AREA CODE	
						ACCOUNT NUMBER	AW2128
						PROJECT NUMBER	1880115
						DRAWING BY	MCR
						STATION ID	S066801
						CHECKER INITIALS	MCH
						DATE	01/08/2021
						INITIALS	YBK

REGIONAL ENGINEER


MGR TECH REC & STD

PRINCIPAL ENGINEER

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE # 00421957



ITEM	QTY.	DESCRIPTION (QUANTITY ARE FOR ONE INSTALLATION)
1	1	WOOD POLE, SOUTHERN PINE, CLASS 2, 20 FT
2	AR	UNISTRUT CHANNEL, P-100, GALV. WITH HARDWARE
3	1	METER, 240V, 1Ø
4	3	MYERS HUB FITTING, ZINC, SIZE AS REQUIRED
5	AR	STAPLE, 1/4" X 1/4"
6	AR	TWO HOLE STRAP, R.G.S., 2"
7	1	WEATHERHEAD FITTING, 2", R.G.S.
8	AR	COPPER COMPRESSION TAP, BURNDY TYPE #YHC, SIZE AS REQUIRED




- NOTES:
- CONTRACTOR SHALL RUN 2" EMPTY R.G.S. CONDUIT WITH PULL WIRE TO UTILITY POWER SUPPLY POLE. TERMINATE CONDUIT 5'-0" ABOVE GRADE. UTILITY COMPANY WILL FURNISH AND PULL WIRE.

TYPICAL DUKE METER RACK DESIGN. TO BE INSTALL AND COORDINATE BY DUKE'S FIELD CONTRACTOR


DETAIL 1
SCALE: N.T.S.
POLE / METER INSTALLATION
FOR OVERHEAD POWER SUPPLY

ITEM	QTY.	DESCRIPTION
1	1	SQUARE HINGED STEEL POLE, 20' TALL, 1/4" TENON, GRD. LUG, 9 1/4" BOLT CIRCLE, 3/4" DIA. BOLTS, VALMONT #DSF10-400F200, W/P2
2	1	LOWERING WINCH VALMONT #M136 (ONLY ONE NEEDED PER SITE)



- NOTES:
- REFER TO STRUCTURAL DETAILS FOR FOUNDATION DESIGN
 - LIGHT POLE IS BREAK OVER POLE. CONTRACTOR SHALL INSTALL LIGHT POLE WITH 20' CLEARANCE IN THE DIRECTION THAT THE LIGHT POLE SHALL SWING DOWNWARD. NO STRUCTURE SHALL BE ON THE PATH WHERE LIGHT POLE SWING DOWNWARD.


DETAIL LT-01
SCALE: N.T.S.
LIGHT POLE



- NOTES:
- RESTORE SURFACE (GRADE) TO EXISTING CONDITIONS.
 - FOR PAVEMENT REPLACEMENT, THICKNESS OF ALL REPLACEMENT COURSES SHALL BE EQUAL TO EXISTING BUT ASPHALTIC CONCRETE SHALL NOT BE LESS THAN 2 INCHES AND AGGREGATE BASE COURSE SHALL NOT BE LESS THAN 6 INCHES. EXISTING PAVEMENT TO BE REMOVED SHALL BE SAWCUT, EXTEND AGGREGATE BASE COURSE 1'-0" BEYOND EXCAVATION LIMITS AND EXTEND ASPHALTIC CONCRETE 1'-0" BEYOND THE AGGREGATE BASE COURSE LIMITS. APPLY TACK COAT TO THE EXPOSED EXISTING ASPHALTIC CONCRETE SURFACES.

DETAIL EL-01
SCALE: NOT TO SCALE
TYPICAL DIRECT BURIED CONDUIT

ITEM	QTY.	DESCRIPTION
1	4	FLOODLIGHT, C-H, #FMV-13L-C-Y120 WITH FACTORY INSTALLED PHOTOCELL, CH #EV21H20
2	1	BULLHORN BRACKET, 4 TENON, 90°, 2 3/8" O.D. VALMONT #BK104-040-010



DETAIL LT-02
SCALE: N.T.S.
LIGHT FIXTURE

- NOTES:
- BILL OF MATERIALS SHALL BE AS DESCRIBED IN DETAIL OR APPROVED EQUAL BY OWNER PRIOR TO INSTALLATION.











NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPROV	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	MCH	YBK	AREA CODE			
						PROJECT NUMBER	1880115		
						ACCOUNT NUMBER	AW2128		
						DRAWING BY	MCR		
						STATION ID	S066801		
						CHECKER INITIALS	MCH	01/08/2021	YBK



C350 PROJECT
NORWOOD C350 STATION
ELECTRICAL DETAILS: MISCELLANEOUS
HAMILTON COUNTY, OHIO


REF DWG(S) PNG-G-004-0001043

SHEET(S) 59 OF 68	DWG SCALE AS NOTED
DWG DATE 07/11/2019	SUPERSEDED
DRAWING NUMBER PNG -E-004-0001060	REVISION 0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

ITEM	QTY.	DESCRIPTION (QUANTITY ARE FOR ONE INSTALLATION)	ITEM	QTY.	DESCRIPTION (QUANTITY ARE FOR ONE INSTALLATION)	ITEM	QTY.	DESCRIPTION (QUANTITY ARE FOR ONE INSTALLATION)	ITEM	QTY.	DESCRIPTION (QUANTITY ARE FOR ONE INSTALLATION)
1	AR	GALVANIZED STEEL COATED GROUND ROD, 3/4"x10'-0", 10ML THICK MIN	1	1	GROUND CONNECTOR BURNDY TYPE "YGR-C"	1	AR	EXOTHERMIC WELD, CABLE TO CABLE, CADWELD TYPE	1	1	GROUNDING POST BURNDY# G24C-12
			2	1	GALV. STEEL COATED GROUND ROD, 3/4"x10'-0", 10ML THICK MIN COATED	2	AR	EXOTHERMIC WELD, TEE TYPE, BURNDY BCS-1 (OR) BCS-2 (OR) BCS-4	2	1	GROUNDING, SERVIT POST BURNDY# KC23
			3	1	8" X 1'-6" VITRIFIED CLAY PIPE						
 <p>TYPE: 1 TYPE: 2</p> <p>NOTES: 1. MAIN GROUND GRID SHALL BE #20 AWG. STRANDED BARE COPPER WIRE.</p> <p>DETAIL GD-01 SCALE: N.T.S. GROUND ROD</p>			 <p>TYPE: 1 TYPE: 2</p> <p>NOTES: 1. MAIN GROUND GRID SHALL BE #20 AWG. STRANDED BARE COPPER WIRE.</p> <p>DETAIL GD-02 SCALE: N.T.S. TEST WELL</p>			 <p>TYPE: 1 TYPE: 2 TYPE: 4</p> <p>NOTES: 1. MAIN GROUND GRID SHALL BE #20 AWG. STRANDED BARE COPPER WIRE.</p> <p>DETAIL GD-03 SCALE: N.T.S. EXOTHERMIC WELD CONNECTION</p>			 <p>TYPE: 1 TYPE: 2</p> <p>NOTES: 1. MAIN GROUND GRID SHALL BE #20 AWG. STRANDED BARE COPPER WIRE.</p> <p>DETAIL GD-04 SCALE: N.T.S. EQUIPMENT GROUNDING</p>		
1	1	EXOTHERMIC WELD, CABLE TO STEEL PIPE, TYPE BURNDY BCS-3 - NOTE 2	1	AR	COPPER COMPRESSION TAP, BURNDY #YHC2C2	1	1	CONDUIT, 1" PVC, SCHEDULE 40 (LENGTH AS REQ.)			
2	1	FLEXIBLE COPPER BRAID, BURNDY TYPE B0, LENGTH AS REQUIRED	2	2	GROUND CONNECTOR, BURNDY TYPE GAR, SIZE AS REQD	2	2	CONDUIT STRAP, T, ONE HOLE, 0-2 GEDNEY 14-100G			
3	2	GROUND CONNECTOR, BURNDY TYPE GAR, SIZE AS REQD	3	1	EXOTHERMIC WELD, CABLE TO STEEL PIPE, TYPE BURNDY BCS-3 - NOTE 2	3	2	BOLT, 1/4"x20"x1", CADMIUM-PLATED			
						4	2	ANCHOR, MASONRY, FOR 1/4"x20 BOLT, RAWL 9020			
						5	1	COMPRESSION LUG, TWO-HOLE, 2/0 AWG, BURNDY YA262LN			
						6	1	HEX SCREW, NUT 10-13 x 1" S.S.			
 <p>NOTES: 1. FOR DOUBLE GATE APPLICATION EACH GATE SHALL BE GROUNDED AS SHOWN. 2. REFERENCE BURNDY CATALOG FOR COMPLETE MODEL NO.</p> <p>DETAIL GD-05 SCALE: N.T.S. GATE GROUNDING</p>			 <p>NOTES: 1. #6 WIRE SHALL BE LOOPED THROUGH GROUND WIRE CLAMPS AND FENCE CLAMPS TO KEEP WIRE SPLICES TO A MINIMUM. 2. REFERENCE BURNDY CATALOG FOR COMPLETE MODEL NO.</p> <p>DETAIL GD-06 SCALE: N.T.S. FENCE GROUNDING</p>			 <p>NOTES: 1. FOR DOUBLE GATE APPLICATION EACH GATE SHALL BE GROUNDED AS SHOWN. 2. REFERENCE BURNDY CATALOG FOR COMPLETE MODEL NO.</p> <p>DETAIL GD-07 SCALE: N.T.S. BUILDING & SKID GROUNDING</p>			 <p>NOTES: 1. FOR DOUBLE GATE APPLICATION EACH GATE SHALL BE GROUNDED AS SHOWN. 2. REFERENCE BURNDY CATALOG FOR COMPLETE MODEL NO.</p> <p>DETAIL GD-08 SCALE: N.T.S. BUILDING GROUND PENETRATION</p>		


- NOTES:**
- GROUNDING INSTALLATION MUST COMPLY WITH OSHA AND NATIONAL ELECTRICAL CODE REQUIREMENTS, EXCEPT WHERE LOCAL CODE PREVAILS.
 - A TEST MEASUREMENT OF THE RESISTANCE OF THE GROUNDING SYSTEM MUST BE TAKEN WHEN INSTALLED. IF THE RESISTANCE TO GROUND IS GREATER THAN 5 OHMS, ADDITIONAL GROUND RODS MUST BE INSTALLED UNTIL A COMBINED RESISTANCE OF 5 OHMS OR LESS IS OBTAINED.
 - THE GROUNDING SYSTEM IS SHOWN DIAGRAMMATICALLY SO THAT APPROXIMATE ROUTING OF GROUNDING CONDUCTORS AND LOCATIONS OF TAPS, WELLS AND GROUND RODS CAN BE ACCOMPLISHED.
 - WHERE GROUNDING CONDUCTORS ARE ROUTED EXPOSED, THEY MUST BE SECURED MINIMUM EVERY 24".
 - BILL OF MATERIALS SHALL BE AS DESCRIBED IN DETAIL OR APPROVED EQUAL BY OWNER PRIOR TO INSTALLATION.

REF DWG(S)	PNG-G-004-0001043
SHEET(S) 60 OF 68	DWG SCALE AS NOTED
DWG DATE 07/11/2019	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -E-004-0001061	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	




STATE OF OHIO
KEVIN K. KRASLAVSKY
E-84164
PROFESSIONAL ENGINEER
00421957
PROFESSIONAL ENGINEER

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR/MCH	YBK		AREA CODE ACCOUNT NUMBER AW2128 PROJECT NUMBER 1880115 DRAWING BY MCR STATION ID S066801 CHECKER INITIALS MCH	DATE INITIALS 01/08/2021 YBK



DUKE ENERGY

C350 PROJECT
NORWOOD C350 STATION
ELECTRICAL DETAILS: GROUNDING
HAMILTON COUNTY, OHIO



PLAN VIEW
SCALE: AS NOTED BELOW

NOTE:
1. INSTALL ISOLATION PROTECTION PER
DWG. PNG-E-004-001073, DETAIL 5

LEGEND:

- R RECTIFIER
- J ANODE JUNCTION BOX
- W CATHODIC PROTECTION ANODE DEEP WELL
- ATS ANODE TEST STATION
- X 17 LB MAGNESIUM ANODE

0 10' 20'
SCALE IN FEET

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 61 OF 68 DWG SCALE 1" = 10'
DWG DATE 05/04/2020 SUPERSEDED
DRAWING NUMBER PNG -E-004-0001068 REVISION 0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE #000401952




PROFESSIONAL ENGINEER STAMP

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPROV	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	FFO	CAB	AREA CCODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MCR		
						STATION ID	S086801		
						CHECKER INITIALS	FFO	01/08/2021	CAB



C350 PROJECT
NORWOOD C350 STATION
CATHODIC PROTECTION SITE PLAN 1
HAMILTON COUNTY, OHIO



NOTE:

1. INSTALL ISOLATION PROTECTION PER DWG. PNG-E-004-001073, DETAIL 5

LEGEND:

- RECTIFIER
- ANODE JUNCTION BOX
- CATHODIC PROTECTION ANODE DEEP WELL
- ANODE TEST STATION
- 17 LB MAGNESIUM ANODE

0 10' 20'
SCALE IN FEET

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 62 OF 68 DWG SCALE 1" = 10'

DWG DATE 05/04/2020 SUPERSEDED

DRAWING NUMBER PNG -E-004-0001069 REVISION 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

BURNS & MCDONNELL
ENGINEERING COMPANY, INC.
STATE LICENSE #000419527





PROFESSIONAL ENGINEER'S STAMP

NO.	DATE	REVISION(S) DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	FFO	CAB	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MCR		
						STATION ID	S086801		
						CHECKER INITIALS	FFO	01/08/2021	CAB



C350 PROJECT
NORWOOD C350 STATION
CATHODIC PROTECTION SITE PLAN 2
HAMILTON COUNTY, OHIO



ANODE JUNCTION BOX
DETAIL 1A
SCALE: NOT TO SCALE

NORWOOD STATION DEEP WELL DIMENSIONS	
1. TOTAL WELL DEPTH	180'
2. INACTIVE COLUMN LENGTH	100'
3. ACTIVE COLUMN LENGTH	80'
4. ANODE LENGTH	19.2"
5. DISTANCE BETWEEN ANODES	12'
6. DISTANCE FROM TOP OF ACTIVE COLUMN TO FIRST ANODE	12'
7. DISTANCE FROM BOTTOM OF ACTIVE COLUMN TO LAST ANODE	12'
N. NUMBER OF ANODES	5

DEEP WELL GROUND BED
DETAIL 1
SCALE: NOT TO SCALE

BURNS & MCDONNELL
ENGINEERING COMPANY INC.
STATE LICENSE #000419552



PROFESSIONAL ENGINEER STAMP

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPROV	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	FFO	CAB	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MCR		
						STATION ID	S086801		
						CHECKER INITIALS	FFO	01/08/2021	CAB

REGIONAL
ENGINEER

MSR TECH
REC & STD


PRINCIPAL
ENGINEER



C350 PROJECT
NORWOOD C350 STATION
CP DEEP WELL GROUND BED
HAMILTON COUNTY, OHIO

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 63 OF 68	DWG SCALE NONE
DWG DATE 06/10/2020	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -E-004-0001070	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



STEEL FRAME MOUNTED RECTIFIER

DETAIL 2
SCALE: NOT TO SCALE

REF. DWG(S) PNG-G-004-0001043

BURNS & MCDONNELL
ENGINEERING COMPANY INC.
STATE LICENSE #000421052




PROFESSIONAL ENGINEER STAMP

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APP'D	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	FFO	CAB	AREA CODE			REGIONAL ENGINEER
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		MSR TECH REC & STD
						DRAWING BY	MCR		
						STATION ID	S086801		PRINCIPAL ENGINEER
						CHECKER INITIALS	FFO	01/08/2021	CAB





C350 PROJECT
NORWOOD C350 STATION
RECTIFIER
HAMILTON COUNTY, OHIO

SHEET(S) 64 OF 68	DWG SCALE NONE
DWG DATE 05/04/2020	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -E-004-0001071	0
DISCIPLINE/RESOURCE CENTER /LINE NUMBER	




TEST STATION HEAD DETAIL 3A

SCALE: NOT TO SCALE



ANODE GROUNDBED SPECIFICATIONS	
1. ANODE DEPTH	7-FT
2. CABLE DEPTH	3-FT
3. DISTANCE BETWEEN ANODES	10-FT
4. WARNING TAPE DEPTH	2-FT
5. PREPACKAGED ANODE LENGTH	29-IN
6. PREPACKAGED ANODE DIAMETER	6.5-IN
7. TOTAL NUMBER OF ANODES	6 PER GROUNDBED



REF. DWG(S) PNG-G-004-0001043




NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
01	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	FFO	CAB	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MCR		
						STATION ID	S086801		
						CHECKER INITIALS	FFO	01/08/2021	CAB




C350 PROJECT
NORWOOD C350 STATION
ANODE TEST STATION
 HAMILTON COUNTY, OHIO

SHEET(S) 65 OF 68	DWG SCALE NONE
DWG DATE 05/04/2020	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -E-004-0001072	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	



PROTECTIVE BOLLARDS

DETAIL 4
SCALE: NOT TO SCALE



ISOLATION JOINT PROTECTION

DETAIL 5
SCALE: NOT TO SCALE

INSTALLATION NOTES:

1. AT LOCATIONS WHERE ONE SIDE OF THE FLANGE IS CATHODICALLY PROTECTED AND THE OPPOSITE SIDE OF THE FLANGE IS UNPROTECTED, CONNECT NEGATIVE TERMINAL OF DECOUPLER TO CATHODICALLY PROTECTED SIDE OF FLANGE.
2. MINIMIZE DISTANCE BETWEEN DECOUPLER AND ISOLATION JOINT TO KEEP WIRE LENGTH AS SHORT AS POSSIBLE.
3. INSTALL SSD IN CLASS 1, DIV 2 LOCATIONS
4. INSTALL PCRH IN CLASS 1, DIV 1 LOCATIONS

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 66 OF 68 DWG SCALE NONE

DWG DATE 05/04/2020 SUPERSEDED

DRAWING NUMBER PNG -E-004-0001073

REVISION 0

DISCIPLINE / RESOURCE CENTER / LINE NUMBER

BURNS & MCDONNELL
ENGINEERING COMPANY INC.
STATE LICENSE #000421052




PROFESSIONAL ENGINEER'S STAMP

NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPROV	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	FFO	CAB	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MCR		
						STATION ID	S068801		
						CHECKER INITIALS	FFO		
							01/08/2021		




C350 PROJECT
NORWOOD C350 STATION
BOLLARDS & ISOLATION JOINT PROTECTION
HAMILTON COUNTY, OHIO


CABLE TO PIPELINE CONNECTIONS



CABLE ROUTING DETAIL




WELDING MOLD SET UP



EXOTHERMIC WELDING



WELDING PROCEDURE



STEPS FOR PREPARING PIPELINE SURFACE

1. REMOVE A 2" SQUARE SECTION OF COATING, FILE SURFACE TO BRIGHT METAL AND DRY.
2. PIPE MUST BE TESTED FOR WALL LAMINATIONS PRIOR TO WELDING. ULTRASONIC WALL THICKNESS MEASUREMENTS MUST BE TAKEN AT THE LOCATION OF ALL WELDS, TO VERIFY ADEQUATE WALL THICKNESS.
3. WRAP TEST WIRE AROUND THE PIPE OR LEAVE ENOUGH SLACK ON THE WIRE TO REDUCE STRAIN ON WELD. NEVER WRAP CASING WIRE AROUND PIPELINE.
4. STRIP INSULATION FROM WIRE, SLIP ON COPPER SLEEVE (#10 WIRE AND SMALLER) AND CRIMP. PLACE WIRE AGAINST METAL SURFACE.
5. PLACE PREPARED WELDER OVER WIRE AND HOLD FIRMLY WHILE MAKING CONNECTION. APPLY SPARK TO SIDE OF WELDER WITH FLINT GUN.
6. REMOVE MOLD AND LET COOL.
7. AFTER WELD HAS COOLED, HIT WELD SEVERAL TIMES WITH HAMMER TO ENSURE WELD IS INTACT.
8. PROTECT WELDMENT AS REQUIRED.

STEPS FOR PREPARING WELDER

1. PLACE METAL DISC IN BOTTOM OF GRAPHITE MOLD.
2. OPEN CARTRIDGE AND POUR CHARGE IN MOLD. USE MAXIMUM 15 GRAM CHARGE.
3. SQUEEZE BASE OF CARTRIDGE AND REMOVE STARTING POWDER.
4. CLOSE COVER AND PLACE WELDER OVER WIRE.

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 67 OF 68	DWG SCALE NONE
DWG DATE 05/04/2020	SUPERSEDED
DRAWING NUMBER	REVISION
PNG -E-004-0001074	0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

NO.	DATE	REVISIONS DESCRIPTION	BY	CHK	APPD	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	FFO	CAB	AREA CODE			
						ACCOUNT NUMBER	AW2128		
						PROJECT NUMBER	1880115		
						DRAWING BY	MCR		
						STATION ID	S068801		
						CHECKER INITIALS	FFO	01/08/2021	CAB



C350 PROJECT
NORWOOD C350 STATION
EXOTHERMIC WELDING
HAMILTON COUNTY, OHIO

BURNS & MCDONNELL
ENGINEERING COMPANY INC.
STATE LICENSE #000421052



CATHODIC PROTECTION BILL OF MATERIALS

ITEM NO	EST QTY	UOM	AS-BUILT QTY	DESCRIPTION	MAXIMO PART X	NOTES	MODEL NO	MATERIAL SOURCE
CAD WELDS & CONNECTIONS								
1	3	PKG		CA-15 WELD METAL (20/PACK)	NON-STOCK	WELD METAL, CABLE TO PIPE CONNECTIONS	CA-15	ERICO
2	1	EA		CAHAA-1L, AWG #14 STRANDED CABLE WELDER	NON-STOCK	AWG #14 CABLE TO PIPE CONNECTION	CAHAA-1L	ERICO
3	1	EA		CAHAA-1H, AWG #6 STRANDED CABLE WELDER	NON-STOCK	AWG #6 CABLE TO PIPE CONNECTION	CAHAA-1H	ERICO
4	2	EA		CAB-133-1H, ADAPTER SLEEVE FOR AWG #10, FOR USE IN AWG #6 WELDER	NON-STOCK	AWG #10 CABLE TO PIPE CONNECTION	CAB-133-1H	ERICO
5	1	EA		FLINT IGNITOR FOR THERMITE WELDING, T320	NON-STOCK	CADWELD IGNITOR	T320	ERICO
6	6	EA		ROYSTON HANDY CAP	1552880	CABLE TO PIPE WELD PROTECTION		ROYSTON
7	1	EA		TC 7000 EPOXY COATING, TWO PART	NON-STOCK	CABLE TO PIPE WELD PROTECTION	TC 7000	TAPECOAT
8	10	EA		BURNDY YC8C8 COPPER CRIMP	NON-STOCK	ANODE HEADER CABLE TO ANODE LEAD CRIMP	YC8C8	BURNDY
9	10	EA		82-B1N RESIN SPLICE KIT	NON-STOCK	HEADER CABLE TO ANODE LEAD SPLICE KIT	82-B1N	3M
10	2	EA		SUPER 88 TAPE, 66FT ROLL	NON-STOCK	HEADER CABLE TO ANODE SPLICE PROTECTION		3M
11	2	EA		SCOTCH 23 HIGH VOLTAGE TAPE	NON-STOCK	HEADER CABLE TO ANODE SPLICE PROTECTION		3M
WIRE								
12	200	FT		BLACK AWG #10, THHN COATED SOLID COPPER WIRE	NON-STOCK	TEST STATION TO PIPE CONNECTION		GENERIC
13	200	FT		BLACK AWG #6, HMWPE COATED STRANDED COPPER WIRE	NON-STOCK	TEST STATION TO PIPE CONNECTION		GENERIC
14	450	FT		RED AWG #6, HMWPE COATED STRANDED COPPER WIRE	NON-STOCK	ANODE HEADER CABLE		GENERIC
15	50	FT		BARE AWG #6 SOLID COPPER WIRE	NON-STOCK	RECTIFIER GROUNDING CONNECTION		GENERIC
16	350	FT		BLACK AWG #4, HMWPE COATED STRANDED COPPER WIRE	NON-STOCK	RECTIFIER TO PIPE CONNECTION		GENERIC
17	150	FT		BLACK AWG #2, HMWPE COATED STRANDED COPPER WIRE	NON-STOCK	ISOLATION JOINT PROTECTION		GENERIC
18	50	FT		RED AWG #2, HMWPE COATED STRANDED COPPER WIRE	NON-STOCK	ANODE JUNCTION BOX TO RECTIFIER POSITIVE TERMINAL CONNECTION		GENERIC
TEST STATIONS & JUNCTION BOXES								
19	2	EA		BIG FINK 5 TERMINAL TEST STATION WITH 3" DIA. SUPPORT POST, 6" HEIGHT, YELLOW POST, YELLOW TEST HEAD	1555422	CP TEST STATION	300-85C-Y/Y	COTT
20	2	EA		COTT SHUNT RED - 0.1 OHM, 2 AMP	NON-STOCK	ANODE TEST STATION SHUNT		COTT
21	1	EA		12" H X 16" W GALVANIZED ENCLOSURE WITH ONE (1) COPPER BUSS BAR, FIVE (5) 50 MV = 5 A HOLLOWAY SW SHUNTS, FIVE (5) KA-4C CIRCUIT LUGS FOR AWG #8 CABLE, ONE (1) KPA-25 HEADER LUG FOR AWG #2 CABLE, TWO(2) 2" STEEL CONDUIT POSTS	NON-STOCK	DEEP WELL ANODE JUNCTION BOX		UNIVERSAL
DEEP WELL								
22	AS REQ	EA		SOLID PVC CASING, 12" DIA. X 20' LENGTHS, BELL ENDS	NON-STOCK	DEEP WELL PASSIVE ZONE PVC CASING		GENERIC
23	4	EA		ALL-VENT 1" DIA. PVC PIPE, 20' LENGTHS	NON-STOCK	DEEP WELL ACTIVE ZONE VENT PIPE		LORESCO
24	10	EA		10" VENTRALIZER (CENTRALIZER), TWO PER ANODE	NON-STOCK	ANODE CENTRALIZER	VENTRALIZER	ELTECH
25	1	EA		12" DIA. PVC CAP	NON-STOCK	DEEP WELL CAP		GENERIC
26	5	EA		1" DIA. SOLID PCV PIPE, 20' LENGTHS	NON-STOCK	DEEP WELL PASSIVE ZONE VENT PIPE		GENERIC
27	2	EA		1" DIA. PVC CAP	NON-STOCK	VENT PIPE CAP		GENERIC
28	20	EA		1" DIA. PVC COUPLINGS	NON-STOCK	VENT PIPE COUPLINGS		GENERIC
29	2	EA		1" DIA. 90 DEGREE SOLID PVC ELBOWS	NON-STOCK	VENT PIPE ELBOWS		GENERIC
30	AS REQ	FT		2" PVC CONDUIT, 20' LENGTHS	NON-STOCK	RECTIFIER/ANODE CABLE CONDUIT		GENERIC
RECTIFIER								
31	1	EA		24V/10A AIR-COOLED RECTIFIER, TYPE: ASA12410AACR WITH 50 MV = 10 A HOLLOWAY SW SHUNT, HOT DIPPED	NON-STOCK	RECTIFIER	ASA15015AACR	UNIVERSAL
32	1	EA		OMNIMETRIX HERO 2 RMU	NON-STOCK	REMOTE MONITORING UNIT	HERO 2	OMNIMETRIX
33	2	EA		CONDUIT RIDGED STEEL, 2", 20' LENGTHS	NON-STOCK	RECTIFIER/JUNCTION BOX CABLE CONDUIT		GENERIC
34	8	EA		GALVANIZED STEEL CLAMPS, 2"	NON-STOCK	RECTIFIER/JUNCTION BOX CABLE CONDUIT		GENERIC
35	8	EA		LOCKNUTS, 2"	NON-STOCK	RECTIFIER/JUNCTION BOX CABLE CONDUIT		GENERIC
36	8	EA		INSULATING HUB, 2"	NON-STOCK	RECTIFIER/JUNCTION BOX CABLE CONDUIT		GENERIC
37	4	EA		GROUND ROD, 5/8" X 8' COPPER	NON-STOCK	RECTIFIER GROUNDING		GENERIC
38	4	EA		GROUND ROD CLAMP, 5/8"	NON-STOCK	RECTIFIER GROUNDING		GENERIC
39	4	EA		CONCRETE, SOLB BAG	NON-STOCK	RECTIFIER/JUNCTION RACK FOUNDATION		GENERIC
40	2	EA		1-5/8" X 3-1/4", 12 GAGE BACK-TO-BACK SLOTTED UNISTRUT, 8-FT LENGTHS	NON-STOCK	RECTIFIER RACK, VERTICAL MEMBERS	P1001T	UNISTRUT
41	4	EA		1-5/8" X 1-5/8", 12 GAGE SLOTTED UNISTRUT, 6-FT LENGTHS	NON-STOCK	RECTIFIER RACK, HORIZONTAL MEMBER	P1000T	UNISTRUT
42	6	EA		1-5/8" WHITE PLASTIC END CAPS	NON-STOCK	RECTIFIER RACK END CAPS	P2860	UNISTRUT
43	1	PKG		1/2" HEX BOLT, 1-1/2" LENGTH (50/BOX)	NON-STOCK	RECTIFIER RACK FASTENERS		GENERIC
44	1	PKG		1/2" FLAT WASHER (50/BOX)	NON-STOCK	RECTIFIER RACK FASTENERS		GENERIC
45	1	PKG		1/2" HEX NUT (50/BOX)	NON-STOCK	RECTIFIER RACK FASTENERS		GENERIC
ANODES & BACKFILL								
46	10	EA		PACKAGED ULTRAMAG 17D3 HIGH POTENTIAL MAGNESIUM ANODE, 10FT AWG #12 CABLE	1552969	GALVANIC ANODES	17D3	FARWEST
47	5	EA		MIXED METAL OXIDE TUBULAR ANODE, 1" DIA. X 20" LENGTH WITH 220' AWG #8 PVDF/HMWPE CABLE	NON-STOCK	DEEP WELL ANODES	2.5/50	DE NORA
48	70	EA		LORESCO SC-3 (50LB BAGS)	NON-STOCK	DEEP WELL ACTIVE ZONE BACKFILL	SC-3	LORESCO
49	110	EA		LORESCO PERMAPLUG (50LB BAGS)	NON-STOCK	DEEP WELL PASSIVE ZONE BACKFILL	PERMAPLUG	LORESCO
ISOLATION JOINT PROTECTION								
50	12	EA		SOLID STATE DECOUPLER	NON-STOCK	ISOLATION JOINT PROTECTION (CLASS 1, DIV 2)	SSD-2/2-5.0-100-R	DAIRYLAND
51	4	EA		PCRH	NON-STOCK	ISOLATION JOINT PROTECTION (CLASS 1, DIV 1)	PCRH-SKA-BCD	DAIRYLAND
52	4	EA		ACL KIT	NON-STOCK	PCRH LEAD KIT	ACL - "X"	DAIRYLAND
53	2	EA		AP KIT	NON-STOCK	PCRH ADAPTER PLATES FOR FLANGE/IGK LOCATIONS	AP - "D"	DAIRYLAND
54	16	EA		U-CHANNEL POST WITH ANCHOR, 6'	NON-STOCK	DECOUPLER MOUNTING		GENERIC
INSULATORS								
55	1	EA		INSULATOR, MONOLITHIC, WELD, 20" NPS, FORGED STL, ASTM A105, CLASS 600, ASME B16.11, PIPE PUP STYLE, API 5L	1557522	MONOLITHIC INSULATOR		SYPRISTECHOL

NOTE: CONTRACTOR SHALL PROVIDE AND INSTALL ALL MISCELLANEOUS PARTS TO COMPLETE PROJECT PER CONTRACT DRAWINGS, CONTRACT SPECIFICATIONS, ELECTRICAL CODES, STATE AND LOCAL CODES AND STANDARDS, AND LOCAL ELECTRICAL DISTRIBUTION COMPANY REQUIREMENTS. PARTS INCLUDE, BUT ARE NOT LIMITED TO, WIRING AND MOUNTING MATERIALS, METER SOCKET, DISCONNECT EQUIPMENT, ENCLOSURES, TRANSIENT VOLTAGE SURGE SUPPRESSORS, AC MAIN BUSS TERMINATION, CIRCUIT BREAKERS, AND OTHER ELECTRICAL EQUIPMENT REQUIRED. ACTUAL LENGTH WIRING IS DEPENDENT ON DISTANCE FROM INSTALLATION.

BURNS & MCDONNELL
ENGINEERING COMPANY INC.
STATE LICENSE #100041052



PROFESSIONAL ENGINEER/STAMP

NO.	DATE	REVISION/DESCRIPTION	BY	CHK	APPV	DESCRIPTION	DATE	INITIALS	APPROVALS
0	01-08-2021	ISSUED FOR CONSTRUCTION	MCR	FFO	CAB	AREA CODE ACCOUNT NUMBER PROJECT NUMBER DRAWING BY STATION ID CHECKER INITIALS			
						AW2128 1880115 MCR S086801 FFO			



C350 PROJECT
NORWOOD C350 STATION
CATHODIC PROTECTION BOM
HAMILTON COUNTY, OHIO

REF. DWG(S) PNG-G-004-0001043

SHEET(S) 68 OF 68	DWG SCALE NONE
DWG DATE 05/04/2020	SUPERSEDED
DRAWING NUMBER PNG -E-004-0001076	REVISION 0
DISCIPLINE / RESOURCE CENTER / LINE NUMBER	

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

1/15/2021 3:39:21 PM

in

Case No(s). 16-0253-GA-BTX

Summary: Correspondence Condition 3 – Regulation Stations- Attachment 1 electronically filed by Carys Cochern on behalf of Duke Energy Ohio, Inc.