

From: [PUCO Consumer Call Center](#)
To: [Puco Docketing](#)
Subject: PUBLIC UTILITIES COMMISSION OF OHIO - CASE #: 00699450 [ref:_00Dt0GzXt._500t0nXfZm:ref]
Date: Friday, July 2, 2021 12:33:35 PM



**PUBLIC UTILITIES COMMISSION OF OHIO
Consumer Service Division
Memorandum**

CASE ID: 00699450
CUSTOMER: John & Paula Spring
NIQ: (419) 371-1955

To ensure your response attaches to the appropriate case, please reply to this email without changing the subject line. Thank you!

DOCKETING CASE #: 20-1605-EL-BGN

CUSTOMER COMMENTS:

Hello, my name is John Spring and live in Lima on Bowsher Rd. My wife and I have lived here for 27 years and raised our family. We are very concerned with Birch Solar coming into our area. For one, the flooding in this area is at a maximum. The current drainage tiles, which are 50 years old, cannot handle anymore flash flooding. Second, the 10 ft wildlife fence will run for miles. There is nowhere wildlife can travel from section to section. Third, the cost impact it will have on our homes. This complex is being proposed very near our community and many homes will be impacted. Please deny this permit. It's not the right location for a mega solar complex.

Sincerely,
John and Paula Spring

SUBJECT:

Please docket the associated customer comment and/or attached in the case number referenced above under "Public Comments". This information was received by the Consumer Services Division through alternate channels and is being forwarded to be filed formally. This

information is not the opinion of Staff and should not be viewed as such.

Sincerely,

Drake Riley

Public Utilities Commission of Ohio
Service Monitoring and Enforcement Department
Chief, Consumer Services Division
(800) 686-PUCO (7826)
www.PUCO.ohio.gov

This message and any response to it may constitute a public record and thus may be publicly available to anyone who requests it.



ref:_00Dt0GzXt._500t0nXfZm:ref

CAUTION: This is an external email and may not be safe. If the email looks suspicious, please do not click links or open attachments and forward the email to csc@ohio.gov or click the Phish Alert Button if available.

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

7/2/2021 12:46:27 PM

in

Case No(s). 20-1605-EL-BGN

Summary: Public Comment of John & Paula Spring, via website, electronically filed by
Docketing Staff on behalf of Docketing