

From: [PUCO Consumer Call Center](#)
To: [Puco Docketing](#)
Subject: FW: Public Comment to post to case # 21-0277-EL-BGN [ref:_00Dt0GzXt._500t0oYQky:ref]
Date: Wednesday, August 4, 2021 8:37:10 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)

21-0277-EL-BGN

----- Forwarded Message -----

From: Schroeder, Jennifer M. [jschroeder3@marathonpetroleum.com]
Sent: 7/29/2021 12:07 PM
To: contactopsb@puco.ohio.gov
Subject: Public Comment to post to case # 21-0277-EL-BGN

Good afternoon. I wanted to show the effects of the recent rainfall and the flooding issues we regularly deal with. The pictures below are from the corner of CR 238 and CR 216 in Cass Township. They were taken on 7/17/21 at 2:23 pm. Please note, these water levels are still this high even though the rain stopped during the night before. Please don't change the landscape by installing this solar farm. The flooding is this bad even when we have crops on the field. If the landscape is changed to removed the crops it will only exasperate the problem.









Thank you,

Jennifer Schroeder

CAUTION: This is an external email and may not be safe. If the email looks suspicious, please do not click links or open attachments and forward the email to csc@ohio.gov or click the Phish Alert Button if available.



ref:_00Dt0GzXt._500t0oYQky:ref

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

8/4/2021 9:59:46 AM

in

Case No(s). 21-0277-EL-BGN

Summary: Public Comment of Jennifer Schroeder, via website, electronically filed by
Docketing Staff on behalf of Docketing