



October 22, 2021

Tanowa Troupe
Public Utilities Commission of Ohio
180 East Broad Street, 11th Floor
Columbus, OH 43215

Re: Case Record 21-0873-TP-COI
In the Matter of the Commission's Investigation into Exhaust Relief for Area
Code "513"

On August 26, 2021, NANPA filed a petition for relief of the 513 NPA on behalf of the Ohio telecommunications industry ("Industry") which advised the Commission that the 513 NPA was projected to exhaust in the second quarter of 2023.¹ By this letter and in a continuation of its efforts to update the Ohio Public Utilities Commission ("Commission") regarding the status of area code 513, the North American Numbering Plan Administrator ("NANPA"), hereby notifies the Commission that the projected exhaust date for the 513 numbering plan area ("NPA") has been revised from second quarter 2023 to the fourth quarter of 2023.

The Industry recommended an all-services distributed overlay as the relief method of the 513 NPA and requested the Commission grant the petition no later than December 31, 2021. On September 8, 2021, the Commission issued an Entry in the Case, seeking comments regarding the 513 area code exhaust relief petition filed by NANPA in which initial comments were due by September 22, 2021, and reply comments to be filed by October 4, 2021.

Subsequently, on October 14, 2021, NANPA published the October 2021 Numbering Resource Utilization/Forecast (NRUF) and NPA Exhaust Analysis ("October 2021 NRUF Report") which changed the projected exhaust from second quarter of 2023 (2Q2023) to fourth quarter of 2023 (4Q2023).² NANPA notified the industry members involved in the relief planning of the 513 NPA at the time of publication of the new exhaust projection.


¹ In the Matter of the Commission's Investigation Into Exhaust Relief for the Area Code "513", Petition of the North American Numbering Plan Administrator on Behalf of the Ohio Telecommunications Industry, Case No. 21-0873-TO-COI.

² October 2021 NRUF and NPA Exhaust Analysis ("October 2021 NRUF Report") can be accessed on the NANPA web site at https://nationalnanpa.com/reports/reports_npa.html.

Although the projected exhaust date has moved out two quarters, on June 17, 2021, NANPA declared the 513 NPA to be in a jeopardy status³ and respectfully requests the Commission grant the petition for relief no later than December 31, 2021, as requested by the Industry.

Thank you for your attention to this matter.

Respectfully submitted,



Florence Weber
Senior Director
North American Numbering Plan Administrator
2411 Dulles Corner Park, Suite 250
Herndon, VA 20171
925-420-0340
fweber@nanpa.com

³ When demand for CO codes exceeds projections and there is insufficient time to implement a relief plan before exhaust, NANPA may declare jeopardy (which may involve rationing of CO code assignments) to conserve the numbering resource until relief can be fully implemented.

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

10/22/2021 9:40:01 AM

in

Case No(s). 21-0873-TP-COI

Summary: Letter of Notification Change in Projected Exhaust of the 513 NPA electronically filed by Linda Hymans on behalf of Weber, Florence and McCabe, Cecilia