

**From:** [PUCO Consumer Call Center](#)  
**To:** [Puco Docketing](#)  
**Subject:** PUBLIC UTILITIES COMMISSION OF OHIO - CASE #: 00763418 [ ref:\_00Dt0GzXt\_5008y4Q2U1:ref ]  
**Date:** Tuesday, June 14, 2022 8:09:42 AM



**PUBLIC UTILITIES COMMISSION OF OHIO  
Consumer Service Division  
Memorandum**

**CASE ID:** 00763418

**CUSTOMER:** Jon Jump

**ADDRESS:** 8441 Bridletree Way, Columbus, Ohio 43235

**SERVICE ADDRESS:** 8441 Bridletree Way, Columbus, Ohio 43235

**AIQ:** Columbia Gas of Ohio

**NIQ:**

\*\*\*To ensure your response attaches to the appropriate case, please reply to this email without changing the subject line. Thank you!\*\*\*

**DOCKETING CASE #:**21-0637

**SUBJECT:** Columbia Gas of Ohio - Regarding PUCO

Please docket the associated customer comment and/or attached in the case number referenced above under "Public Comments". This information was received by the Consumer Services Division through alternate channels and is being forwarded to be filed formally. This information is not the opinion of Staff and should not be viewed as such.

The proposed 3x rate hike by Columbia Gas is outrageous as the nation is still recovering from the pandemic and dealing with skyrocketing oil and gas prices. Please do not allow it to go forward.

This message and any response to it may constitute a public record and thus may be publicly available to anyone who requests it.



ref:\_00Dt0GzXt.\_5008y4Q2U1:ref

**CAUTION:** This is an external email and may not be safe. If the email looks suspicious, please do not click links or open attachments and forward the email to [csc@ohio.gov](mailto:csc@ohio.gov) or click the Phish Alert Button if available.

**This foregoing document was electronically filed with the Public Utilities  
Commission of Ohio Docketing Information System on  
6/14/2022 12:44:19 PM**

**in**

**Case No(s). 21-0637-GA-AIR, 21-0638-GA-ALT, 21-0639-GA-UNC, 21-0640-GA-  
AAM**

Summary: Public Comment of Jon Jump, via website, electronically filed by  
Docketing Staff on behalf of Docketing