

September 2, 2022

Jacqueline St. John  
Attorney Examiner  
Public Utilities Commission of Ohio  
180 East Broad Street  
Columbus, Ohio 43215

Re: *The East Ohio Gas Company d/b/a Dominion Energy Ohio*, Case No. 22-619-GA-RDR

Dear Attorney Examiner St. John:

The East Ohio Gas Company d/b/a Dominion Energy Ohio (DEO or the Company) and the other parties to this proceeding have agreed to waive cross-examination of all witnesses and that the following exhibits can be admitted:

- DEO Exhibit 1.0, DEO's Application and Attachments A-E (filed April 1, 2022)
- DEO Exhibit 2.0, Supplemental Direct Testimony of Celia B. Hashlamoun (filed August 31, 2022)
- Staff Exhibit 1.0, Staff Review and Recommendation (filed July 28, 2022)
- Staff Exhibit 2.0, Plant-in-Service and Capital Expenditure Program Audit by Blue Ridge Consulting Services, Inc. (filed July 15, 2022)
- Staff Exhibit 3.0, Prefiled Testimony of Nicci Crocker (filed August 31, 2022)
- OCC Exhibit 1.0, Direct Testimony of Kerry J. Adkins, with Attachment KJA-01 (filed August 31, 2022)
- OCC Exhibit 2.0, Direct Testimony of Daniel J. Duann, Ph.D., with Attachments DJD-01 – DJD-02 (filed August 31, 2022)

Given this agreement, the parties believe the hearing scheduled for September 7, 2022 can be cancelled and an entry can be issued admitting these exhibits and ordering a schedule for briefing the remaining issues. Regarding briefing, the parties propose that initial briefs be due September 21, 2022 and reply briefs be due October 5, 2022.

Respectfully submitted,

/s/ Christopher T. Kennedy

*Counsel for The East Ohio Gas Company d/b/a  
Dominion Energy Ohio*

**This foregoing document was electronically filed with the Public Utilities  
Commission of Ohio Docketing Information System on**

**9/2/2022 10:15:49 AM**

**in**

**Case No(s). 22-0619-GA-RDR**

Summary: Correspondence Correspondence re: hearing, exhibits, and briefing  
schedule electronically filed by Christopher T. Kennedy on behalf of The East Ohio  
Gas Company d/b/a Dominion Energy Ohio