

**Legal Department** 

American Electric Power 1 Riverside Plaza Columbus, OH 43215-2373 AEP.com

November 15, 2022

Ms. Tanowa Troupe, Secretary Ohio Power Siting Board 180 East Broad Street Columbus, Ohio 43215-3793

Hector Garcia Senior Counsel – Regulatory Services (614) 716-3410 (P) hgarcia1@aep.com

RE: Proof of Compliance with Condition Case No. 22-0154-EL-BLN Lima- Fort Wayne 138 kV Transmission Rebuild Project

Dear Ms. Troupe:


In satisfaction of Condition (4) of the Staff Report for the above-referenced project, AEP Ohio Transmission Company submits this notice and attachment of FAA Determination of No Hazard letters obtained for the project. If you have any questions regarding this information, please do not hesitate to contact me.

Respectfully submitted,

/s/ Hector Garcia

Hector Garcia (0084517), Counsel of Record Counsel for AEP Ohio Transmission Company

cc: John Jones, Counsel OPSB Staff Jon Pawley, OPSB Staff



Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-75\_CRANE

Location: Lima, OH

Latitude: 40-46-40.50N NAD 83

Longitude: 84-06-55.21W

Heights: 843 feet site elevation (SE)

200 feet above ground level (AGL) 1043 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21268-OE

Signature Control No: 557426834-560001908 Andrew Hollie (TMP)

Andrew Hollie Specialist

### Additional Condition(s) or Information for ASN 2022-AGL-21268-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1043 feet above mean sea level.

**Location:** The structure will be located 5.83 nautical miles northwest of AOH Airport reference point.

## Case Description for ASN 2022-AGL-21268-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

### Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21268-OE







Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-76\_CRANE

Location: Lima, OH

Latitude: 40-46-34.36N NAD 83

Longitude: 84-06-48.70W

Heights: 845 feet site elevation (SE)

200 feet above ground level (AGL) 1045 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21269-OE

Signature Control No: 557426835-560001906 Andrew Hollie

Specialist

(TMP)

### Additional Condition(s) or Information for ASN 2022-AGL-21269-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1045 feet above mean sea level.

**Location:** The structure will be located 5.7 nautical miles northwest of AOH Airport reference point.

### Case Description for ASN 2022-AGL-21269-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

### Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.


As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21269-OE







Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-77\_CRANE

Location: Lima, OH

Latitude: 40-46-27.78N NAD 83

Longitude: 84-06-42.54W

Heights: 851 feet site elevation (SE)

200 feet above ground level (AGL) 1051 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21270-OE

Signature Control No: 557426837-560001902

(TMP)

Andrew Hollie Specialist

### Additional Condition(s) or Information for ASN 2022-AGL-21270-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1051 feet above mean sea level.

**Location:** The structure will be located 5.57 nautical miles northwest of AOH Airport reference point.

## Case Description for ASN 2022-AGL-21270-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

## Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.


As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21270-OE







Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-78\_CRANE

Location: Lima, OH

Latitude: 40-46-21.68N NAD 83

Longitude: 84-06-35.57W

Heights: 848 feet site elevation (SE)

200 feet above ground level (AGL) 1048 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21271-OE

Signature Control No: 557426838-560001907
Andrew Hollie

(TMP)

Andrew Hollie Specialist

### Additional Condition(s) or Information for ASN 2022-AGL-21271-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1048 feet above mean sea level.

**Location:** The structure will be located 5.44 nautical miles northwest of AOH Airport reference point.

## Case Description for ASN 2022-AGL-21271-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

### Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.


This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21271-OE



## Sectional Map for ASN 2022-AGL-21271-OE





Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-79 CRANE

Location: Lima, OH

Latitude: 40-46-15.41N NAD 83

Longitude: 84-06-28.69W

Heights: 855 feet site elevation (SE)

200 feet above ground level (AGL) 1055 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

#### \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21272-OE

Signature Control No: 557426840-560001901 Andrew Hollie (TMP)

Andrew Hollie Specialist

### Additional Condition(s) or Information for ASN 2022-AGL-21272-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1055 feet above mean sea level.

**Location:** The structure will be located 5.3 nautical miles northwest of AOH Airport reference point.

## Case Description for ASN 2022-AGL-21272-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

### Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.


As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21272-OE







Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-80\_CRANE

Location: Lima, OH

Latitude: 40-46-09.32N NAD 83

Longitude: 84-06-22.24W

Heights: 863 feet site elevation (SE)

200 feet above ground level (AGL) 1063 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21273-OE

Signature Control No: 557426841-560001911

(TMP)

Andrew Hollie Specialist

### Additional Condition(s) or Information for ASN 2022-AGL-21273-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1063 feet above mean sea level.

**Location:** The structure will be located 5.17 nautical miles northwest of AOH Airport reference point.

## Case Description for ASN 2022-AGL-21273-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

### Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.


As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21273-OE







Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-81\_CRANE

Location: Lima, OH

Latitude: 40-46-02.95N NAD 83

Longitude: 84-06-15.50W

Heights: 870 feet site elevation (SE)

200 feet above ground level (AGL) 1070 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21274-OE

Signature Control No: 557426842-560001909 Andrew Hollie

(TMP)

Andrew Hollie Specialist

### Additional Condition(s) or Information for ASN 2022-AGL-21274-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1070 feet above mean sea level.

**Location:** The structure will be located 5.04 nautical miles northwest of AOH Airport reference point.

## Case Description for ASN 2022-AGL-21274-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

### Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21274-OE



## Sectional Map for ASN 2022-AGL-21274-OE





Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-82\_CRANE

Location: Lima, OH

Latitude: 40-45-56.80N NAD 83

Longitude: 84-06-09.00W

Heights: 870 feet site elevation (SE)

200 feet above ground level (AGL) 1070 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21275-OE

**Signature Control No: 557426844-560001913** 

(TMP)

Andrew Hollie Specialist

## Additional Condition(s) or Information for ASN 2022-AGL-21275-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1070 feet above mean sea level.

**Location:** The structure will be located 4.9 nautical miles northwest of AOH Airport reference point.

## Case Description for ASN 2022-AGL-21275-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

## Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.


This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21275-OE



# Sectional Map for ASN 2022-AGL-21275-OE





Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-83 CRANE

Location: Lima, OH

Latitude: 40-45-50.99N NAD 83

Longitude: 84-06-02.87W

Heights: 868 feet site elevation (SE)

200 feet above ground level (AGL) 1068 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21276-OE

Signature Control No: 557426846-560001903

(TMP)

Andrew Hollie Specialist

## Additional Condition(s) or Information for ASN 2022-AGL-21276-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1068 feet above mean sea level.

**Location:** The structure will be located 4.78 nautical miles northwest of AOH Airport reference point.

# Case Description for ASN 2022-AGL-21276-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

## Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.


As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21276-OE







Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-84\_CRANE

Location: Lima, OH

Latitude: 40-45-46.92N NAD 83

Longitude: 84-05-50.86W

Heights: 866 feet site elevation (SE)

200 feet above ground level (AGL) 1066 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21277-OE

Signature Control No: 557426848-560001912

(TMP)

Andrew Hollie Specialist

## Additional Condition(s) or Information for ASN 2022-AGL-21277-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1066 feet above mean sea level.

**Location:** The structure will be located 4.63 nautical miles northwest of AOH Airport reference point.

# Case Description for ASN 2022-AGL-21277-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

## Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.


As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21277-OE







Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-85\_CRANE

Location: Lima, OH

Latitude: 40-45-46.32N NAD 83

Longitude: 84-05-44.63W

Heights: 873 feet site elevation (SE)

200 feet above ground level (AGL) 1073 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21278-OE

**Signature Control No: 557426849-560001905** Andrew Hollie

Specialist

(TMP)

## Additional Condition(s) or Information for ASN 2022-AGL-21278-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1073 feet above mean sea level.

**Location:** The structure will be located 4.56 nautical miles northwest of AOH Airport reference point.

# Case Description for ASN 2022-AGL-21278-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

## Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.


As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21278-OE







Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-86 CRANE

Location: Lima, OH

Latitude: 40-45-46.41N NAD 83

Longitude: 84-05-40.11W

Heights: 873 feet site elevation (SE)

200 feet above ground level (AGL) 1073 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21279-OE

Signature Control No: 557426850-560001915

(TMP)

Andrew Hollie Specialist

## Additional Condition(s) or Information for ASN 2022-AGL-21279-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1073 feet above mean sea level.

**Location:** The structure will be located 4.53 nautical miles northwest of AOH Airport reference point.

# Case Description for ASN 2022-AGL-21279-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

# Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.


As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21279-OE







Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-87\_CRANE

Location: Lima, OH

Latitude: 40-45-47.30N NAD 83

Longitude: 84-05-34.71W

Heights: 874 feet site elevation (SE)

200 feet above ground level (AGL) 1074 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21280-OE

Signature Control No: 557426852-560001904

(TMP)

Andrew Hollie Specialist

## Additional Condition(s) or Information for ASN 2022-AGL-21280-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1074 feet above mean sea level.

**Location:** The structure will be located 4.49 nautical miles northwest of AOH Airport reference point.

## Case Description for ASN 2022-AGL-21280-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

## Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.


As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.

Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21280-OE







Matthew Schoelwer AEP\_M\_Schoelwer\_134366 8600 SMITHS MILL ROAD New Albany, OH 43054

#### \*\*DETERMINATION OF NO HAZARD TO AIR NAVIGATION FOR TEMPORARY STRUCTURE\*\*

The Federal Aviation Administration has conducted an aeronautical study under the provisions of 49 U.S.C., Section 44718 and if applicable Title 14 of the Code of Federal Regulations, part 77, concerning:

Structure: Crane 134366-88 CRANE

Location: Lima, OH

Latitude: 40-45-47.40N NAD 83

Longitude: 84-05-28.78W

Heights: 876 feet site elevation (SE)

200 feet above ground level (AGL) 1076 feet above mean sea level (AMSL)

This aeronautical study revealed that the temporary structure does not exceed obstruction standards and would not be a hazard to air navigation provided the condition(s), if any, in this letter is (are) met:

## \*\*SEE ATTACHMENT FOR ADDITIONAL CONDITION(S) OR INFORMATION\*\*

This determination is based, in part, on the foregoing description which includes specific coordinates, heights, frequency(ies) and power. Any changes in coordinates, heights and frequencies or use of greater power, except those frequencies specified in the Colo Void Clause Coalition; Antenna System Co-Location; Voluntary Best Practices, effective 21 Nov 2007, will void this determination. Any future construction or alteration, including increase to heights, power or the addition of other transmitters, requires separate notice to the FAA. This determination includes all previously filed frequencies and power for this structure.

This determination does include temporary construction equipment such as cranes, derricks, etc., which may be used during actual construction of a structure. However, this equipment shall not exceed the overall heights as indicated above. Equipment which has a height greater than the studied structure requires separate notice to the FAA.

If you have any questions, please contact our office at (817) 222-5933, or andrew.hollie@faa.gov. On any future correspondence concerning this matter, please refer to Aeronautical Study Number 2022-AGL-21281-OE

Signature Control No: 557426853-560001910 Andrew Hollie

(TMP)

Specialist

## Additional Condition(s) or Information for ASN 2022-AGL-21281-OE

**Proposal:** To construct and/or operate a(n) Crane to a height of 200 feet above ground level, 1076 feet above mean sea level.

**Location:** The structure will be located 4.44 nautical miles northwest of AOH Airport reference point.

## Case Description for ASN 2022-AGL-21281-OE

North Delphos\_ Rockhill 138kV Line rebuild. Cranes.

## Part 77 Obstruction Standard(s) Exceeded and Aeronautical Impacts, if any:

Aeronautical study revealed that the temporary structure will not exceed any Part 77 obstruction standard. Aeronautical study confirmed that the temporary structure will have no effect on any existing or proposed arrival, departure or en route instrument/visual flight rules (IFR/VFR) operations or procedures. Additionally, aeronautical study confirmed that the temporary structure will have no physical or electromagnetic effect on the operation of air navigation and communications facilities and will not impact any airspace and routes used by the military. Based on this aeronautical study, the FAA finds that the temporary structure will have no adverse effect on air navigation and will not impact any aeronautical operations or procedures.


Based on this aeronautical study, the structure would not constitute a substantial adverse effect on aeronautical operations or procedures because it will be temporary. The temporary structure would not be considered a hazard to air navigation provided all of the conditions specified in this determination are strictly met.

As a condition to this Determination, the structure is to be marked/lighted in accordance with FAA Advisory circular 70/7460-1 M, Obstruction Marking and Lighting, flags/red lights-Chapters 3(Marked),4,5(Red),14(Temporary),&15.


Any failure or malfunction that lasts more than thirty (30) minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

This determination expires on 05/02/2024 unless extended, revised, or terminated by the issuing office.

# TOPO Map for ASN 2022-AGL-21281-OE



# Sectional Map for ASN 2022-AGL-21281-OE



# This foregoing document was electronically filed with the Public Utilities Commission of Ohio Docketing Information System on

11/15/2022 4:05:54 PM

in

Case No(s). 22-0154-EL-BLN

Summary: Notice Proof of Compliance 4 electronically filed by Hector Garcia-Santana on behalf of Ohio Power Company