

FILE

11/13/22, 8:32 PM

AOL Mail - RE: Combined Recommendations on Seed Mix for Madison Fields and Oak Run Solar Facilities

22-549-EL-BGN

RE: Combined Recommendations on Seed Mix for Madison Fields and Oak Run Solar Facilities

22-550-EL-BTX

From: Robert.Gable@dnr.ohio.gov (robert.gable@dnr.ohio.gov)

To: ldevine@savionenergy.com

Cc: richard.gardner@dnr.ohio.gov; boose@metroparks.net; morrow@metroparks.net; asasson@aol.com; jftetzloff@aol.com; heather.doherty@dnr.ohio.gov

Date: Wednesday, September 21, 2022 at 02:31 PM EDT

You are welcome! Just let us know if you have any additional questions.

Bob

**From:** Lauren Devine <ldevine@savionenergy.com>  
**Sent:** Wednesday, September 21, 2022 2:28 PM  
**To:** Gable, Robert <Robert.Gable@dnr.ohio.gov>  
**Cc:** Gardner, Richard <Richard.Gardner@dnr.ohio.gov>; Andrew Boose (Boose@metroparks.net) <boose@metroparks.net>; Carrie Morrow <morrow@metroparks.net>; Anthony Sasson (asasson@aol.com) <asasson@aol.com>; JFTetzloff@aol.com; Doherty, Heather <Heather.Doherty@dnr.ohio.gov>  
**Subject:** RE: Combined Recommendations on Seed Mix for Madison Fields and Oak Run Solar Facilities

Thanks for sending, Bob!

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business.

Lauren Devine | Senior Permitting & Environmental Manager

M: 610.739.6568 | Savion, LLC

Technician ee Date Processed 11/28/2022



RECEIVED-DOCKETING DIV  
 2022 NOV 28 AM 11:43  
 PUCO

**From:** Robert.Gable@dnr.ohio.gov <Robert.Gable@dnr.ohio.gov>  
**Sent:** Wednesday, September 21, 2022 2:15 PM  
**To:** Lauren Devine <ldevine@savionenergy.com>  
**Cc:** Richard.Gardner@dnr.ohio.gov; Andrew Boose (Boose@metroparks.net) <boose@metroparks.net>; Carrie Morrow <morrow@metroparks.net>; Anthony Sasson (asasson@aol.com) <asasson@aol.com>;

[JFTetzloff@aol.com](mailto:JFTetzloff@aol.com); [Heather.Doherty@dnr.ohio.gov](mailto:Heather.Doherty@dnr.ohio.gov)

**Subject:** Combined Recommendations on Seed Mix for Madison Fields and Oak Run Solar Facilities

[EXTERNAL MESSAGE] Please be mindful when clicking on links, opening attachments, and replying.

Hello Lauren,

The attached list reflects the species from the original Madison Fields seed mix that we are recommending should not be planted at the Madison Fields or Oak Run solar facilities. **The species that we would like to see excluded from the seed mix and not planted at either site are highlighted in blue and strikethrough.**

-

The reasons we are recommending that these species be excluded from the seed mix are as follows:

- They pose a threat to maintaining the integrity of the native Darby Plains prairie plant genotypes.
- They are listed species that are rare throughout the state and pose a threat to maintaining the native genotypes of those plant populations.
- They are non-native species (although I believe some non-native species were left on the list).

-

This final list was compiled through consultation and discussion between the Division of Natural Areas and Preserves Botanist, Metroparks staff, and representatives of the Darby Creek Association.

As I mentioned before, I am not the botanical expert, so I have copied those experts that did contribute to the development of this final list on this email should you have specific questions. I would also be happy to schedule a follow up discussion with everyone involved if you wish, just let me know.

We truly appreciate Savion's willingness to work with us on this issue and the stream protection measures that may be incorporated at the Oak Run site. We look forward to having additional discussions with Savion on both topics. By working together, I believe we can minimize any possible negative impacts associated with the development of your facilities on both the native Darby Plains prairie remnants and the Little Darby Creek State and National Scenic River.

Thank you,

Bob

Bob Gable

Scenic Rivers Program Manager

Division of Natural Areas and Preserves

2045 Morse Rd., Bldg. H-3

Columbus, OH 43229

(O) 614-265-6814

(M) 614-204-7862



**CAUTION:** This is an external email and may not be safe. If the email looks suspicious, please do not click links or open attachments and forward the email to [csc@ohio.gov](mailto:csc@ohio.gov) or click the Phish Alert Button if available.



image002.png  
14.9kB