


From: Sent: To: Subject: PUCO Consumer Call Center <contactthepuco@puc.state.oh.us> Thursday, January 5, 2023 8:55 AM Puco Docketing PUBLIC UTILITIES COMMISSION OF OHIO - CASE #: 00793169 [ref:\_00Dt0GzXt.\_ 5008y6br8z:ref ]



are

CABO

đ

reproduction that the images

ete

the regular

l'echnici.

Date Processed

## PUBLIC UTILITIES COMMISSION OF OHIO **Consumer Service Division** Memorandum

CASE ID: 00793169 **CUSTOMER:** Kristina Shoup AIQ: Columbia Gas of Ohio NIQ: 7405915588

appearing \*\*\*To ensure your response attaches to the appropriate case, please reply to this email without changing the subject line. Thank you!\*\*\*

DUCKETING CASE #: AIR-GA-21-0637 21.639. 6A.U.NC 31.639.639.64.ALT 21.640.6A.HAM SUBJECT: Columbia Gas of Ohio - Protest Rate Case

Please docket the associated customer comment and/or attached in the case number referenced above under "Public Comments". This information was received by the Consumer Services Division through

with that the Ohio regulatory commission should give with that the Ohio regulatory commission should give mola Gas Company a pass to increase their minimum rate hike. I know that the members of these commissions and some utilities companies in general receive enough compensation for their services, get them to pay their fare share and leave Ohio residence with some assurance that their voices can be heard above the bureaucer

state of Ohio. This rate hike is not good for the state of Ohio, not good for the residence of the state of Ohio, and shows that people in power do not care about the difficulty low income households have in paying their bills.

This message and any response to it may constitute a public record and thus may be publicly available to anyone who requests it.



ref:\_00Dt0GzXt.\_5008y6br8z:ref

**CAUTION:** This is an external email and may not be safe. If the email looks suspicious, please do not click links or open attachments and forward the email to <u>csc@ohio.gov</u> or click the Phish Alert Button if available.