

FILE

4

AEP Ohio
88 E. Broad Street
Suite 800
Columbus, OH 43215



RECEIVED-DOCKETING DIV
2006 APR 14 PM 3:20

PUCO

Mary Ruth
Public Utilities Commission of Ohio
Docketing - 13
180 E. Broad Street
Columbus, OH 43214

April 13, 2006

Dear Mary:

Re: Cases No. 06-428-EL-PEB, 06-429-EL-PEB

Enclosed are the 4 copies quadrangle map O21 and P21 as ordered in the last entry.

Please contact me (614-629-5038) if you have any questions.

Sincerely,

Patrick Lawrence
AEP Ohio Regulatory Services

This is to certify that the images appearing are an accurate and complete reproduction of a case file document delivered in the regular course of business.
Technician Date Processed 4-14-06


OVERSIZE DOCUMENT(S)

CASE NUMBER 06-428-EL-PEB NUMBER OF IMAGES 2
66-429 ..

TWO MAPS

DESCRIPTION

REMOVED BY _____
DATE _____
SENT OUT _____



500
4000 5000 6000 7000 FEET
1 KILOMETER

2 MI. TO OHIO ST. JUNCTION CITY 2.8 MI.
17'30"
1 MILE
SERVICE AREA SHOWN AGREED CORRECT AS OF

3/29/06
P21

ELECTRIC UTILITIES SERVING THIS AREA

UTILITY	BY	TITLE	DATE
65 SOUTH CENTRAL PWR. CO.	<i>S. P. Swisher</i>	<i>Exec VP</i>	<i>11/21/80</i>
OP OHIO PWR. CO.	<i>S. P. Swisher</i>	<i>Exec VP</i>	<i>12-17-80</i>
_____	BY	TITLE	DATE
_____	BY	TITLE	DATE
_____	BY	TITLE	DATE

4082 128D

5000 5000 7000 FEET
1 KILOMETER 1 MILE

SERVICE AREA SHOWN AGREED CORRECT AS OF
3/29/06

021

ELECTRIC UTILITIES SERVING THIS AREA

UTILITY	BY	TITLE	DATE
SOUTH CENTRAL PWR. CO.	<i>Charles Manning</i>	<i>Gen. Mgr.</i>	<i>11/18/80</i>
MR. CO. / 41 LICKING REL.	<i>Bill Spivey</i>	<i>Exec VP</i>	<i>11/24/80</i>
MR. CO. / OP OHIO PWR. CO.	<i>Bill Spivey</i>	<i>Exec VP</i>	<i>11/24/80</i>
SOUTH CENTRAL PWR. CO.	<i>Bill Spivey</i>	<i>Gen. Mgr.</i>	<i>12-19-80</i>
OHIO PWR. CO.	<i>Charles Manning</i>	<i>Gen. Mgr.</i>	<i>11/18/80</i>
41 LICKING REL.	<i>Bill Spivey</i>	<i>Gen. Mgr.</i>	<i>12-19-80</i>

4082 128B

UNIVERSITY
AS / SW