


SALLY W. BLOOMFIELD
(614) 227-2368

LAW OFFICES
BRICKER & ECKLER LLP

100 SOUTH THIRD STREET
COLUMBUS, OHIO 43215-4291
(614) 227-2300

TELEFAX: (614) 227-2390
E-MAIL: SBLOO@BE.BRICKER.COM

INTERNET HOMEPAGE
HTTP://BENET-NP1.BRICKER.COM

August 11, 1997

Ms. Daisy Crockron
Docketing Chief
Public Utilities Commission of Ohio
180 East Broad Street, 10th Floor
Columbus, Ohio 43266-3793

William Brown, Esq.
Public Utilities Commission of Ohio
180 East Broad Street, 7th Floor
Columbus, Ohio 43266-3793

REGISTRY-DOCKETING DIV
97 AUG 11 PM 1:27
PUCCO

**Re: Case No. 95-935-WW-AIR
Ohio-American Water Company Rate Case**

Dear Ms. Crockron and Mr. Brown:

In accordance with the direction of the Commission on page 7 of the Opinion and Order issued July 18, 1996 in the above referenced proceeding, representatives of Ohio-American have either written or talked with representatives of the parties to this case to call their attention to the information behind Tab 12 of the "Submission of Updates To Support Changes For Step 2 Rates" filed on July 21, 1997. The Tab 12 information is the Company's analysis and recommendations for pressure improvements in the Madison system. Ohio-American has solicited the parties' comments, if any. To date none have been received. If any are forthcoming, Ohio-American will file an update to this letter.

Thus the Ohio-American believes that it has complied with the direction of the Commission to confer with the parties about its recommendations concerning the Madison system.

Sincerely,



Sally W. Bloomfield

cc: Parties of Record